



Doormaster™ Product Catalogue





The History of Yale

Yale is one of the oldest international brands in the world and one of the best-known names in the locking industry. The Yale history captures major innovations that have marked the evolution not just of Yale, but of the entire locking industry.

Beginnings

Yale has its roots in colonial America. The Yale family decided to emigrate to the New World from North Wales. A few generations later, about 1840, Linus Yale Sr., began designing and manufacturing a series of innovative, high security locks at his Yale Lock Shop in Newport, New York. He specialized in expensive, handmade bank locks.

Pioneer innovations

Linus Yale Sr.'s son joined his father in the business in 1850 and perfected and patented his father's pin tumbler cylinder lock and became the considered locking expert of his time. In 1862, Yale Jr. introduced the Monitor Bank Lock, marking the transition in bank locks from key locks to dial or combination locks. The principles, embodied in his Monitor Lock, are now standard in combination locks throughout the USA.

Yale Jr.

Yale Jr. was also experimenting with a lock based on a mechanism first employed by the ancient Egyptians over 4,000 years ago. Granted patents in 1861 and 1865, Yale finally succeeded in creating his most important invention – the Yale cylinder lock. Linus Yale Jr. transformed the locking industry forever with his many breakthrough inventions.

Worldwide Expansion



Relying on Yale patents, Yale's sterling name and sheer ingenuity, Yale Jr. and his colleague Henry Towne established the Yale & Towne company in 1868, at the time employing 35 people.

The company grew and broadened its scope with manually operated chain hoists, battery powered platform trucks and in 1879 a line of padlocks was introduced. Yale & Towne purchased Norton door closer company and H. and T. Vaughan Ltd.

In the early 20th century, the company expanded worldwide and employed more than 12,000 people. Throughout the 20th century, purchases, acquisitions and joint ventures with brands as Guli, Chubb Locks, Parkes and C E Marshall have made Yale locks well-known worldwide.

In August 2000 Yale was purchased by the ASSA ABLOY Group, and has since then been an important part of the global leader in door opening solutions.

Linus Yale Jr. transformed the locking industry forever with his many breakthrough inventions, but his most important invention was the Yale Cylinder lock.

The Yale Pin-tumbler invention

Yale's best-known lock design is the cylinder pin-tumbler lock.

The pin tumbler lock is a lock mechanism that uses pins of varying lengths to prevent the lock from opening without the correct key.



Replacement Locks	5
Overnight Locks	9
Replacement Gearboxes	11
Cylinders	13
Handles	31
Letterplates	36



Replacement Locks



Replacement Locks Universal Replacement Lock for PVCu Doors


Yale Doormaster™ Universal is designed to replace 100% of PVCu door locks with a 35mm or 45mm backset and a 16mm faceplate. With a combination of one hook and several easy-adjustment rollers, the Universal lock uses the latest patented technology from Yale to ensure security and simplicity of installation.

Features:

- Replaces 100% of PVCu door locks with a backset of 35mm or 45mm and a 16mm faceplate
- Central Hook protects against attack
- 1-piece lock
- 1-piece pre-assembled keep with patented Uni-packer system for fast, easy, and reliable installation
- Central hook for added security and anti-separation
- 1-piece, easy adjustment Mushroom Rollers
- 1-piece adjustable Rollers create a weather-tight seal
- Fixing tabs for easy and secure fitting
- Rounded ends for safe installation
- 10 year guarantee


Specifications:

- Available with 35mm or 45mm backset
- 92mm centres
- 16mm faceplate
- Supplied with 1-piece keep and all fixings
- Supplied with split handle spindle for optional night latch function



UNIVERSAL

Dimension	35mm B/SET UPVC
A	92mm
B	35mm
C	543mm
D	575mm
E	100mm*
F	100mm*
Faceplate Width	16mm



YDM-UNI-PVCU-35	Universal 35mm replacement lock for PVCU doors
YDM-UNI-PVCU-45	Universal 45mm replacement lock for PVCU doors

Replacement Locks Adjustable Replacement Lock for PVCu doors


Yale Doormaster™ Adjustable is a High Security lock designed to replace up to 90% PVCu door locks with top and bottom hooks or bolts, a 35mm backset, and a 16mm faceplate. With three hooks and two rollers, the Doormaster™ Adjustable has been tested to the Police Approved Secured By Design standard and is PAS 24 door set capable. Its adjustable design utilises the latest patented technology from Yale to ensure the Adjustable lock is installer friendly, making it the ideal choice where a higher level of security on a PVCu door is required

Features:

- Replaces 90% of PVCu door locks with top and bottom hooks, backsets of 35mm and 16mm faceplates
- Adjustable length and hook positions to fit most PVCu doors with top and bottom hooks or bolts
- 3 Hooks for High Security anti-separation
- Adjustable Rollers create a weather-tight seal
- Fixing tabs for easy and secure fitting
- Supplied with pre-assembled keeps using the patented 'Uni-packer' system for fast, easy, and reliable installation
- Rounded ends for safe installation
- Designed and tested to Police Approved Standard 'Secured By Design' and PAS 24 door set capable
- 10 year guarantee


Specifications:

- 35mm backset
- 92mm centres
- 16mm faceplate
- Supplied with pre-assembled keep set and all fixings
- Supplied with split handle spindle for optional night latch function



ADJUST

Dimension	35mm B/SET UPVC
A	92mm
B	35mm
C-MIN	520mm
C-MAX	860mm
D-MIN	545mm
D-MAX	875mm
E	100mm*
F	100mm*
Faceplate Width	16mm



YDM-ADJ-PVCU-35	Adjustable 35mm replacement lock for PVCU doors

Replacement Locks Professional Replacement Lock


Yale Doormaster™ Professional is a High Security replacement lock designed to replace 100% of locks with top and bottom hooks or bolts, a 35mm or 45mm backset, and a 16mm or 20mm faceplate. With three hooks and two rollers, the Doormaster™ Professional has been tested to the Police Approved Secured By Design standard and is PAS 24 door set capable. Designed with the professional installer in mind, this lock includes Crop and Mate technology to maximise the scope of installation. Several patented features plus the variety of faceplate widths makes the Professional Lock the ideal choice where a higher level of security is required – regardless of door material

Features:

- Replaces 100% of locks with top and bottom hooks or bolts, 35 or 45mm backsets, and 16 or 20mm faceplates
- Designed for installation by professionals
- Cut and mate to suit the door
- Supplied with pre-assembled keeps using the patented 'Uni-packer' system for fast, easy, and reliable installation
- Variants available for PVCu, Timber and Composite doors
- 3 Hook Bolts for High Security anti-separation
- Fixing tabs for easy and secure fitting
- Rounded ends for safe installation
- Designed and tested to Police Approved standard 'Secured By Design' and PAS 24 door set capable
- 10 year guarantee

Specifications:

- Available with 35mm or 45mm backset
- 92mm centres
- 16mm and 20mm faceplate variants
- Supplied with pre-assembled keep set and all fixings
- Supplied with split handle spindle for optional night latch function



PROFESSIONAL

Dimension	35mm B/SET UPVC	45mm B/SET UPVC	45mm B/SET TMBR
A	92mm	92mm	92mm
B	35mm	45mm	45mm
C-MIN	385mm	385mm	385mm
C-MAX	820mm	820mm	820mm
D-MIN	408mm	408mm	408mm
D-MAX	845mm	845mm	845mm
E	100mm*	100mm*	N/A
F	100mm*	100mm*	N/A
Faceplate Width	16mm	16mm	20mm

* = When lock is engaged

YDM-PRO-PVCU-35	Professional 35mm replacement lock for PVCU doors
YDM-PRO-PVCU-45	Professional 45mm replacement lock for PVCU doors
YDM-PRO-TMBR-45	Professional 45mm replacement lock for Timber and Composite doors



Overnight Locks





Overnight Locks Overnight Locks

Features:

- Temporary security solution designed especially for professionals
- 35 and 45mm backsets
- 16 and 20mm faceplates
- Several variants available to suit various door and lock types

Specifications:

- Shortened faceplate with centre gearbox attached
- Supplied with a pre-assembled keep including 'Uni-packer' system for fast, easy, and reliable installation



	
YDM-ONPVC-D35DF	Temporary security solution based on 35mm backset Lockmaster latch & deadbolt dual follower lock
YDM-ONPVC-D45-DF	Temporary security solution based on 45mm Lockmaster latch & dead dual follower lock
YDM-ONTMB-D45DF	Temporary security solution based on 45mm Lockmaster latch & deadbolt dual follower lock. 20mm faceplate for use on Timber and Composite doors
YDM-ONPVC-H35SF	Temporary security solution based on 35mm YS170 split follower latch and hook lock
YDM-ONPVC-H45SF	Temporary security solution based on 45mm YS170 split follower latch and hook lock
YDM-ONTMB-H45SF	Temporary security solution based on 45mm YS170 split follower lock. 20mm faceplate for use on Timber or Composite doors
YDM-ONPVC-D35TF	Temporary security solution to suit 35mm GU latch & deadbolt single follower lock



Replacement Gearboxes





Replacement Gearboxes Replacement Gearboxes

**Features:**

- Yale Gearboxes suitable for use in repair of Yale, Lockmaster, Mila & GU multipoint locks
- 35 and 45mm backsets
- 92 and 92/62mm centres
- Dual, Split, and Through followers

Specifications:

- Supplied as gearbox only

	
YDM-GBLMASTH35D	Replacement gearbox to add to current lock, based on 35mm Lockmaster dual follower latch & hook
YDM-GBLMASTD35D	Replacement gearbox to add to current lock, based on 35mm Lockmaster dual follower latch & deadbolt
YDM-GBLMASTD45D	Replacement gearbox to add to current lock, based on 45mm Lockmaster dual follower latch & deadbolt
YDM-GBLMASTD35T	Replacement gearbox to add to current lock, based on 35mm Lockmaster through follower latch & deadbolt
YDM-GBLMASTD45T	Replacement gearbox to add to current lock, based on 45mm Lockmaster through follower latch & deadbolt
YDM-GBG2000H35D	Replacement gearbox to add to current lock, based on 35mm Yale G2000 dual follower latch & hook
YDM-GB-GU-D35T	Replacement gearbox to add to current lock, based on 35mm GU through follower latch & deadbolt
YDM-GB-MILAD35T	Replacement gearbox to add to current lock, based on 35mm Mila through follower latch & deadbolt



Cylinders



Cylinders Anti-snap - Euro Single Cylinder

The Yale Anti Snap cylinder has been independently tested to ensure that it meets the latest euro profile cylinder standards. Designed to offer a new line of defence, the cylinder not only meets the British Standard Kitemark but it has also successfully passed the Sold Secure SS312 Diamond standard. This standard which is endorsed by the Master Locksmith Association has been recognised as being one of the hardest attack tests for euro profile cylinders.

Specifications:

- British Standard Kitemarked
- BS EN 1303:2005 Classification
- Supplied with 3 keys
- Single profile cylinder

Features:

- Secured by Design approved
- Sold Secure Diamond SS312 Standard approved
- Provides protection against the latest forms of cylinder attack
- Anti-snap, Anti-drill, Anti-pick & Anti-bump protection



	
P-AS3010PB	AS Euro Single 30/10 (40mm) Polished Brass
P-AS3010BN	AS Euro Single 30/10 (40mm) Bright Nickel
P-AS3510PB	AS Euro Single 35/10 (45mm) Polished Brass
P-AS3510BN	AS Euro Single 35/10 (45mm) Bright Nickel
P-AS4010PB	AS Euro Single 40/10 (50mm) Polished Brass
P-AS4010BN	AS Euro Single 40/10 (50mm) Bright Nickel
P-AS4510PB	AS Euro Single 45/10 (55mm) Polished Brass
P-AS4510BN	AS Euro Single 45/10 (55mm) Bright Nickel
P-AS5010PB	AS Euro Single 50/10 (60mm) Polished Brass
P-AS5010BN	AS Euro Single 50/10 (60mm) Bright Nickel
P-AS5510PB	AS Euro Single 55/10 (65mm) Polished Brass
P-AS5510BN	AS Euro Single 55/10 (65mm) Bright Nickel
P-AS6010PB	AS Euro Single 60/10 (70mm) Polished Brass
P-AS6010BN	AS Euro Single 60/10 (70mm) Bright Nickel

Cylinders Anti-snap - Euro Turn Cylinder

The Yale Anti Snap cylinder has been independently tested to ensure that it meets the latest euro profile cylinder standards. Designed to offer a new line of defence, the cylinder not only meets the British Standard Kitemark but it has also successfully passed the Sold Secure SS312 Diamond standard. This standard which is endorsed by the Master Locksmith Association has been recognised as being one of the hardest attack tests for euro profile cylinders.



Specifications:

- British Standard Kitemarked
- BS EN 1303:2005 Classification
- Supplied with 3 keys
- Double turn cylinder

Features:

- Secured by Design approved
- Sold Secure Diamond SS312 Standard approved
- Provides protection against the latest forms of cylinder attack
- Anti-snap, Anti-drill, Anti-pick & Anti-bump protection



	
AS3030TTPB	AS Euro Turn 30/30 (60mm) Polished Brass
AS3030TTBN	AS Euro Turn 30/30 (60mm) Bright Nickel
AS3050TTPB	AS Euro Turn 30/50 (80mm) Polished Brass
AS3050TTBN	AS Euro Turn 30/50 (80mm) Bright Nickel
AS3535TTPB	AS Euro Turn 35/35 (70mm) Polished Brass
AS3535TTBN	AS Euro Turn 35/35 (70mm) Bright Nickel
AS3540TTPB	AS Euro Turn 35/40 (75mm) Polished Brass
AS3540TTBN	AS Euro Turn 35/40 (75mm) Bright Nickel
AS3545TTPB	AS Euro Turn 35/45 (80mm) Polished Brass
AS3545TTBN	AS Euro Turn 35/45 (80mm) Bright Nickel
AS3550TTPB	AS Euro Turn 35/50 (85mm) Polished Brass
AS3550TTBN	AS Euro Turn 35/50 (85mm) Bright Nickel
AS3555TTPB	AS Euro Turn 35/55 (90mm) Polished Brass
AS3555TTBN	AS Euro Turn 35/55 (90mm) Bright Nickel
AS4040TTPB	AS Euro Turn 40/40 (80mm) Polished Brass
AS4040TTBN	AS Euro Turn 40/40 (80mm) Bright Nickel
AS4045TTPB	AS Euro Turn 40/45 (85mm) Polished Brass
AS4045TTBN	AS Euro Turn 40/45 (85mm) Bright Nickel
AS4050TTPB	AS Euro Turn 40/50 (90mm) Polished Brass



Cylinders Anti-snap - Euro Turn Cylinder

	
AS4050TTBN	AS Euro Turn 40/50 (90mm) Bright Nickel
AS4055TTPB	AS Euro Turn 40/55 (95mm) Polished Brass
AS4055TTBN	AS Euro Turn 40/55 (95mm) Bright Nickel
AS4060TTPB	AS Euro Turn 40/60 (100mm) Polished Brass
AS4060TTBN	AS Euro Turn 40/60 (100mm) Bright Nickel
AS4545TTPB	AS Euro Turn 45/45 (90mm) Polished Brass
AS4545TTBN	AS Euro Turn 45/45 (90mm) Bright Nickel
AS4550TTPB	AS Euro Turn 45/50 (95mm) Polished Brass
AS4550TTBN	AS Euro Turn 45/50 (95mm) Bright Nickel
AS4555TTPB	AS Euro Turn 45/55 (100mm) Polished Brass
AS4555TTBN	AS Euro Turn 45/55 (100mm) Bright Nickel
AS4560TTPB	AS Euro Turn 45/60 (105mm) Polished Brass
AS4560TTBN	AS Euro Turn 45/60 (105mm) Bright Nickel
AS5050TTPB	AS Euro Turn 50/50 (100mm) Polished Brass
AS5050TTBN	AS Euro Turn 50/50 (100mm) Bright Nickel
AS5055TTPB	AS Euro Turn 50/55 (105mm) Polished Brass
AS5055TTBN	AS Euro Turn 50/55 (105mm) Bright Nickel
AS5030TTPB	AS Euro Turn 50/30 (80mm) Polished Brass
AS5030TTBN	AS Euro Turn 50/30 (80mm) Bright Nickel
AS4035TTPB	AS Euro Turn 40/35 (75mm) Polished Brass
AS4035TTBN	AS Euro Turn 40/35 (75mm) Bright Nickel
AS4535TTPB	AS Euro Turn 45/35 (80mm) Polished Brass
AS4535TTBN	AS Euro Turn 45/35 (80mm) Bright Nickel
AS5035TTPB	AS Euro Turn 50/35 (85mm) Polished Brass
AS5035TTBN	AS Euro Turn 50/35 (85mm) Bright Nickel
AS5535TTPB	AS Euro Turn 55/35 (90mm) Polished Brass
AS5535TTBN	AS Euro Turn 55/35 (90mm) Bright Nickel
AS4540TTPB	AS Euro Turn 45/40 (85mm) Polished Brass
AS4540TTBN	AS Euro Turn 45/40 (85mm) Bright Nickel
AS5040TTPB	AS Euro Turn 50/40 (90mm) Polished Brass
AS5040TTBN	AS Euro Turn 50/40 (90mm) Bright Nickel
AS5540TTPB	AS Euro Turn 55/40 (95mm) Polished Brass
AS5540TTBN	AS Euro Turn 55/40 (95mm) Bright Nickel
AS6040TTPB	AS Euro Turn 60/40 (100mm) Polished Brass
AS6040TTBN	AS Euro Turn 60/40 (100mm) Bright Nickel
AS5045TTPB	AS Euro Turn 50/45 (95mm) Polished Brass
AS5045TTBN	AS Euro Turn 50/45 (95mm) Bright Nickel
AS5545TTPB	AS Euro Turn 55/45 (100mm) Polished Brass
AS5545TTBN	AS Euro Turn 55/45 (100mm) Bright Nickel
AS6045TTPB	AS Euro Turn 60/45 (105mm) Polished Brass
AS6045TTBN	AS Euro Turn 60/45 (105mm) Bright Nickel

Cylinders

Anti-snap - Euro Turn Cylinder

	
AS5550TTPB	AS Euro Turn 55/50 (105mm) Polished Brass
AS5550TTBN	AS Euro Turn 55/50 (105mm) Bright Nickel
P-AS3030TTPB	AS Euro Turn 30/30 (60mm) Polished Brass
P-AS3030TTBN	AS Euro Turn 30/30 (60mm) Bright Nickel
P-AS3050TTPB	AS Euro Turn 30/50 (80mm) Polished Brass
P-AS3050TTBN	AS Euro Turn 30/50 (80mm) Bright Nickel
P-AS3535TTPB	AS Euro Turn 35/35 (70mm) Polished Brass
P-AS3535TTBN	AS Euro Turn 35/35 (70mm) Bright Nickel
P-AS3540TTPB	AS Euro Turn 35/40 (75mm) Polished Brass
P-AS3540TTBN	AS Euro Turn 35/40 (75mm) Bright Nickel
P-AS3545TTPB	AS Euro Turn 35/45 (80mm) Polished Brass
P-AS3545TTBN	AS Euro Turn 35/45 (80mm) Bright Nickel
P-AS3550TTPB	AS Euro Turn 35/50 (85mm) Polished Brass
P-AS3550TTBN	AS Euro Turn 35/50 (85mm) Bright Nickel
P-AS3555TTPB	AS Euro Turn 35/55 (90mm) Polished Brass
P-AS3555TTBN	AS Euro Turn 35/55 (90mm) Bright Nickel
P-AS4040TTPB	AS Euro Turn 40/40 (80mm) Polished Brass
P-AS4040TTBN	AS Euro Turn 40/40 (80mm) Bright Nickel
P-AS4045TTPB	AS Euro Turn 40/45 (85mm) Polished Brass
P-AS4045TTBN	AS Euro Turn 40/45 (85mm) Bright Nickel
P-AS4050TTPB	AS Euro Turn 40/50 (90mm) Polished Brass
P-AS4050TTBN	AS Euro Turn 40/50 (90mm) Bright Nickel
P-AS4055TTPB	AS Euro Turn 40/55 (95mm) Polished Brass
P-AS4055TTBN	AS Euro Turn 40/55 (95mm) Bright Nickel
P-AS4060TTPB	AS Euro Turn 40/60 (100mm) Polished Brass
P-AS4060TTBN	AS Euro Turn 40/60 (100mm) Bright Nickel
P-AS4545TTPB	AS Euro Turn 45/45 (90mm) Polished Brass
P-AS4545TTBN	AS Euro Turn 45/45 (90mm) Bright Nickel
P-AS4550TTPB	AS Euro Turn 45/50 (95mm) Polished Brass
P-AS4550TTBN	AS Euro Turn 45/50 (95mm) Bright Nickel
P-AS4555TTPB	AS Euro Turn 45/55 (100mm) Polished Brass
P-AS4555TTBN	AS Euro Turn 45/55 (100mm) Bright Nickel
P-AS4560TTPB	AS Euro Turn 45/60 (105mm) Polished Brass
P-AS4560TTBN	AS Euro Turn 45/60 (105mm) Bright Nickel
P-AS5050TTPB	AS Euro Turn 50/50 (100mm) Polished Brass
P-AS5050TTBN	AS Euro Turn 50/50 (100mm) Bright Nickel
P-AS5055TTPB	AS Euro Turn 50/55 (105mm) Polished Brass
P-AS5055TTBN	AS Euro Turn 50/55 (105mm) Bright Nickel

Cylinders Anti-snap - Euro Double Cylinder

The Yale Anti Snap cylinder has been independently tested to ensure that it meets the latest euro profile cylinder standards. Designed to offer a new line of defence, the cylinder not only meets the British Standard Kitemark but it has also successfully passed the Sold Secure SS312 Diamond standard. This standard which is endorsed by the Master Locksmith Association has been recognised as being one of the hardest attack tests for euro profile cylinders.



Specifications:

- British Standard Kitemarked
- BS EN 1303:2005 Classification
- Supplied with 3 keys

Features:

- Secured by Design approved
- Sold Secure Diamond SS312 Standard approved
- Provides protection against the latest forms of cylinder attack
- Anti-snap, Anti-drill, Anti-pick & Anti-bump protection



	
AS3030PB	AS EuroDouble 30/30 (60mm) Polished Brass
AS3030BN	AS EuroDouble 30/30 (60mm) Bright Nickel
AS3535PB	AS EuroDouble 35/35 (70mm) Polished Brass
AS3535BN	AS EuroDouble 35/35 (70mm) Bright Nickel
AS4040PB	AS EuroDouble 40/40 (80mm) Polished Brass
AS4040BN	AS EuroDouble 40/40 (80mm) Bright Nickel
AS4545PB	AS EuroDouble 45/45 (90mm) Polished Brass
AS4545BN	AS EuroDouble 45/45 (90mm) Bright Nickel
AS5050PB	AS EuroDouble 50/50 (100mm) Polished Brass
AS5050BN	AS EuroDouble 50/50 (100mm) Bright Nickel
AS3050PB	AS EuroDouble 30/50 (80mm) Polished Brass
AS3050BN	AS EuroDouble 30/50 (80mm) Bright Nickel
AS5030PB	AS EuroDouble 50/30 (80mm) Polished Brass
AS5030BN	AS EuroDouble 50/30 (80mm) Bright Nickel
AS3545PB	AS EuroDouble 35/45 (80mm) Polished Brass
AS3545BN	AS EuroDouble 35/45 (80mm) Bright Nickel
AS4535PB	AS EuroDouble 45/35 (80mm) Polished Brass
AS4535BN	AS EuroDouble 45/35 (80mm) Bright Nickel
AS3555PB	AS EuroDouble 35/55 (90mm) Polished Brass
AS3555BN	AS EuroDouble 35/55 (90mm) Bright Nickel

Cylinders

Anti-snap - Euro Double Cylinder

	
AS5535PB	AS EuroDouble 55/35 (90mm) Polished Brass
AS5535BN	AS EuroDouble 55/35 (90mm) Bright Nickel
AS4045PB	AS EuroDouble 40/45 (85mm) Polished Brass
AS4045BN	AS EuroDouble 40/45 (85mm) Bright Nickel
AS4540PB	AS EuroDouble 45/40 (85mm) Polished Brass
AS4540BN	AS EuroDouble 45/40 (85mm) Bright Nickel
AS4050PB	AS EuroDouble 40/50 (90mm) Polished Brass
AS4050BN	AS EuroDouble 40/50 (90mm) Bright Nickel
AS5040PB	AS EuroDouble 50/40 (90mm) Polished Brass
AS5040BN	AS EuroDouble 50/40 (90mm) Bright Nickel
AS4055PB	AS EuroDouble 40/55 (95mm) Polished Brass
AS4055BN	AS EuroDouble 40/55 (95mm) Bright Nickel
AS5540PB	AS EuroDouble 55/40 (95mm) Polished Brass
AS5540BN	AS EuroDouble 55/40 (95mm) Bright Nickel
AS4060PB	AS EuroDouble 40/60 (100mm) Polished Brass
AS4060BN	AS EuroDouble 40/60 (100mm) Bright Nickel
AS6040PB	AS EuroDouble 60/40 (100mm) Polished Brass
AS6040BN	AS EuroDouble 60/40 (100mm) Bright Nickel
AS4550PB	AS EuroDouble 45/50 (95mm) Polished Brass
AS4550BN	AS EuroDouble 45/50 (95mm) Bright Nickel
AS5045PB	AS EuroDouble 50/45 (95mm) Polished Brass
AS5045BN	AS EuroDouble 50/45 (95mm) Bright Nickel
AS4555PB	AS EuroDouble 45/55 (100mm) Polished Brass
AS4555BN	AS EuroDouble 45/55 (100mm) Bright Nickel
AS5545PB	AS EuroDouble 55/45 (100mm) Polished Brass
AS5545BN	AS EuroDouble 55/45 (100mm) Bright Nickel
AS4560PB	AS EuroDouble 45/60 (105mm) Polished Brass
AS4560BN	AS EuroDouble 45/60 (105mm) Bright Nickel
AS6045PB	AS EuroDouble 60/45 (105mm) Polished Brass
AS6045BN	AS EuroDouble 60/45 (105mm) Bright Nickel
AS5055PB	AS EuroDouble 50/55 (105mm) Polished Brass
AS5055BN	AS EuroDouble 50/55 (105mm) Bright Nickel
AS5550PB	AS EuroDouble 55/50 (105mm) Polished Brass
AS5550BN	AS EuroDouble 55/50 (105mm) Bright Nickel
AS3540PB	AS EuroDouble 35/40 (75mm) Polished Brass
AS3540BN	AS EuroDouble 35/40 (75mm) Bright Nickel
AS4035PB	AS EuroDouble 40/35 (75mm) Polished Brass
AS4035BN	AS EuroDouble 40/35 (75mm) Bright Nickel
AS3550PB	AS EuroDouble 35/50 (85mm) Polished Brass
AS3550BN	AS EuroDouble 35/50 (85mm) Bright Nickel
AS5035PB	AS EuroDouble 50/35 (85mm) Polished Brass



Cylinders Anti-snap - Euro Double Cylinder

	
AS5035BN	AS EuroDouble 50/35 (85mm) Bright Nickel
AS3040PB	AS EuroDouble 30/40 (70mm) Polished Brass
AS3040BN	AS EuroDouble 30/40 (70mm) Bright Nickel
AS4030PB	AS EuroDouble 40/30 (70mm) Polished Brass
AS4030BN	AS EuroDouble 40/30 (70mm) Bright Nickel
AS3045PB	AS EuroDouble 30/45 (75mm) Polished Brass
AS3045BN	AS EuroDouble 30/45 (75mm) Bright Nickel
AS4530PB	AS EuroDouble 45/30 (75mm) Polished Brass
AS4530BN	AS EuroDouble 45/30 (75mm) Bright Nickel
AS3030KAPB	AS EuroDouble KA 30/30 (60mm) Polished Brass
AS3030KABN	AS EuroDouble KA 30/30 (60mm) Bright Nickel
AS3535KAPB	AS EuroDouble KA 35/35 (70mm) Polished Brass
AS3535KABN	AS EuroDouble KA 35/35 (70mm) Bright Nickel
AS4040KAPB	AS EuroDouble KA 40/40 (80mm) Polished Brass
AS4040KABN	AS EuroDouble KA 40/40 (80mm) Bright Nickel
AS4545KAPB	AS EuroDouble KA 45/45 (90mm) Polished Brass
AS4545KABN	AS EuroDouble KA 45/45 (90mm) Bright Nickel
AS5050KAPB	AS EuroDouble KA 50/50 (100mm) Polished Brass
AS5050KABN	AS EuroDouble KA 50/50 (100mm) Bright Nickel
AS3050KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS3050KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS5030KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS5030KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS3545KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS3545KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4535KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4535KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS3555KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS3555KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS5535KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS5535KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4045KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4045KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4540KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4540KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4050KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4050KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS5040KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS5040KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4055KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4055KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel

Cylinders

Anti-snap - Euro Double Cylinder

	
AS5540KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS5540KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4060KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4060KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS6040KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS6040KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4550KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4550KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS5045KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS5045KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4555KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4555KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS5545KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS5545KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4560KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4560KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS6045KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS6045KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS5055KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS5055KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS5550KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS5550KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS3540KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS3540KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4035KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4035KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS3550KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS3550KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS5035KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS5035KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS3040KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS3040KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4030KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4030KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS3045KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS3045KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
AS4530KAPB	AS EuroDouble KA 30/50 (80mm) Polished Brass
AS4530KABN	AS EuroDouble KA 30/50 (80mm) Bright Nickel
P-AS3030PB	AS EuroDouble 30/30 (60mm) Polished Brass
P-AS3030BN	AS EuroDouble 30/30 (60mm) Bright Nickel
P-AS3535PB	AS EuroDouble 35/35 (70mm) Polished Brass

Cylinders

Anti-snap - Euro Double Cylinder

	
P-AS3535BN	AS EuroDouble 35/35 (70mm) Bright Nickel
P-AS4040PB	AS EuroDouble 40/40 (80mm) Polished Brass
P-AS4040BN	AS EuroDouble 40/40 (80mm) Bright Nickel
P-AS4545PB	AS EuroDouble 45/45 (90mm) Polished Brass
P-AS4545BN	AS EuroDouble 45/45 (90mm) Bright Nickel
P-AS5050PB	AS EuroDouble 50/50 (100mm) Polished Brass
P-AS5050BN	AS EuroDouble 50/50 (100mm) Bright Nickel
P-AS3050PB	AS EuroDouble 30/50 (80mm) Polished Brass
P-AS3050BN	AS EuroDouble 30/50 (80mm) Bright Nickel
P-AS5030PB	AS EuroDouble 50/30 (80mm) Polished Brass
P-AS5030BN	AS EuroDouble 50/30 (80mm) Bright Nickel
P-AS3545PB	AS EuroDouble 35/45 (80mm) Polished Brass
P-AS3545BN	AS EuroDouble 35/45 (80mm) Bright Nickel
P-AS4535PB	AS EuroDouble 45/35 (80mm) Polished Brass
P-AS4535BN	AS EuroDouble 45/35 (80mm) Bright Nickel
P-AS3555PB	AS EuroDouble 35/55 (90mm) Polished Brass
P-AS3555BN	AS EuroDouble 35/55 (90mm) Bright Nickel
P-AS5535PB	AS EuroDouble 55/35 (90mm) Polished Brass
P-AS5535BN	AS EuroDouble 55/35 (90mm) Bright Nickel
P-AS4045PB	AS EuroDouble 40/45 (85mm) Polished Brass
P-AS4045BN	AS EuroDouble 40/45 (85mm) Bright Nickel
P-AS4540PB	AS EuroDouble 45/40 (85mm) Polished Brass
P-AS4540BN	AS EuroDouble 45/40 (85mm) Bright Nickel
P-AS4050PB	AS EuroDouble 40/50 (90mm) Polished Brass
P-AS4050BN	AS EuroDouble 40/50 (90mm) Bright Nickel
P-AS5040PB	AS EuroDouble 50/40 (90mm) Polished Brass
P-AS5040BN	AS EuroDouble 50/40 (90mm) Bright Nickel
P-AS4055PB	AS EuroDouble 40/55 (95mm) Polished Brass
P-AS4055BN	AS EuroDouble 40/55 (95mm) Bright Nickel
P-AS5540PB	AS EuroDouble 55/40 (95mm) Polished Brass
P-AS5540BN	AS EuroDouble 55/40 (95mm) Bright Nickel
P-AS4060PB	AS EuroDouble 40/60 (100mm) Polished Brass
P-AS4060BN	AS EuroDouble 40/60 (100mm) Bright Nickel
P-AS6040PB	AS EuroDouble 60/40 (100mm) Polished Brass
P-AS6040BN	AS EuroDouble 60/40 (100mm) Bright Nickel
P-AS4550PB	AS EuroDouble 45/50 (95mm) Polished Brass
P-AS4550BN	AS EuroDouble 45/50 (95mm) Bright Nickel
P-AS5045PB	AS EuroDouble 50/45 (95mm) Polished Brass
P-AS5045BN	AS EuroDouble 50/45 (95mm) Bright Nickel
P-AS4555PB	AS EuroDouble 45/55 (100mm) Polished Brass
P-AS4555BN	AS EuroDouble 45/55 (100mm) Bright Nickel

Cylinders

Anti-snap - Euro Double Cylinder

	
P-AS5545PB	AS EuroDouble 55/45 (100mm) Polished Brass
P-AS5545BN	AS EuroDouble 55/45 (100mm) Bright Nickel
P-AS4560PB	AS EuroDouble 45/60 (105mm) Polished Brass
P-AS4560BN	AS EuroDouble 45/60 (105mm) Bright Nickel
P-AS6045PB	AS EuroDouble 60/45 (105mm) Polished Brass
P-AS6045BN	AS EuroDouble 60/45 (105mm) Bright Nickel
P-AS5055PB	AS EuroDouble 50/55 (105mm) Polished Brass
P-AS5055BN	AS EuroDouble 50/55 (105mm) Bright Nickel
P-AS5550PB	AS EuroDouble 55/50 (105mm) Polished Brass
P-AS5550BN	AS EuroDouble 55/50 (105mm) Bright Nickel
P-AS3540PB	AS EuroDouble 35/40 (75mm) Polished Brass
P-AS3540BN	AS EuroDouble 35/40 (75mm) Bright Nickel
P-AS4035PB	AS EuroDouble 40/35 (75mm) Polished Brass
P-AS4035BN	AS EuroDouble 40/35 (75mm) Bright Nickel
P-AS3550PB	AS EuroDouble 35/50 (85mm) Polished Brass
P-AS3550BN	AS EuroDouble 35/50 (85mm) Bright Nickel
P-AS5035PB	AS EuroDouble 50/35 (85mm) Polished Brass
P-AS5035BN	AS EuroDouble 50/35 (85mm) Bright Nickel
P-AS3040PB	AS EuroDouble 30/40 (70mm) Polished Brass
P-AS3040BN	AS EuroDouble 30/40 (70mm) Bright Nickel
P-AS4030PB	AS EuroDouble 40/30 (70mm) Polished Brass
P-AS4030BN	AS EuroDouble 40/30 (70mm) Bright Nickel
P-AS3045PB	AS EuroDouble 30/45 (75mm) Polished Brass
P-AS3045BN	AS EuroDouble 30/45 (75mm) Bright Nickel
P-AS4530PB	AS EuroDouble 45/30 (75mm) Polished Brass
P-AS4530BN	AS EuroDouble 45/30 (75mm) Bright Nickel

Cylinders Yale 6 Pin Euro Profile Cylinder

The Yale 6 pin Euro profile cylinder is a convenient everyday locking solution. Tested to the British Standard BS EN1303:2005 the cylinder is suitable as a replacement product on PVCu, wood and composite doors that require a standard level of security.

Specifications:

- Replacement 6 pin Euro Profile Cylinder
- Available in Euro Single, Euro Double and Euro Turn
- Tested to the British Standard BS EN1303:2005
- Standard Security Level
- 2 Year Guarantee

Features:

- Available in Polished Brass and Nickel Plated finish
- 3 Keys supplied

Packaging Options:

- Boxed: *Code prefix B
- Visi-pack: *Code prefix P



	
*-ES3010-PB	30:10 (45mm) EURO SINGLE CYLINDER
*-ES3010-SNP	30:10 (45mm) EURO SINGLE CYLINDER
*-ES3510-PB	35:10 (50mm) EURO SINGLE CYLINDER
*-ES3510-SNP	35:10 (50mm) EURO SINGLE CYLINDER
*-ES4010-PB	40:10 (55mm) EURO SINGLE CYLINDER
*-ES4010-SNP	40:10 (55mm) EURO SINGLE CYLINDER
*-ES4510-PB	45:10 (60mm) EURO SINGLE CYLINDER
*-ES4510-SNP	45:10 (60mm) EURO SINGLE CYLINDER
*-ES5010-PB	50:10 (65mm) EURO SINGLE CYLINDER
*-ES5010-SNP	50:10 (65mm) EURO SINGLE CYLINDER
*-ES5510-PB	55:10 (70mm) EURO SINGLE CYLINDER
*-ES5510-SNP	55:10 (70mm) EURO SINGLE CYLINDER

Cylinders

Yale 6 Pin Euro Profile Cylinder

	
*-ES6010-PB	60:10 (75mm) EURO SINGLE CYLINDER
*-ES6010-SNP	60:10 (75mm) EURO SINGLE CYLINDER
*-ED3030-PB	30:10:30 (70mm) EURO DOUBLE CYLINDER
*-ED3030-SNP	30:10:30 (70mm) EURO DOUBLE CYLINDER
*-ED3035-PB	30:10:35 (75mm) EURO DOUBLE CYLINDER
*-ED3035-SNP	30:10:35 (75mm) EURO DOUBLE CYLINDER
*-ED3040-PB	30:10:40 (80mm) EURO DOUBLE CYLINDER
*-ED3040-SNP	30:10:40 (80mm) EURO DOUBLE CYLINDER
*-ED3050-PB	30:10:50 (90mm) EURO DOUBLE CYLINDER
*-ED3050-SNP	30:10:50 (90mm) EURO DOUBLE CYLINDER
*-ED3535-PB	35:10:35 (80mm) EURO DOUBLE CYLINDER
*-ED3535-SNP	35:10:35 (80mm) EURO DOUBLE CYLINDER
*-ED3540-PB	35:10:40 (85mm) EURO DOUBLE CYLINDER
*-ED3540-SNP	35:10:40 (85mm) EURO DOUBLE CYLINDER
*-ED3545-PB	35:10:45 (90mm) EURO DOUBLE CYLINDER
*-ED3545-SNP	35:10:45 (90mm) EURO DOUBLE CYLINDER
*-ED3550-PB	35:10:50 (95mm) EURO DOUBLE CYLINDER
*-ED3550-SNP	35:10:50 (95mm) EURO DOUBLE CYLINDER
*-ED3555-PB	35:10:55 (100mm) EURO DOUBLE CYLINDER
*-ED3555-SNP	35:10:55 (100mm) EURO DOUBLE CYLINDER
*-ED4040-PB	40:10:40 (90mm) EURO DOUBLE CYLINDER
*-ED4040-SNP	40:10:40 (90mm) EURO DOUBLE CYLINDER
*-ED4045-PB	40:10:45 (95mm) EURO DOUBLE CYLINDER
*-ED4045-SNP	40:10:45 (95mm) EURO DOUBLE CYLINDER
*-ED4050-PB	40:10:50 (100mm) EURO DOUBLE CYLINDER
*-ED4050-SNP	40:10:50 (100mm) EURO DOUBLE CYLINDER
*-ED4055-PB	40:10:55 (105mm) EURO DOUBLE CYLINDER
*-ED4055-SNP	40:10:55 (105mm) EURO DOUBLE CYLINDER
*-ED4545-PB	45:10:45 (100mm) EURO DOUBLE CYLINDER
*-ED4545-SNP	45:10:45 (100mm) EURO DOUBLE CYLINDER
*-ED4550-PB	45:10:50 (105mm) EURO DOUBLE CYLINDER
*-ED4550-SNP	45:10:50 (105mm) EURO DOUBLE CYLINDER
B-ED3030KA-PB	30:10:30 (70mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED3030KA-SNP	30:10:30 (70mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED3535KA-PB	35:10:35 (80mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED3535KA-SNP	35:10:35 (80mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED3540KA-PB	35:10:40 (85mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED3540KA-SNP	35:10:40 (85mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED3545KA-PB	35:10:45 (90mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED3545KA-SNP	35:10:45 (90mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED3550KA-PB	35:10:50 (95mm) EURO DOUBLE CYLINDER KEYED ALIKE

Cylinders

Yale 6 Pin Euro Profile Cylinder

	
B-ED3550KA-SNP	35:10:50 (95mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED3555KA-PB	35:10:55 (100mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED3555KA-SNP	35:10:55 (100mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4040KA-PB	40:10:40 (90mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4040KA-SNP	40:10:40 (90mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4045KA-PB	40:10:45 (95mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4045KA-SNP	40:10:45 (95mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4050KA-PB	40:10:50 (100mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4050KA-SNP	40:10:50 (100mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4055KA-PB	40:10:55 (105mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4055KA-SNP	40:10:55 (105mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4545KA-PB	45:10:45 (100mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4545KA-SNP	45:10:45 (100mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4550KA-PB	45:10:50 (105mm) EURO DOUBLE CYLINDER KEYED ALIKE
B-ED4550KA-SNP	45:10:50 (105mm) EURO DOUBLE CYLINDER KEYED ALIKE
*-ET3030-PB	30:10:30 (70mm) EURO TURN CYLINDER
*-ET3030-SNP	30:10:30 (70mm) EURO TURN CYLINDER
*-ET3535-PB	35:10:35 (80mm) EURO TURN CYLINDER
*-ET3535-SNP	35:10:35 (80mm) EURO TURN CYLINDER
*-ET3545-PB	35:10:45 (90mm) EURO TURN CYLINDER
*-ET3545-SNP	35:10:45 (90mm) EURO TURN CYLINDER
*-ET3555-PB	35:10:55 (100mm) EURO TURN CYLINDER
*-ET3555-SNP	35:10:55 (100mm) EURO TURN CYLINDER
*-ET4040-PB	40:10:40 (90mm) EURO TURN CYLINDER
*-ET4040-SNP	40:10:40 (90mm) EURO TURN CYLINDER
*-ET4045-PB	40:10:45 (95mm) EURO TURN CYLINDER
*-ET4045-SNP	40:10:45 (95mm) EURO TURN CYLINDER
*-ET4535-PB	45:10:35 (90mm) EURO TURN CYLINDER
*-ET4535-SNP	45:10:35 (90mm) EURO TURN CYLINDER
*-ET4545-PB	45:10:45 (100mm) EURO TURN CYLINDER
*-ET4545-SNP	45:10:45 (100mm) EURO TURN CYLINDER
*-ET5535-PB	55:10:35 (100mm) EURO TURN CYLINDER
*-ET5535-SNP	55:10:35 (100mm) EURO TURN CYLINDER
*-ET4050-PB	40:10:50 (100mm) EURO TURN CYLINDER
*-ET4050-SNP	40:10:50 (100mm) EURO TURN CYLINDER

Cylinders Yale KM Euro Profile Cylinder

The Yale KM Euro Profile cylinder has been developed to provide protection against common cylinder attack methods. Tested to the British Standard BS EN1303:2005 the cylinder is suitable as a replacement product on PVCu, wood and composite doors that require a high level of security and attack protection. The cylinder is Kitemark and Secured by Design approved.

Specifications:

- Replacement 6 pin Euro Profile Cylinder
- Available in Euro Single, Euro Double and Euro Turn
- BSI Kitemark Approved - KM532920
- TS007 1 Star Cylinder
- Secured by Design approved
- High Security Level
- 10 Year Guarantee

Features:

- Anti-Bump, Anti-Pick, Anti-screw and Anti-Drill protection
- Available in Polished Brass and Nickel Plated finish
- 3 Keys supplied

Packaging Options:

- Boxed
- Visi-pack - Add prefix P to the front of the product code



	
KM3030-PB	Kitemarked Euro Double Cylinder 30:10:30 (70mm)
KM3030-NP	Kitemarked Euro Double Cylinder 30:10:30 (70mm)
KM3035-PB	Kitemarked Euro Double Cylinder 30:10:35 (75mm)
KM3035-NP	Kitemarked Euro Double Cylinder 30:10:35 (75mm)
KM3040-PB	Kitemarked Euro Double Cylinder 30:10:40 (80mm)
KM3040-NP	Kitemarked Euro Double Cylinder 30:10:40 (80mm)
KM3045-PB	Kitemarked Euro Double Cylinder 30:10:45 (85mm)
KM3045-NP	Kitemarked Euro Double Cylinder 30:10:45 (85mm)
KM3050-PB	Kitemarked Euro Double Cylinder 30:10:50 (90mm)
KM3050-NP	Kitemarked Euro Double Cylinder 30:10:50 (90mm)
KM3055-PB	Kitemarked Euro Double Cylinder 30:10:55 (95mm)
KM3055-NP	Kitemarked Euro Double Cylinder 30:10:55 (95mm)
KM3535-PB	Kitemarked Euro Double Cylinder 35:10:35 (80mm)

Cylinders

Yale KM Euro Profile Cylinder

	
KM3535-NP	Kitemarked Euro Double Cylinder 35:10:35 (80mm)
KM3540-PB	Kitemarked Euro Double Cylinder 35:10:40 (85mm)
KM3540-NP	Kitemarked Euro Double Cylinder 35:10:40 (85mm)
KM3545-PB	Kitemarked Euro Double Cylinder 35:10:45 (90mm)
KM3545-NP	Kitemarked Euro Double Cylinder 35:10:45 (90mm)
KM3550-PB	Kitemarked Euro Double Cylinder 35:10:50 (95mm)
KM3550-NP	Kitemarked Euro Double Cylinder 35:10:50 (95mm)
KM3555-PB	Kitemarked Euro Double Cylinder 35:10:55 (100mm)
KM3555-NP	Kitemarked Euro Double Cylinder 35:10:55 (100mm)
KM4040-PB	Kitemarked Euro Double Cylinder 40:10:40 (90mm)
KM4040-NP	Kitemarked Euro Double Cylinder 40:10:40 (90mm)
KM4045-PB	Kitemarked Euro Double Cylinder 40:10:45 (95mm)
KM4045-NP	Kitemarked Euro Double Cylinder 40:10:45 (95mm)
KM4050-PB	Kitemarked Euro Double Cylinder 40:10:50 (100mm)
KM4050-NP	Kitemarked Euro Double Cylinder 40:10:50 (100mm)
KM4055-PB	Kitemarked Euro Double Cylinder 40:10:55 (105mm)
KM4055-NP	Kitemarked Euro Double Cylinder 40:10:55 (105mm)
KM4545-PB	Kitemarked Euro Double Cylinder 45:10:45 (100mm)
KM4545-NP	Kitemarked Euro Double Cylinder 45:10:45 (100mm)
KM4550-PB	Kitemarked Euro Double Cylinder 45:10:50 (105mm)
KM4550-NP	Kitemarked Euro Double Cylinder 45:10:50 (105mm)
KMT3030-PB	Kitemarked Euro Turn Cylinder 30:10:30 (70mm)
KMT3030-NP	Kitemarked Euro Turn Cylinder 30:10:30 (70mm)
KMT3535-PB	Kitemarked Euro Turn Cylinder 35:10:35 (80mm)
KMT3535-NP	Kitemarked Euro Turn Cylinder 35:10:35 (80mm)
KMT3540-PB	Kitemarked Euro Turn Cylinder 35:10:40 (85mm)
KMT3540-NP	Kitemarked Euro Turn Cylinder 35:10:40 (85mm)
KMT3545-PB	Kitemarked Euro Turn Cylinder 35:10:45 (90mm)
KMT3545-NP	Kitemarked Euro Turn Cylinder 35:10:45 (90mm)
KMT3550-PB	Kitemarked Euro Turn Cylinder 35:10:50 (95mm)
KMT3550-NP	Kitemarked Euro Turn Cylinder 35:10:50 (95mm)
KMT4030-PB	Kitemarked Euro Turn Cylinder 40:10:30 (80mm)
KMT4030-NP	Kitemarked Euro Turn Cylinder 40:10:30 (80mm)
KMT4035-PB	Kitemarked Euro Turn Cylinder 40:10:35 (85mm)
KMT4035-NP	Kitemarked Euro Turn Cylinder 40:10:35 (85mm)
KMT4040-PB	Kitemarked Euro Turn Cylinder 40:10:40 (90mm)
KMT4040-NP	Kitemarked Euro Turn Cylinder 40:10:40 (90mm)
KM3030-PB-KA	Kitemarked Euro Double Cylinder - KA 30:10:30 (70mm)
KM3030-NP-KA	Kitemarked Euro Double Cylinder - KA 30:10:30 (70mm)
KM3035-PB-KA	Kitemarked Euro Double Cylinder - KA 30:10:35 (75mm)
KM3035-NP-KA	Kitemarked Euro Double Cylinder - KA 30:10:35 (75mm)

Cylinders

Yale KM Euro Profile Cylinder

	
KM3040-PB-KA	Kitemarked Euro Double Cylinder - KA 30:10:40 (80mm)
KM3040-NP-KA	Kitemarked Euro Double Cylinder - KA 30:10:40 (80mm)
KM3045-PB-KA	Kitemarked Euro Double Cylinder - KA 30:10:45 (85mm)
KM3045-NP-KA	Kitemarked Euro Double Cylinder - KA 30:10:45 (85mm)
KM3050-PB-KA	Kitemarked Euro Double Cylinder - KA 30:10:50 (90mm)
KM3050-NP-KA	Kitemarked Euro Double Cylinder - KA 30:10:50 (90mm)
KM3055-PB-KA	Kitemarked Euro Double Cylinder - KA 30:10:55 (95mm)
KM3055-NP-KA	Kitemarked Euro Double Cylinder - KA 30:10:55 (95mm)
KM3535-PB-KA	Kitemarked Euro Double Cylinder - KA 35:10:35 (80mm)
KM3535-NP-KA	Kitemarked Euro Double Cylinder - KA 35:10:35 (80mm)
KM3540-PB-KA	Kitemarked Euro Double Cylinder - KA 35:10:40 (85mm)
KM3540-NP-KA	Kitemarked Euro Double Cylinder - KA 35:10:40 (85mm)
KM3545-PB-KA	Kitemarked Euro Double Cylinder - KA 35:10:45 (90mm)
KM3545-NP-KA	Kitemarked Euro Double Cylinder - KA 35:10:45 (90mm)
KM3550-PB-KA	Kitemarked Euro Double Cylinder - KA 35:10:50 (95mm)
KM3550-NP-KA	Kitemarked Euro Double Cylinder - KA 35:10:50 (95mm)
KM3555-PB-KA	Kitemarked Euro Double Cylinder - KA 35:10:55 (100mm)
KM3555-NP-KA	Kitemarked Euro Double Cylinder - KA 35:10:55 (100mm)
KM4040-PB-KA	Kitemarked Euro Double Cylinder - KA 40:10:40 (90mm)
KM4040-NP-KA	Kitemarked Euro Double Cylinder - KA 40:10:40 (90mm)
KM4045-PB-KA	Kitemarked Euro Double Cylinder - KA 40:10:45 (95mm)
KM4045-NP-KA	Kitemarked Euro Double Cylinder - KA 40:10:45 (95mm)
KM4050-PB-KA	Kitemarked Euro Double Cylinder - KA 40:10:50 (100mm)
KM4050-NP-KA	Kitemarked Euro Double Cylinder - KA 40:10:50 (100mm)
KM4055-PB-KA	Kitemarked Euro Double Cylinder - KA 40:10:55 (105mm)
KM4055-NP-KA	Kitemarked Euro Double Cylinder - KA 40:10:55 (105mm)
KM4545-PB-KA	Kitemarked Euro Double Cylinder - KA 45:10:45 (100mm)
KM4545-NP-KA	Kitemarked Euro Double Cylinder - KA 45:10:45 (100mm)
KM4550-PB-KA	Kitemarked Euro Double Cylinder - KA 45:10:50 (105mm)
KM4550-NP-KA	Kitemarked Euro Double Cylinder - KA 45:10:50 (105mm)
KMT3030-PB	Kitemarked Euro Turn Cylinder 30:10:30 (70mm)
KMT3030-NP	Kitemarked Euro Turn Cylinder 30:10:30 (70mm)
KMT3535-PB	Kitemarked Euro Turn Cylinder 35:10:35 (80mm)
KMT3535-NP	Kitemarked Euro Turn Cylinder 35:10:35 (80mm)
KMT3540-PB	Kitemarked Euro Turn Cylinder 35:10:40 (85mm)
KMT3540-NP	Kitemarked Euro Turn Cylinder 35:10:40 (85mm)
KMT3545-PB	Kitemarked Euro Turn Cylinder 35:10:45 (90mm)
KMT3545-NP	Kitemarked Euro Turn Cylinder 35:10:45 (90mm)
KMT3550-PB	Kitemarked Euro Turn Cylinder 35:10:50 (95mm)
KMT3550-NP	Kitemarked Euro Turn Cylinder 35:10:50 (95mm)
KMT4030-PB	Kitemarked Euro Turn Cylinder 40:10:30 (80mm)

Cylinders

Yale KM Euro Profile Cylinder

	
KMT4030-NP	Kitemarked Euro Turn Cylinder 40:10:30 (80mm)
KMT4035-PB	Kitemarked Euro Turn Cylinder 40:10:35 (85mm)
KMT4035-NP	Kitemarked Euro Turn Cylinder 40:10:35 (85mm)
KMT4040-PB	Kitemarked Euro Turn Cylinder 40:10:40 (90mm)
KMT4040-NP	Kitemarked Euro Turn Cylinder 40:10:40 (90mm)



Handles





PVCu Replacement Handle

PVCu Replacement Handle P-PVC-RH PVCu Replacement Handle with Adjustable Fixing Points

Specifications:

- Replacement door handle for Multi-point locks with 92mm lock centres
- Can be used on PVCu, Composite and Wooden doors
- Multiple fixing hole positions to cover most brands of locks
- Spindles and fixing screws provided to fit different door widths
- Smooth and durable handle operation
- Durable finish
- Easy to fit

Features:

- Multi-point locks are available in different lock centre sizes. This measurement is calculated by measuring the centre of the door handle lever to the centre of the euro profile cylinder
- The most popular size of lock centre is 92mm and this handle has been developed to fit this size of lock. Please note: This handle will not fit locks with 68mm and 72mm lock centres
- Each brand of lock has different fixing hole positions for the handle. The Yale PVCu replacement handle has been developed to offer you a selection of fixing hole positions which cover most brands of lock



	
P-PVC-RH-WH	PVCu door handle - White
P-PVC-RH-PC	PVCu door handle - Polished Chrome
P-PVC-RH-PGF	PVCu door handle - PVD Gold

PVCu Replacement Handle YH1LL PVCu Replacement Handle - Long Backplate



Specifications:

- 92mm Lock Centre (Distance from the handle to the centre of the euro profile cylinder)
- 215mm Distance between fixing points
- Backplate measures 245mm H x 32mm W x 14mm D
- Supplied with spring cassettes, fixing screws and spindle
- Tested in accordance to BS EN 1906:2002 and BS EN 1670:2007
- Durability tested to 200,000 cycles
- Corrosion resistant tested to 480 hours

Features:

- Stylish contemporary door handles
- Smooth and durable sprung lever action
- Compatible with multi-point locks that have a 92mm lock centre
- Suitable for left and right handed doors
- Weather resistant

Packaging Options:

- Polybag
- Visi-pack: Add P- Prefix to the product code



	
YH1LL-WH	Lever / Lever Handle - Long backplate - White
YH1LL-SS	Lever / Lever Handle - Long backplate - Silver
YH1LL-SG	Lever / Lever Handle - Long backplate - Gold
YH1LL-PG	Lever / Lever Handle - Long backplate - Polished Gold
YH1LL-PC	Lever / Lever Handle - Long backplate - Polished Chrome



PVCu Replacement Handle

PVCu Replacement Handle YH2LL PVCu Replacement Handle - Short Backplate

Specifications:

- 92mm Lock Centre (Distance from the handle to the centre of the euro profile cylinder)
- 122mm Distance between fixing points
- Backplate measures 226mm H x 32mm W x 14mm D
- Supplied with spring cassettes, fixing screws and spindle
- Tested in accordance to BS EN 1906:2002 and BS EN 1670:2007
- Durability tested to 200,000 cycles
- Corrosion resistant tested to 480 hours

Features:

- Stylish contemporary door handles
- Smooth and durable sprung lever action
- Compatible with multi-point locks that have a 92mm lock centre
- Suitable for left and right handed doors
- Weather resistant

Packaging Options:

- Polybag
- Visi-pack: Add P- Prefix to the product code



	
YH2LL-WH	Lever / Lever Handle - Short backplate - White
YH2LL-SG	Lever / Lever Handle - Short backplate - Gold
YH2LL-PG	Lever / Lever Handle - Short backplate - Polished Gold
YH2LL-PC	Lever / Lever Handle - Short backplate - Polished Chrome



PVCu Replacement Handle

PVCu Replacement Handle YSHMK3LL PVCu Security Handle - Long Backplate

Specifications:

- Developed to be used in conjunction with the Yale British Standard euro cylinder to meet PAS24 requirements
- 92mm Lock Centre (Distance from the handle to the centre of the euro profile cylinder)
- 215mm Distance between fixing points
- Backplate measures 245mm H x 32mm W x 14mm D
- Supplied with spring cassettes, fixing screws and spindle
- Tested in accordance to BS EN 1906:2002 and BS EN 1670:2007
- Durability tested to 200,000 cycles
- Corrosion resistant tested to 480 hours

Features:

- Strong steel lugs and M6 screws to ensure the handle stays on the door
- Ideal for retrofitting - same fixing positions as the standard Yale door furniture
- Stylish contemporary door handles
- Smooth and durable sprung lever action
- Compatible with multi-point locks that have a 92mm lock centre
- Suitable for left and right handed doors
- Weather resistant

Packaging Options:

- Polybag
- Visi-pack: Add P- Prefix to the product code



YSHMK3LL-WH	High Security Lever / Lever Handle - White
YSHMK3LL-PC	High Security Lever / Lever Handle - Polished Chrome
YSHMK3LL-PG	High Security Lever / Lever Handle - Polished Gold



Letterplates



Letterplates YLP44-06 Yale Letterplate

Specifications:

- Adjustable telescopic sleeves for the perfect fit.
- Quick fit design (fixings supplied).
- Universal fit for door thicknesses 38-78mm.
- Corrosion resistant: BS EN 1670:2007

Features:

- Energy Efficiency & Weather Resistance
- External foam seal for increased weather protection.
- Internal brushes reduce air filtration and prevent heat loss.
- UV stable finish
- Fully sprung flaps with thumb handles for ease of use.
- External flap designed to open to 147°, giving a generous and clear access for posting mail.

Packaging Options:

- Boxed: *Add B to the product code
- Visi-pack: *Add CP to the product code



	
YLP44-06/03-*	12" 40/40 Letterplate - White
YLP44-06/06-*	12" 40/40 Letterplate - Black
YLP44-06/01-*	12" 40/40 Letterplate - Silver
YLP44-06/34-*	12" 40/40 Letterplate - Gold
YLP44-06/32-*	12" 40/40 Letterplate - Polished Gold
YLP44-06/73-*	12" 40/40 Letterplate - Polished Chrome

Letterplates

P-YHSLP Yale Security Letterplate

Specifications:

- Adjustable telescopic sleeves for the perfect fit.
- Quick fit design (fixings supplied).
- Universal fit for door thicknesses 38-78mm.
- Corrosion resistant: BS EN 1670:2007
- Security Cowl protects against letterplate attacks

Features:

- Energy Efficiency & Weather Resistance
- External foam seal for increased weather protection.
- Internal brushes reduce air filtration and prevent heat loss.
- UV stable finish
- Fully sprung flaps with thumb handles for ease of use.
- External flap designed to open to 147°, giving a generous and clear access for posting mail.
- The security cowl prevents visibility of occupancy and restricts the opening of the internal letterplate flap, which reduces the risk of access to internal locks and keys.

Packaging Options:

Visi-pack



	
P-YHSLP-WH	12" 40/40 Security Letterplate -White
P-YHSLP-CH	12" 40/40 Security Letterplate -Chrome



Yale UK
School Street, Willenhall,
West Midlands,
WV13 3PW
Tel: 01902 364647
Fax: 0845 223 2128
www.yalelock.com

Due to a continuous programme of development the company reserves the right to make alterations without notice.

THE YALE BRAND, with its unparalleled global reach and range of products, reassures more people in more countries than any other consumer locking solution.

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.