ASEC A1C Surface Release

Surface · Asec · 3 variants

PRICING

From £47.93 ex VAT

£57.52 inc VAT

3 variants available
VAT 20.00%
Range: £47.93 - £67.98 ex VAT

Product Imagery



Specification Summary

Brand	Asec
Product type	Surface

Product Description

The Asec A1C Surface Mounted Electric Release is a rim-fitted electric strike designed to work in conjunction with a rim latch, allowing doors to be unlocked remotely as part of an access control system. It is easy to install and is specifically designed for inward-opening rebated doors.

This low-duty release is supplied complete with two sets of packing pieces (one pair of 3mm and one pair of 1.5mm) to assist with precise fitting. It features a fail-locked (fail-secure) operation, meaning the door remains secure in the event of a power outage. The DC-powered models are continuously rated, making them suitable for continuous duty.

This release is available in several configurations. Please select your preferred input voltage (12V AC, 12V DC, or 24V DC), current consumption, and manufacturer reference (AS9536, AS9537, or AS9538) from the options below.

Technical Specifications

- **Brand:** Asec
- **Fitting:** Surface mounted
- **Operation:** Fail Locked (Fail Secure)

- **Handing:** Inward opening only
- **Holding Force:** 295kg / 650lbs
- **Faceplate Height:** 145mm
- **Faceplate Width:** 36mm
- **Body Height:** 106mm
- **Body Depth:** 36mm
- **Jaw Height:** 40mm
- **Jaw Width:** 11mm
- **Jaw Depth:** 8mm
- **Input Voltage:** 12V AC, 12V DC, or 24V DC (please select from the options below)
- **Current Consumption:** 0.08A @ 24V DC, 0.16A @ 12V DC, or 0.65A @ 12V DC (please select from the options below)
- **Finish:** Grey
- **Guarantee:** 1 Year

Key Features

- **Remote Access Control:** Allows doors to be unlocked remotely when used with a rim latch
- **Surface Mounted:** Easy to install directly onto the surface of the frame
- **Supplied with Packers:** Includes two sets of packing pieces (1 pair of 3mm and 1 pair of 1.5mm) for precise fitting
- **Continuously Rated DC:** 12V DC and 24V DC versions are continuously rated
- **Fail Locked Security:** Remains locked in the event of a power failure to maintain security
- **Suitable for Rebated Doors:** Designed specifically for inward opening rebated doors

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	AS9536	£47.93	£57.52	**Adjustable Jaw:** No **Barcode:** 5055120629674 **Body Depth:** 36mm **Body Height:** 106mm **Brand:** Asec **Current Consumption:** 0.65A @ 12V DC **Faceplate Height:** 145mm **Faceplate Width:** 36mm **Finish:** Grey **Fitting:** Surface **Guarantee:** 1 Year **Handed:** Inward Opening **Holding Force:** 295Kg / 650Lbs **Input Voltage:** 12V AC **Jaw Depth:** 8mm **Jaw Height:** 40mm **Jaw Width:** 11mm **Manufacturer Reference:** AS9536 **Monitored:** No **Notes:** Low Duty **Operation:** Fail Locked **Pack Quantity:** 1 **Packaging:** Boxed **Weather Resistant:** No **Weight:** 390g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	AS9537	£61.31	£73.57	**Adjustable Jaw:** No **Barcode:** 5055120629650 **Body Depth:** 36mm **Body Height:** 106mm **Brand:** Asec **Current Consumption:** 0.16A @ 12V DC **Faceplate Height:** 145mm **Faceplate Width:** 36mm **Finish:** Grey **Fitting:** Surface **Guarantee:** 1 Year **Handed:** Inward Opening **Holding Force:** 295Kg / 650Lbs **Input Voltage:** 12V DC **Jaw Depth:** 8mm **Jaw Height:** 40mm **Jaw Width:** 11mm **Manufacturer Reference:** AS9537 **Monitored:** No **Notes:** Low Duty **Operation:** Fail Locked **Pack Quantity:** 1 **Packaging:** Boxed **Weather Resistant:** No **Weight:** 390g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	AS9538	£67.98	£81.58	**Adjustable Jaw:** No **Barcode:** 5055120629636 **Body Depth:** 36mm **Body Height:** 106mm **Brand:** Asec **Current Consumption:** 0.08A @ 24V DC **Faceplate Height:** 145mm **Faceplate Width:** 36mm **Finish:** Grey **Fitting:** Surface **Guarantee:** 1 Year **Handed:** Inward Opening **Holding Force:** 295Kg / 650Lbs **Input Voltage:** 24V DC **Jaw Depth:** 8mm **Jaw Height:** 40mm **Jaw Width:** 11mm **Manufacturer Reference:** AS9538 **Monitored:** No **Notes:** Low Duty **Operation:** Fail Locked **Pack Quantity:** 1 **Packaging:** Boxed **Weather Resistant:** No **Weight:** 390g

Brand Profile

Asec



ASEC is a **trade-focused security hardware brand** built around the “everyday kit” locksmiths and installers reach for, with a big emphasis on **breadth, availability, and value** rather than boutique-only spec pieces. The brand was **established in 2003** and was created specifically to **support independent retailers and security professionals** with products that *“would never become available through the large multiple retailers.”*

Where ASEC gets especially interesting (and why it tends to become a “default stock brand”) is the **scale of the range**:

- ASEC positions itself as having a portfolio of **2,000+ individual products**, described as one of the **largest ranges under a single security brand name** in the industry.
- Coverage is intentionally broad across the core trade categories: **Access Control, Architectural Hardware, Key Cutting, Locking Products, UPVC, Tools & Accessories**.

ASEC is **exclusive to Aldridge Security** (whom we distribute) in the UK trade ecosystem (Aldridge explicitly calls itself the **exclusive distributor of ASEC Security Products worldwide**). That exclusivity is a big part of the brand’s identity: it keeps the range aimed at the trade channel rather than getting diluted into mass retail.