ASEC A1R Rim Release

Rim · Asec · 3 variants

PRICING


From £42.27 ex VAT

£50.72 inc VAT

3 variants available
VAT 20.00%
Range: £42.27 - £52.38 ex VAT

Product Imagery





Specification Summary

Brand	Asec
Product type	Rim

Product Description

The Asec A1R Rim Release is a rim-fitted electric release designed to replace the standard keep on an inward-opening rim nightlatch. This low-duty electric strike provides a convenient way to control access through timber doors, offering a reliable fail-locked (fail-secure) operation where the door remains locked in the event of a power failure.

This versatile rim release is supplied complete with packing pieces to ensure a precise fit during installation. It is available in multiple input voltage options, including 12V AC, 12V DC, and 24V DC, with current consumption options of 0.08A, 0.16A, or 0.65A. Please note that the 12V DC and 24V DC models are continuously rated,

whereas the 12V AC model is intermittently rated.

Please select your required input voltage, current consumption, and manufacturer reference (AS9541, AS9542, or AS9543) from the options below to suit your specific access control system.

Technical Specifications

- **Fitting Type:** Rim-fitted (replaces nightlatch keep)
- **Operation:** Fail Locked (Fail Secure)
- **Input Voltage:** 12V AC, 12V DC, or 24V DC (please choose from the options below)
- **Current Consumption:** 0.08A, 0.16A, or 0.65A (please choose from the options below)
- **Holding Force:** 295kg (650lbs)
- **Handing:** Inward opening only
- **Body Dimensions:** 108mm (H) x 21mm (D)
- **Faceplate Dimensions:** 108mm (H) x 50mm (W)
- **Jaw Dimensions:** 40mm (H) x 11mm (W) x 8mm (D)
- **Finish:** Grey
- **Duty:** Low duty
- **Monitoring:** Non-monitored
- **Weather Resistance:** No (suitable for internal use)
- **Manufacturer Reference:** AS9541, AS9542, or AS9543 (please choose from the options below)
- **Guarantee:** 1 Year

Key Features

- **Easy Retrofitting:** Designed to directly replace the standard keep on a rim nightlatch.
- **Continuous Rating:** 12V DC and 24V DC variants are continuously rated for extended operation.
- **Fail-Locked Security:** Remains securely locked during a power outage to maintain building security.
- **Complete Kit:** Supplied with packing pieces to facilitate a straightforward and accurate installation.
- **Robust Holding Force:** Offers up to 295kg (650lbs) of holding force.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	AS9541	£42.27	£50.72	**Adjustable Jaw:** No **Barcode:** 5055120629575 **Body Depth:** 21mm **Body Height:** 108mm **Brand:** Asec **Current Consumption:** 0.65A **Faceplate Height:** 108mm **Faceplate Width:** 50mm **Finish:** Grey **Fitting:** Rim **Guarantee:** 1 Year **Handed:** Inward Opening **Holding Force:** 295Kg / 650Lbs **Input Voltage:** 12V AC **Jaw Depth:** 8mm **Jaw Height:** 40mm **Jaw Width:** 11mm **Manufacturer Reference:** AS9541 **Monitored:** No **Notes:** Low Duty **Operation:** Fail Locked **Pack Quantity:** 1 **Packaging:** Boxed **Weather Resistant:** No **Weight:** 360g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	AS9542	£50.15	£60.18	**Adjustable Jaw:** No **Barcode:** 5055120629551 **Body Depth:** 21mm **Body Height:** 108mm **Brand:** Asec **Current Consumption:** 0.16A **Faceplate Height:** 108mm **Faceplate Width:** 50mm **Finish:** Grey **Fitting:** Rim **Guarantee:** 1 Year **Handed:** Inward Opening **Holding Force:** 295Kg / 650Lbs **Input Voltage:** 12V DC **Jaw Depth:** 8mm **Jaw Height:** 40mm **Jaw Width:** 11mm **Manufacturer Reference:** AS9542 **Monitored:** No **Notes:** Low Duty **Operation:** Fail Locked **Pack Quantity:** 1 **Packaging:** Boxed **Weather Resistant:** No **Weight:** 360g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	AS9543	£52.38	£62.86	**Adjustable Jaw:** No **Barcode:** 5055120629537 **Body Depth:** 21mm **Body Height:** 108mm **Brand:** Asec **Current Consumption:** 0.08A **Faceplate Height:** 108mm **Faceplate Width:** 50mm **Finish:** Grey **Fitting:** Rim **Guarantee:** 1 Year **Handed:** Inward Opening **Holding Force:** 295Kg / 650Lbs **Input Voltage:** 24V DC **Jaw Depth:** 8mm **Jaw Height:** 40mm **Jaw Width:** 11mm **Manufacturer Reference:** AS9543 **Monitored:** No **Notes:** Low Duty **Operation:** Fail Locked **Pack Quantity:** 1 **Packaging:** Boxed **Weather Resistant:** No **Weight:** 360g

Brand Profile

Asec



ASEC is a **trade-focused security hardware brand** built around the “everyday kit” locksmiths and installers reach for, with a big emphasis on **breadth, availability, and value** rather than boutique-only spec pieces. The brand was **established in 2003** and was created specifically to **support independent retailers and security professionals** with products that *“would never become available through the large multiple retailers.”*

Where ASEC gets especially interesting (and why it tends to become a “default stock brand”) is the **scale of the range**:

- ASEC positions itself as having a portfolio of **2,000+ individual products**, described as one of the **largest ranges under a single security brand name** in the industry.
- Coverage is intentionally broad across the core trade categories: **Access Control, Architectural Hardware, Key Cutting, Locking Products, UPVC, Tools & Accessories**.

ASEC is **exclusive to Aldridge Security** (whom we distribute) in the UK trade ecosystem (Aldridge explicitly calls itself the **exclusive distributor of ASEC Security Products worldwide**). That exclusivity is a big part of the brand’s identity: it keeps the range aimed at the trade channel rather than getting diluted into mass retail.