ASEC Press To Exit Narrow Style Surface Button Stainless Steel

Full Stainless Steel · Asec · 1 variant

PRICING

From £38.07 ex VAT

£45.68 inc VAT


1 variant available
VAT 20.00%

Product Imagery









Specification Summary

Brand	Asec
Product type	Full Stainless Steel

Product Description

The Asec Narrow Style Stainless Steel "Press To Exit" Button is a robust and reliable solution designed for access control systems where space is limited. Featuring a slim, narrow profile, this surface-mounted exit button is ideal for installation on narrow door frames, architraves, or posts.

Constructed from a durable 2mm stainless steel mounting plate, it is built to withstand frequent use in busy commercial or public environments. The unit features a large, easy-to-activate momentary push button that springs back into place once released. It is supplied complete with a surface mounting box and security screws to ensure a secure, tamper-resistant installation.

Equipped with voltage-free double pole contacts rated at 5 Amps at 30V DC, this switch offers both Normally Open (N/O) and Normally Closed (N/C) outputs. This versatile configuration makes it highly compatible with a wide range of electronic locks, magnetic locks, and access control systems.

Technical Specifications

- **Brand:** Asec
- **Part Number:** AS8013
- **Material:** 2mm Stainless Steel
- **Fitting:** Surface mounted (mounting box included)
- **Operation:** Momentary push button
- **Contacts:** Double pole (5A @ 30V DC)
- **Outputs:** N/O (Normally Open) and N/C (Normally Closed)
- **Input Voltage:** 12/24V DC
- **Legend:** "Press To Exit"
- **Width:** 40mm
- **Depth:** 38mm
- **Weight:** 770g

Key Features

- **Narrow Profile:** Slim design is ideal for installation on narrow door frames and architraves.
- **Durable Construction:** Made with a robust 2mm stainless steel plate for long-lasting performance.
- **Vandal Resistant:** Supplied with security screws to prevent unauthorized tampering.
- **Easy Operation:** Features a large, highly visible push button for straightforward user activation.
- **Versatile Integration:** Voltage-free double pole contacts with N/O and N/C outputs ensure compatibility with various access control systems.
- **Complete Kit:** Comes boxed with a surface mounting box and necessary fixings for quick installation.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	AS8013	£38.07	£45.68	**Barcode:** 5055120621760 **Brand:** Asec **Connections:** 2 to 4 **Current Consumption:** 5A at 30V **Depth:** 38mm **Finish:** Stainless Steel **Fitting:** Surface **Illumination:** No **Input Voltage:** 12/24V DC **Legend:** Press To Exit **Manufacturer Reference:** AS8013 **Operation:** Momentary **Outputs:** N/O & N/C **Pack Quantity:** 1 **Packaging:** Boxed **Rating:** 5 Amps @ 30V **Weight:** 770g **Width:** 40mm

Brand Profile

Asec



ASEC is a **trade-focused security hardware brand** built around the “everyday kit” locksmiths and installers reach for, with a big emphasis on **breadth, availability, and value** rather than boutique-only spec pieces. The brand was **established in 2003** and was created specifically to **support independent retailers and security professionals** with products that *“would never become available through the large multiple retailers.”*

Where ASEC gets especially interesting (and why it tends to become a “default stock brand”) is the **scale of the range**:

- ASEC positions itself as having a portfolio of **2,000+ individual products**, described as one of the **largest ranges under a single security brand name** in the industry.
- Coverage is intentionally broad across the core trade categories: **Access Control, Architectural Hardware, Key Cutting, Locking Products, UPVC, Tools & Accessories**.

ASEC is **exclusive to Aldridge Security** (whom we distribute) in the UK trade ecosystem (Aldridge explicitly calls itself the **exclusive distributor of ASEC Security Products worldwide**). That exclusivity is a big part of the brand’s identity: it keeps the range aimed at the trade channel rather than getting diluted into mass retail.