ASEC Surface Mounted Button

External · Asec · 4 variants

PRICING

From £117.90 ex VAT

£141.48 inc VAT

4 variants available
VAT 20.00%

Product Imagery









Specification Summary

Brand	Asec
Product type	External

Product Description

The Asec Surface Mounted Button is a highly durable, weather-resistant push button designed for external door and gate release systems. Built with a robust cross-polymer grey housing and a high-impact green zinc alloy button, this unit is engineered to withstand harsh outdoor environments, boasting an impressive IP66 ingress protection rating.

Ideal for access control systems, this momentary-action button operates on 12/24V DC and features both Normally Open (N/O) and Normally Closed (N/C) contacts to suit various wiring configurations. Installation is made simple with pre-moulded M16/20 conduit knockouts, allowing for clean and secure surface mounting.

This versatile exit button is available with several white-text legends, including "Door Release", "Gate Release", "Press To Exit", and "Press To Open". Please choose your required legend and manufacturer reference from the options below to suit your specific installation needs.

Technical Specifications

- **Brand:** Asec
- **Fitting:** Surface mounted
- **IP Rating:** IP66 (weatherproof for external use)
- **Input Voltage:** 12/24V DC
- **Operation:** Momentary
- **Outputs:** Normally Open (N/O) & Normally Closed (N/C) contacts
- **Case Material:** Robust cross polymer (Grey finish)
- **Body Material:** Zinc Alloy (Green finish)
- **Operating Temperature:** -40°C to +125°C
- **Pre-moulded Conduit Knockouts:** M16/20
- **Dimensions:** 85mm (H) x 89mm (W) x 59mm (D)
- **Weight:** 260g
- **Illumination:** No
- **Pack Quantity:** 1

Key Features

- **Weatherproof Design:** IP66 rating ensures reliable performance in outdoor and exposed environments.
- **High-Impact Construction:** Made with a robust cross-polymer case and a zinc alloy button to withstand heavy use.
- **Multiple Legends Available:** Choose from "Door Release", "Gate Release", "Press To Exit", or "Press To Open" to match your application.
- **Flexible Wiring:** Features both N/O and N/C contacts for compatibility with a wide range of access control systems.
- **Easy Installation:** Pre-moulded M16/20 conduit knockouts facilitate quick and tidy surface mounting.
- **RoHS Compliant:** Manufactured in compliance with environmental standards.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	AS10688	£117.90	£141.48	**Barcode:** 5055120765723 **Body Depth:** 59mm **Body Finish:** Green **Body Height:** 85mm **Body Material:** Zinc Alloy **Body Width:** 89mm **Brand:** Asec **Case Finish:** Grey **Case Material:** Robust cross polymer **Depth:** 59mm **Finish:** Grey **Fitting:** Surface **Illumination:** No **Input Voltage:** 12/24V DC **IP Rating:** IP66 **Legend:** Door Release **Manufacturer Reference:** AS10688 **Operating Temperature:** -40°C to +125°C **Operation:** Momentary **Outputs:** N/O & N/C **Pack Quantity:** 1 **Packaging:** Boxed **Weight:** 260g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	AS10689	£117.90	£141.48	**Barcode:** 5055120765730 **Body Depth:** 59mm **Body Finish:** Green **Body Height:** 85mm **Body Material:** Zinc Alloy **Body Width:** 89mm **Brand:** Asec **Case Finish:** Grey **Case Material:** Robust cross polymer **Depth:** 59mm **Finish:** Grey **Fitting:** Surface **Illumination:** No **Input Voltage:** 12/24V DC **IP Rating:** IP66 **Legend:** Press To Exit **Manufacturer Reference:** AS10689 **Operating Temperature:** -40°C to +125°C **Operation:** Momentary **Outputs:** N/O & N/C **Pack Quantity:** 1 **Packaging:** Boxed **Weight:** 260g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	AS10690	£117.90	£141.48	**Barcode:** 5055120765747 **Body Depth:** 59mm **Body Finish:** Green **Body Height:** 85mm **Body Material:** Zinc Alloy **Body Width:** 89mm **Brand:** Asec **Case Finish:** Grey **Case Material:** Robust cross polymer **Depth:** 59mm **Finish:** Grey **Fitting:** Surface **Illumination:** No **Input Voltage:** 12/24V DC **IP Rating:** IP66 **Legend:** Press To Open **Manufacturer Reference:** AS10690 **Operating Temperature:** -40°C to +125°C **Operation:** Momentary **Outputs:** N/O & N/C **Pack Quantity:** 1 **Packaging:** Boxed **Weight:** 260g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	AS10691	£117.90	£141.48	**Barcode:** 5055120765754 **Body Depth:** 59mm **Body Finish:** Green **Body Height:** 85mm **Body Material:** Zinc Alloy **Body Width:** 89mm **Brand:** Asec **Case Finish:** Grey **Case Material:** Robust cross polymer **Depth:** 59mm **Finish:** Grey **Fitting:** Surface **Illumination:** No **Input Voltage:** 12/24V DC **IP Rating:** IP66 **Legend:** Gate Release **Manufacturer Reference:** AS10691 **Operating Temperature:** -40°C to +125°C **Operation:** Momentary **Outputs:** N/O & N/C **Pack Quantity:** 1 **Packaging:** Boxed **Weight:** 260g

Brand Profile

Asec



ASEC is a **trade-focused security hardware brand** built around the “everyday kit” locksmiths and installers reach for, with a big emphasis on **breadth, availability, and value** rather than boutique-only spec pieces. The brand was **established in 2003** and was created specifically to **support independent retailers and security professionals** with products that *“would never become available through the large multiple retailers.”*

Where ASEC gets especially interesting (and why it tends to become a “default stock brand”) is the **scale of the range**:

- ASEC positions itself as having a portfolio of **2,000+ individual products**, described as one of the **largest ranges under a single security brand name** in the industry.
- Coverage is intentionally broad across the core trade categories: **Access Control, Architectural Hardware, Key Cutting, Locking Products, UPVC, Tools & Accessories**.

ASEC is **exclusive to Aldridge Security** (whom we distribute) in the UK trade ecosystem (Aldridge explicitly calls itself the **exclusive distributor of ASEC Security Products worldwide**). That exclusivity is a big part of the brand’s identity: it keeps the range aimed at the trade channel rather than getting diluted into mass retail.