CL0255 Marine By Codelocks Digital Lock

CL200 Series · Codelocks · 2 variants

PRICING

From £148.27 ex VAT

£177.92 inc VAT

2 variants available
VAT 20.00%
Range: £148.27 - £188.48 ex VAT

Product Imagery









Specification Summary

Brand	Codelocks
Product type	CL200 Series

Product Description

The CL0255 Marine By Codelocks Digital Lock from the CL200 series is a premium, weather-resistant access control solution designed for both internal and external doors. Featuring a durable black marine-grade finish that has been salt spray tested to 1,000 hours, this lock is engineered to withstand harsh outdoor environments and coastal applications. It is supplied complete with neoprene seals to protect against moisture ingress.

The lock operates via a tubular mortice latch, which retracts freely from the inside lever handle for easy exit, or from the outside knob once a correct 4-to-6-digit code is entered. It offers over 8,000 non-sequential combinations and features tumbler alignment for easy code changes. An optional hold-open facility is also included, allowing free passage when required.

This lock is available in both fire-tested and non-fire-tested options, with weights ranging from 1.126kg to 1.34kg. The fire-tested version is supplied complete with an optional fire holdback kit, whereas the standard version requires an appropriate intumescent pack (sold separately) to achieve a 30 or 60-minute fire rating (tested to BS EN 1634-1). Please select your preferred fire-testing specification, weight, and manufacturer reference from the options below.

Technical Specifications

- **Brand:** Codelocks
- **Manufacturer Reference:** 0255 BK MG or 0255 BK MG FKP (please choose from the options below)
- **Finish:** Black
- **Buttons:** 14
- **Code Length:** 4 to 6 digits
- **Codes:** 1
- **Combinations:** 8,000+
- **Door Thickness:** 35mm to 65mm
- **Case Depth Required:** 85mm
- **Latch:** 60mm Standard
- **Handing:** Reversible
- **Holdback:** Yes (Optional)
- **Key Override:** No
- **Operation Outside:** Thumbturn on entry of code
- **Operation Inside:** Lever handle free exit
- **Weather Resistant:** Yes (salt spray tested to 1,000 hours)
- **Fire Tested:** Yes or No (please choose from the options below)
- **Weight:** 1.126kg to 1.34kg (please choose from the options below)
- **Width:** 41mm
- **Guarantee:** Limited Lifetime

Key Features

- **Marine Grade Protection:** Specially enhanced black finish salt spray tested to 1,000 hours, ideal for harsh outdoor and coastal environments.
- **Neoprene Seals Included:** Provides superior resistance against moisture and weather ingress.
- **Flexible Fire Rating Options:** Available in fire-tested configurations or standard models compatible with Codelocks Fire Kit Packs for 30 or 60-minute fire doors.
- **Easy Code Management:** Features tumbler alignment for straightforward code changes.
- **Optional Hold-Open Facility:** Dual backplate design allows for free passage when restricted access is not required.
- **Free Exit:** Inside lever handle allows unrestricted egress at all times.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31902	£188.48	£226.18	**Barcode:** 5031913007577 **Brand:** Codelocks **Buttons:** 14 **Case Depth Required:** 85mm **Code Length:** 4 To 6 Digits **Codes:** 1 **Combination:** 8,000+ **Door Thickness:** 35mm to 65mm **Finish:** Black **Fire Tested:** No **Guarantee:** Limited Lifetime **Handed:** Reversible **Holdback:** Yes (Optional) **Key Override:** No **Latch:** 60mm Standard **Manufacturer Reference:** 0255 BK MG **Notes:** To achieve the fire rating these digital locks must be fitted with the appropriate intumescent pack, please see associated products **Operation Inside:** Lever Handle Free Exit **Operation Outside:** Thumbturn On Entry Of Code **Pack Quantity:** 1 **Packaging:** Boxed **Passage Set:** No **Weather Resistant:** Yes **Weight:** 1.34Kg **Width:** 41mm

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L35782	£148.27	£177.92	**Barcode:** 5031913009250 **Brand:** Codelocks **Buttons:** 14 **Case Depth Required:** 85mm **Code Length:** 4 To 6 Digits **Codes:** 1 **Combination:** 8,000+ **Door Thickness:** 35mm to 65mm **Finish:** Black **Fire Tested:** Yes **Guarantee:** Limited Lifetime **Handed:** Reversible **Holdback:** Yes (Optional) **Key Override:** No **Latch:** 60mm Standard **Manufacturer Reference:** 0255 BK MG FKP **Notes:** Supplied complete with optional fire holdback kit **Operation Inside:** Lever Handle Free Exit **Operation Outside:** Thumbturn On Entry Of Code **Pack Quantity:** 1 **Packaging:** Boxed **Passage Set:** No **Standards:** BS EN 1634-1 **Weather Resistant:** Yes **Weight:** 1.126Kg **Width:** 41mm

Brand Profile

Codelocks



Codelocks is a UK-headquartered access-control brand specialising in **keyless push-button locks** for **doors, lockers, cabinets and furniture**—the kind of hardware that's built to remove keys from the equation without dragging you into a full-blown wired access-control install. The company was **founded in 1991** and is based in **Newbury, Berkshire**, with a global footprint and multiple regional operations.

Their product family spans:

- **Mechanical digital locks** (purely mechanical keypad locks: no batteries, no wiring)
- **Electronic digital locks** (standalone battery-powered locks aimed at higher functionality and audit/control features)
- **Locker locks** under the **KitLock by Codelocks** name, targeting leisure, workplaces, education, and self-storage style installs

A signature differentiator is **NetCode®**: Codelocks' system for generating **time-sensitive access codes** (think "this code works from 2pm–6pm on Tuesday" rather than "this code works until the heat death of the universe"). NetCodes can be issued through the **Codelocks Connect portal** or related tools, making it popular for short-term access in things like **self-storage, rentals, shared facilities, and managed workplaces**.

On the "serious door" end, their **CL5000** line is positioned as **heavy-duty electronic locks for high-traffic applications** and is marketed with **ANSI Grade 2** testing references - very much the "commercial door that gets slammed 400 times a day" vibe.