EFF EFF 14 & 34 Series Mortice Release

Eff Eff · Eff Eff · 3 variants

PRICING

From £129.05 ex VAT

£154.86 inc VAT

3 variants available
VAT 20.00%
Range: £129.05 - £333.86 ex VAT

Product Imagery



Specification Summary

Brand	Eff Eff
Product type	Eff Eff

Product Description

The EFF EFF 14 & 34 Series Mortice Release is a high-security, medium-duty electric door strike designed for reliable access control. Suitable for mortice fitting, this versatile release offers an easy-to-use solution for securing low to medium-traffic doors.

With a robust holding force of 545kg (1200lbs), it provides dependable security. The reversible design ensures it can be installed on both left and right-handed doors, simplifying installation.

This series is available in multiple configurations to suit your specific system requirements. You can select between Fail Locked (fail-secure) and Fail Unlocked (fail-safe) operations, as well as 12V AC or 12V DC input voltages. Depending on your choice, current consumption ranges from 0.2A to 0.6A, and weights range from 280g to 290g. Please choose your preferred operation, input voltage, and manufacturer reference from the options below.

Technical Specifications

- **Body Depth:** 20mm
- **Body Height:** 90mm
- **Faceplate Dimensions:** 150mm (H) x 25mm (W)

- **Jaw Dimensions:** 43mm (H) x 15mm (W) x 9mm (D)
- **Holding Force:** 545kg / 1200lbs
- **Fitting:** Mortice
- **Handing:** Reversible (non-handed)
- **Input Voltage:** 12V AC or 12V DC (please choose from the options below)
- **Current Consumption:** 0.2A or 0.6A (please choose from the options below)
- **Operation:** Fail Locked or Fail Unlocked (please choose from the options below)
- **Finish:** Grey
- **Weight:** 280g to 290g (please choose from the options below)
- **Guarantee:** 1 Year

Key Features

- **High Security:** Offers a strong holding force of 545kg (1200lbs) for reliable door security
- **Fully Reversible:** Suitable for both left and right-handed doors, reducing installation complexity
- **Flexible Configurations:** Available in Fail Locked and Fail Unlocked operations to match your safety and security protocols
- **Multiple Voltage Options:** Choose between 12V AC and 12V DC models to integrate seamlessly with your access control system
- **Durable Construction:** Medium-duty design with a clean grey finish and backed by a 1-year guarantee

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L3688	£129.05	£154.86	**Adjustable Jaw:** No **Barcode:** 5055120627489 **Body Depth:** 20mm **Body Height:** 90mm **Brand:** Eff Eff **Current Consumption:** 0.6A **Faceplate Height:** 150mm **Faceplate Width:** 25mm **Finish:** Grey **Fitting:** Mortice **Guarantee:** 1 Year **Handed:** Reversible **Holding Force:** 545Kg / 1200Lbs **Input Voltage:** 12V AC **Jaw Depth:** 9mm **Jaw Height:** 43mm **Jaw Width:** 15mm **Manufacturer Reference:** 42749 **Monitored:** No **Notes:** Medium Duty **Operation:** Fail Locked **Pack Quantity:** 1 **Packaging:** Boxed **Weather Resistant:** No **Weight:** 280g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L3689	£155.06	£186.07	**Adjustable Jaw:** No **Barcode:** 5055120627472 **Body Depth:** 20mm **Body Height:** 90mm **Brand:** Eff Eff **Current Consumption:** 0.2A **Faceplate Height:** 150mm **Faceplate Width:** 25mm **Finish:** Grey **Fitting:** Mortice **Guarantee:** 1 Year **Handed:** Reversible **Holding Force:** 545Kg / 1200Lbs **Input Voltage:** 12V DC **Jaw Depth:** 9mm **Jaw Height:** 43mm **Jaw Width:** 15mm **Manufacturer Reference:** 14EE-1 **Monitored:** No **Notes:** Medium Duty **Operation:** Fail Locked **Pack Quantity:** 1 **Packaging:** Boxed **Weather Resistant:** No **Weight:** 280g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L3690	£333.86	£400.63	**Adjustable Jaw:** No **Barcode:** 5055120627465 **Body Depth:** 20mm **Body Height:** 90mm **Brand:** Eff Eff **Current Consumption:** 0.2A **Faceplate Height:** 150mm **Faceplate Width:** 25mm **Finish:** Grey **Fitting:** Mortice **Guarantee:** 1 Year **Handed:** Reversible **Holding Force:** 545Kg / 1200Lbs **Input Voltage:** 12V DC **Jaw Depth:** 9mm **Jaw Height:** 43mm **Jaw Width:** 15mm **Manufacturer Reference:** 34-1 **Monitored:** No **Notes:** Medium Duty **Operation:** Fail Unlocked **Pack Quantity:** 1 **Packaging:** Boxed **Weather Resistant:** No **Weight:** 290g

Brand Profile

Eff Eff



effeff (often written **EFF EFF**) is a German electromechanical door-hardware brand best known for basically inventing the modern **electric strike**—the little powered latch mechanism that lets a door be released by a button, intercom, or access-control system without replacing the mechanical lock.

- **Origins:** effeff began in **1936** as a precision/electrical engineering workshop in Germany (founded by **Fritz Fuss**).
- **Big invention:** ASSA ABLOY's own materials state that **electric strikes were invented and patented by effeff in 1947**, which is why "effeff strike" is almost a generic term in some trade conversations.
- **What they make:** a full electromechanical range including **electric strikes**, **electric bolts/dropbolts**, security locks and related **escape route / egress** components—designed to bridge mechanical locking with access-control systems.

Ownership / group: effeff is part of **ASSA ABLOY** (ASSA ABLOY announced the acquisition of German effeff Fritz Fuss KGaA in **1999**).

Signature product DNA (why installers like them):

- Wide strike selection for different door types and install situations ("appropriate strike for every installation location" is literally their pitch).
- Lots of practical installer features on popular models—e.g., adjustable keep designs and system-friendly variants like the **118E** family.