EVVA AirKey Euro Double Proximity - Turn Cylinder

Euro Proximity & Turn Cylinder · Evva · 6 variants

PRICING

From £628.73 ex VAT

£754.48 inc VAT

6 variants available
VAT 20.00%
Range: £628.73 - £807.51 ex VAT

Product Imagery



Specification Summary

Brand	Evva
Product type	Euro Proximity & Turn Cylinder

Product Description

The EVVA AirKey Euro Double Proximity - Turn Cylinder is an advanced, battery-operated electronic access control solution designed to replace standard Euro profile cylinders. It features a proximity reader knob on the outside and a standard mechanical thumbturn on the inside, ensuring that exit is always possible.

This smart locking cylinder allows you to open doors using an NFC-compatible smartphone (Android or iPhone), Bluetooth, or Evva AirKey key cards and fobs. With the AirKey online administration system, you can easily send keys remotely via SMS text messages, schedule access times, and view an audit trail of the last 1,000 events.

Built to withstand the elements, the cylinder is IP65 rated and operates in temperatures ranging from -20°C to +55°C, making it suitable for both internal and external doors. It is powered by two CR2 batteries, offering up to 30,000 operations, and features a modular design that allows for future length adjustments.

This cylinder is available in multiple finishes, including Nickel Plated, Patina Brown (Bronze), and Polished Brass, and in overall length ranges of 62mm to 92mm or 97mm to 122mm. Please choose your preferred finish and size from the options below.

Technical Specifications

- **Cylinder Profile:** Euro
- **Cylinder Type:** Proximity & Turn Euro
- **Cylinder System:** Evva AirKey
- **Mechanism:** Proximity
- **IP Rating:** IP65
- **Battery:** 2 x CR2
- **Battery Life:** 30,000 operations
- **Audit Trail:** Last 1,000 events
- **Operating Temperature:** -20°C to 55°C
- **Humidity:** < 90 %, non-condensing
- **Knob Diameter:** 39mm
- **Knob Projection:** 45mm
- **Key Override:** No
- **Keys Supplied:** 0
- **Handed:** Reversible
- **Standards:** BS EN 1634-1, CE Marked, Certifire
- **Fire Tested:** Grade 0
- **Visual Indication:** Yes
- **Weight:** 356g

Key Features

- **Smart Access Control:** Open doors using NFC-compatible smartphones, Bluetooth, or AirKey cards/fobs.
- **Easy Management:** Send virtual keys remotely via SMS and manage access permissions online.
- **Convenient Exit:** Features a standard thumbturn on the inside for unrestricted egress.
- **Weatherproof Design:** IP65 rated for reliable outdoor and indoor use.
- **Anti-Tamper Protection:** Outside thumbturn rotates freely when disengaged to prevent forced entry.
- **Modular Construction:** Allows for future length adjustments to suit different door thicknesses.
- **Multiple Options:** Available in Nickel Plated, Patina Brown (Bronze), and Polished Brass finishes, and in length ranges of 62mm to 92mm or 97mm to 122mm (please select from the options below).

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31636	£628.73	£754.48	**Audit Trail:** Last 1,000 events **Barcode:** 5056240120218 **Battery:** 2 x CR2 **Battery Life:** 30,000 Operations **Brand:** Evva **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder System:** Evva AirKey **Cylinder Type:** Proximity & Turn Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Handed:** Reversible **Humidity:** Humidity < 90 %, non-condensing **IP Rating:** IP65 **Key Override:** No **Keys Supplied:** 0 **Knob Diameter:** 39mm **Knob Projection:** 45mm **Length:** 0mm **Manufacturer Reference:** E.A.PZ.KZ-S.NI **Mechanism:** Proximity **Notes:** 62mm to 92mm **Operating Temperature:** -20°C to 55°C **Pack Quantity:** 1 **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1634-1, CE Marked, Certifire **Visual Indication:** Yes **Weight:** 356g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31637	£669.32	£803.18	**Audit Trail:** Last 1,000 events **Barcode:** 5056240120225 **Battery:** 2 x CR2 **Battery Life:** 30,000 Operations **Brand:** Evva **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder System:** Evva AirKey **Cylinder Type:** Proximity & Turn Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Handed:** Reversible **Humidity:** Humidity < 90 %, non-condensing **IP Rating:** IP65 **Key Override:** No **Keys Supplied:** 0 **Knob Diameter:** 39mm **Knob Projection:** 45mm **Length:** 0mm **Manufacturer Reference:** E.A.PZ.KZ-S.NI **Mechanism:** Proximity **Notes:** 97mm to 122mm **Operating Temperature:** -20°C to 55°C **Pack Quantity:** 1 **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1634-1, CE Marked, Certifire **Visual Indication:** Yes **Weight:** 356g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31638	£709.65	£851.58	**Audit Trail:** Last 1,000 events **Barcode:** 5056240120232 **Battery:** 2 x CR2 **Battery Life:** 30,000 Operations **Brand:** Evva **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder System:** Evva AirKey **Cylinder Type:** Proximity & Turn Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Handed:** Reversible **Humidity:** Humidity < 90 %, non-condensing **IP Rating:** IP65 **Key Override:** No **Keys Supplied:** 0 **Knob Diameter:** 39mm **Knob Projection:** 45mm **Length:** 0mm **Manufacturer Reference:** E.A.PZ.KZ-S.MP **Mechanism:** Proximity **Notes:** 62mm to 92mm **Operating Temperature:** -20°C to 55°C **Pack Quantity:** 1 **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1634-1, CE Marked, Certifire **Visual Indication:** Yes **Weight:** 356g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31639	£750.24	£900.29	**Audit Trail:** Last 1,000 events **Barcode:** 5056240120249 **Battery:** 2 x CR2 **Battery Life:** 30,000 Operations **Brand:** Evva **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder System:** Evva AirKey **Cylinder Type:** Proximity & Turn Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Handed:** Reversible **Humidity:** Humidity < 90 %, non-condensing **IP Rating:** IP65 **Key Override:** No **Keys Supplied:** 0 **Knob Diameter:** 39mm **Knob Projection:** 45mm **Length:** 0mm **Manufacturer Reference:** E.A.PZ.KZ-S.MP **Mechanism:** Proximity **Notes:** 97mm to 122mm **Operating Temperature:** -20°C to 55°C **Pack Quantity:** 1 **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1634-1, CE Marked, Certifire **Visual Indication:** Yes **Weight:** 356g



Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31640	£766.92	£920.30	**Audit Trail:** Last 1,000 events **Barcode:** 5056240120256 **Battery:** 2 x CR2 **Battery Life:** 30,000 Operations **Brand:** Evva **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder System:** Evva AirKey **Cylinder Type:** Proximity & Turn Euro **Finish:** Patina Brown (Bronze) **Fire Tested:** Grade 0 **Handed:** Reversible **Humidity:** Humidity < 90 %, non-condensing **IP Rating:** IP65 **Key Override:** No **Keys Supplied:** 0 **Knob Diameter:** 39mm **Knob Projection:** 45mm **Length:** 0mm **Manufacturer Reference:** E.A.PZ.KZ-S.PB **Mechanism:** Proximity **Notes:** 62mm to 92mm **Operating Temperature:** -20°C to 55°C **Pack Quantity:** 1 **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1634-1, CE Marked, Certifire **Visual Indication:** Yes **Weight:** 356g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31641	£807.51	£969.01	**Audit Trail:** Last 1,000 events **Barcode:** 5056240120263 **Battery:** 2 x CR2 **Battery Life:** 30,000 Operations **Brand:** Evva **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder System:** Evva AirKey **Cylinder Type:** Proximity & Turn Euro **Finish:** Patina Brown (Bronze) **Fire Tested:** Grade 0 **Handed:** Reversible **Humidity:** Humidity < 90 %, non-condensing **IP Rating:** IP65 **Key Override:** No **Keys Supplied:** 0 **Knob Diameter:** 39mm **Knob Projection:** 45mm **Length:** 0mm **Manufacturer Reference:** E.A.PZ.KZ-S.PB **Mechanism:** Proximity **Notes:** 97mm to 122mm **Operating Temperature:** -20°C to 55°C **Pack Quantity:** 1 **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1634-1, CE Marked, Certifire **Visual Indication:** Yes **Weight:** 356g

Brand Profile

Evva



EVVA is an Austrian, **family-owned** security manufacturer based in **Vienna**, specialising in high-end **mechanical and electronic locking systems** for everything from homes to large, complex master-keyed organisations. The company was **founded in Vienna in 1919**, and it still runs **research, development, and production** from its Vienna headquarters, exporting globally.

In the trade/spec world, EVVA's reputation is built on **serious key control** and **master key system engineering**—locks designed not just to resist attack, but to keep access hierarchies manageable at scale (offices, hospitals, residential complexes, universities, etc.).

A couple of EVVA's standout mechanical platforms get referenced constantly:

- **ICS (Inner Code System)** – a reversible key system aimed at **highly complex master key structures**, with EVVA citing long patent protection (into the 2030s, depending on jurisdiction).
- **MCS (Magnetic Code System)** – EVVA positions this as a top-tier system for sophisticated master keying, with a strong anti-copying story (including resistance to modern replication methods).

They also explicitly brand themselves around innovation: EVVA talks about holding **200+ patents** and frames its history as "start-up energy since 1919" (which is an absolutely deranged sentence for a century-old lock company, but I respect the audacity).