EVVA AirKey Scandinavian Proximity Security Cylinder

Scandinavian Proximity Cylinder · Evva · 4 variants

PRICING

From £628.73 ex VAT


£754.48 inc VAT

4 variants available
VAT 20.00%
Range: £628.73 - £709.65 ex VAT


Product Imagery
















Specification Summary

Brand	Evva
Product type	Scandinavian Proximity Cylinder

Product Description

The EVVA AirKey Scandinavian Proximity Security Cylinder is an advanced, flexible access control solution designed for doors fitted with a Scandinavian lock (supplied separately). It is ideal for applications requiring one-sided authorisation, allowing you to manage access permissions with ease.

With the EVVA AirKey system, your smartphone becomes the key. Access can be granted using an NFC-compatible smartphone (Android or iPhone) or via Bluetooth. Permissions can be sent remotely via SMS text messages with push notifications, and the system is also compatible with EVVA AirKey key cards.

This modular cylinder is designed for easy installation and future adaptation. It is rated to IP65, ensuring it is highly weatherproof and suitable for both indoor and outdoor environments, with an operating temperature range of -20°C to +55°C. The unit is CE certified and is supplied with two CR2 batteries, providing a long life of up to 30,000 cycles.

This product is available in multiple finishes, including Nickel Plated and Polished Brass, and is offered in both Internal and External application versions to suit your specific security and environmental needs. Please select your preferred finish, application type, barcode, and manufacturer reference from the options below.

Technical Specifications

- **Brand:** EVVA
- **Cylinder Profile:** Scandinavian Oval
- **Cylinder System:** EVVA AirKey
- **Mechanism:** Proximity
- **Finishes Available:** Nickel Plated, Polished Brass (please choose from the options below)
- **Application Options:** Internal, External (please choose from the options below)
- **IP Rating:** IP65
- **Operating Temperature:** -20°C to +55°C
- **Battery:** 2 x CR2 (included)
- **Battery Life:** Up to 30,000 operations
- **Audit Trail:** Stores the last 1,000 events
- **Standards:** CE Marked
- **Keys Supplied:** 0
- **Knob Diameter:** 39mm
- **Knob Projection:** 45mm
- **Manufacturer References:** E.A.AI.AZ37-S.SEC.MP, E.A.AI.AZ37-S.SEC.NI, E.A.AI.IZ37-S.SEC.MP, E.A.AI.IZ37-S.SEC.NI (please choose from the options below)
- **Barcodes:** 5056240120522, 5056240120539, 5056240120546, 5056240120553 (please choose from the options below)

Key Features

- **Smartphone Access:** Unlock doors using NFC-compatible smartphones (Android/iPhone) or Bluetooth.
- **Remote Key Sharing:** Send access permissions instantly via SMS text messages with push notifications.
- **One-Sided Authorisation:** Ideal for doors requiring authorisation requests on one side only.
- **Weatherproof Design:** IP65 rated for reliable indoor and outdoor use.
- **Modular Construction:** Allows for easy installation and future adaptation.
- **Plug Pulling Resistant:** Built with enhanced security features to resist physical manipulation.
- **Long Battery Life:** Powered by 2 x CR2 batteries (included) for up to 30,000 cycles.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31667	£628.73	£754.48	**Audit Trail:** Last 1,000 events **Barcode:** 5056240120522 **Battery:** 2 x CR2 **Battery Life:** 30,000 Operations **Brand:** Evva **Cylinder Kitemark:** No **Cylinder Profile:** Oval **Cylinder System:** Evva AirKey **Cylinder Type:** Scandinavian Oval **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Handed:** Reversible **Humidity:** Humidity < 90 %, non-condensing **IP Rating:** IP65 **Key Override:** No **Keys Supplied:** 0 **Knob Diameter:** 39mm **Knob Projection:** 45mm **Length:** 0mm **Manufacturer Reference:** E.A.AI.AZ37-S.SEC.NI **Mechanism:** Proximity **Notes:** External **Operating Temperature:** -20°C to 55°C **Pack Quantity:** 1 **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** CE Marked **Visual Indication:** Yes **Weight:** 356g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31668	£709.65	£851.58	**Audit Trail:** Last 1,000 events **Barcode:** 5056240120539 **Battery:** 2 x CR2 **Battery Life:** 30,000 Operations **Brand:** Evva **Cylinder Kitemark:** No **Cylinder Profile:** Oval **Cylinder System:** Evva AirKey **Cylinder Type:** Scandinavian Oval **Finish:** Polished Brass **Fire Tested:** Grade 0 **Handed:** Reversible **Humidity:** Humidity < 90 %, non-condensing **IP Rating:** IP65 **Key Override:** No **Keys Supplied:** 0 **Knob Diameter:** 39mm **Knob Projection:** 45mm **Length:** 0mm **Manufacturer Reference:** E.A.AI.AZ37-S.SEC.MP **Mechanism:** Proximity **Notes:** External **Operating Temperature:** -20°C to 55°C **Pack Quantity:** 1 **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** CE Marked **Visual Indication:** Yes **Weight:** 356g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31669	£628.73	£754.48	**Audit Trail:** Last 1,000 events **Barcode:** 5056240120546 **Battery:** 2 x CR2 **Battery Life:** 30,000 Operations **Brand:** Evva **Cylinder Kitemark:** No **Cylinder Profile:** Oval **Cylinder System:** Evva AirKey **Cylinder Type:** Scandinavian Oval **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Handed:** Reversible **Humidity:** Humidity < 90 %, non-condensing **IP Rating:** IP65 **Key Override:** No **Keys Supplied:** 0 **Knob Diameter:** 39mm **Knob Projection:** 45mm **Length:** 0mm **Manufacturer Reference:** E.A.AI.IZ37-S.SEC.NI **Mechanism:** Proximity **Notes:** Internal **Operating Temperature:** -20°C to 55°C **Pack Quantity:** 1 **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** CE Marked **Visual Indication:** Yes **Weight:** 356g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31670	£709.65	£851.58	**Audit Trail:** Last 1,000 events **Barcode:** 5056240120553 **Battery:** 2 x CR2 **Battery Life:** 30,000 Operations **Brand:** Evva **Cylinder Kitemark:** No **Cylinder Profile:** Oval **Cylinder System:** Evva AirKey **Cylinder Type:** Scandinavian Oval **Finish:** Polished Brass **Fire Tested:** Grade 0 **Handed:** Reversible **Humidity:** Humidity < 90 %, non-condensing **IP Rating:** IP65 **Key Override:** No **Keys Supplied:** 0 **Knob Diameter:** 39mm **Knob Projection:** 45mm **Length:** 0mm **Manufacturer Reference:** E.A.AI.IZ37-S.SEC.MP **Mechanism:** Proximity **Notes:** Internal **Operating Temperature:** -20°C to 55°C **Pack Quantity:** 1 **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** CE Marked **Visual Indication:** Yes **Weight:** 356g

Brand Profile

Evva

EVVA is an Austrian, **family-owned** security manufacturer based in **Vienna**, specialising in high-end **mechanical and electronic locking systems** for everything from homes to large, complex master-keyed organisations. The company was **founded in Vienna in 1919**, and it still runs **research, development, and production** from its Vienna headquarters, exporting globally.

In the trade/spec world, EVVA's reputation is built on **serious key control** and **master key system engineering**—locks designed not just to resist attack, but to keep access hierarchies manageable at scale (offices, hospitals, residential complexes, universities, etc.).

A couple of EVVA's standout mechanical platforms get referenced constantly:

- **ICS (Inner Code System)** – a reversible key system aimed at **highly complex master key structures**, with EVVA citing long patent protection (into the 2030s, depending on jurisdiction).
- **MCS (Magnetic Code System)** – EVVA positions this as a top-tier system for sophisticated master keying, with a strong anti-copying story (including resistance to modern replication methods).

They also explicitly brand themselves around innovation: EVVA talks about holding **200+ patents** and frames its history as "start-up energy since 1919" (which is an absolutely deranged sentence for a century-old lock company, but I respect the audacity).