FIRESTOP 305mm Intumescent Telescopic Letter Plate

Door Furniture · Firestop · 3 variants

PRICING

From £47.70 ex VAT

£57.24 inc VAT

3 variants available
VAT 20.00%
Range: £47.70 - £49.62 ex VAT

Product Imagery









Specification Summary

Brand	Firestop
Product type	Door Furniture

Product Description

The Firestop 305mm Intumescent Telescopic Letter Plate is a stylish and reliable door furniture solution designed specifically for fire-rated doors. Featuring a durable ABS plastic frame and robust metal flaps, this letterbox is fitted with a high-performance intumescent liner. In the event of a fire, the liner expands rapidly to seal the aperture, preventing the spread of fire and smoke to maintain the door's integrity.

Engineered for versatility, this telescopic letterbox is suitable for timber doors with a thickness ranging from 40mm to 80mm. It features an integrated internal draught excluder and an external weatherseal to protect against draughts and weather elements.

This product is available in multiple finishes, including Gold, Polished Silver, and Satin Anodised Aluminium, with weights ranging from 490g to 560g. Please choose your preferred finish, manufacturer reference, and barcode from the options below.



Technical Specifications

- **Brand:** Firestop
- **Width:** 305mm (30.5cm)
- **Opening Size:** 35mm x 255mm
- **Door Thickness Compatibility:** 40mm to 80mm
- **Fire Rating:** 1/2 hour (30 minutes) tested to EN1634-1 and BS 476: Part 22
- **Standards:** BS EN 476 Part 22:1987, BS EN ISO 240-3, BS EN 1634-1, BS EN 476-31.1
- **Frame Material:** ABS plastic
- **Flap Material:** Metal
- **Weight:** 490g to 560g (please choose from the options below)
- **Manufacturer Reference:** FS306, FS307, or FS1501 (please choose from the options below)
- **Barcode:** Multiple options available (please choose from the options below)

Key Features

- High-performance intumescent liner expands when heated to seal the opening and prevent the spread of fire and smoke
- Fully fire and smoke tested to British and European standards
- Integrated internal draught excluder and external weatherseal for weather protection
- Telescopic sleeve design adjustable for doors from 40mm to 80mm thick
- Available in multiple stylish finishes to suit your door furniture (please choose from the options below)

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L31234	£49.62	£59.54	**Barcode:** 5056240117171 **Brand:** Firestop **Door Thickness:** 40mm to 80mm **Finish:** Gold **Fire Tested:** 1/2 hour EN1634-1 and BS 476: Part 22 **Manufacturer Reference:** FS306 **Opening Size:** 35mm x 255mm **Packaging:** Boxed **Standards:** BS EN 476 Part 22:1987, BS EN ISO 240-3, BS EN 1634-1, BS EN 476-31.1 **Weight:** 490g **Width:** 30.5cm
	L31235	£47.70	£57.24	**Barcode:** 5056240117188 **Brand:** Firestop **Door Thickness:** 40mm to 80mm **Finish:** Satin Anodised Aluminium **Fire Tested:** 1/2 hour EN1634-1 and BS 476: Part 22 **Manufacturer Reference:** FS307 **Opening Size:** 35mm x 255mm **Packaging:** Boxed **Standards:** BS EN 476 Part 22:1987, BS EN ISO 240-3, BS EN 1634-1, BS EN 476-31.1 **Weight:** 560g **Width:** 30.5cm
	L31236	£49.62	£59.54	**Barcode:** 5056240117195 **Brand:** Firestop **Door Thickness:** 40mm to 80mm **Finish:** Polished Silver **Fire Tested:** 1/2 hour EN1634-1 and BS 476: Part 22 **Manufacturer Reference:** FS1501 **Opening Size:** 35mm x 255mm **Packaging:** Boxed **Standards:** BS EN 476 Part 22:1987, BS EN ISO 240-3, BS EN 1634-1, BS EN 476-31.1 **Weight:** 560g **Width:** 30.5cm

Brand Profile

Firestop



Firestop is a UK manufacturer specialising in **passive fire protection** products for doors and hardware, best known for **intumescent seals** and **intumescent "hardware protection" kits** that help fire doors keep their integrity when exposed to heat and smoke. They position the brand around "protecting life and property," with **25+ years** of experience supplying the UK and overseas markets.

What Firestop actually makes (the stuff you'll see in the trade channel):

- **Intumescent fire & smoke seals** (the strips that expand in a fire to close the gap between door and frame).
- **Intumescent ironmongery protection**: sheets/pads/liners used behind or around items like **hinges, locks, latches and closers** to maintain the fire-rating of the door set.
- **Fire-rated ironmongery** items such as **intumescent letter plates** and **door viewers**, designed so adding openings to a fire door doesn't ruin the door's performance.
- Often also stocked as **drop-down door seals** and related door-bottom sealing hardware for fire/smoke control and acoustic performance.

A detail they stress is **traceability**: Firestop highlights a **traceable production code / certification** approach so installers/specifiers can link products back to compliance evidence and batch provenance.