GreenteQ Gamma Double Euro Cylinder

Double Euro · Greenteq · 23 variants

PRICING

From £16.00 ex VAT

£19.20 inc VAT

23 variants available
VAT 20.00%

Product Imagery





Specification Summary

Brand	Greenteq
Product type	Double Euro
Keyway	GreenteQ

TAGS

Is Cylinder

Product Description

The GreenteQ Gamma Double Euro Cylinder is a reliable 6-pin security cylinder designed to offer robust protection for residential and commercial doors. Engineered to meet high security standards, this double euro cylinder is fitted with hardened anti-drill pins as standard, providing a grade 2 attack resistance rating against drilling, chiselling, and twisting attacks.

With 6 tumblers per key, the GreenteQ Gamma provides excellent pick protection and offers over 100,000 effective key combinations to achieve a Key Security grade 6 rating. It has been thoroughly tested to BS EN 1303, enduring 100,000 cycles, and features a grade 3 corrosion resistance rating in accordance with BS EN 1670.

This cylinder is available in multiple overall body lengths ranging from 70mm to 100mm, with various A-side and B-side configurations to suit different door thicknesses. It is also available in two high-quality finishes: Nickel Plated and Polished Brass. Please select your preferred size, offset, and finish from the options below. Each cylinder is supplied complete with 3 keys.

Technical Specifications

- **Cylinder Profile:** Euro
- **Cylinder Type:** Double Euro (key entry both sides)
- **Mechanism:** 6-pin
- **Security Standard:** BS EN 1303:2005 (Classification: 16000C62)
- **Corrosion Resistance:** Grade 3 (BS EN 1670)
- **Attack Resistance:** Grade 2 (against drill, chisel, and twisting)
- **Key Security:** Grade 6 (over 100,000 effective combinations)
- **Endurance:** Tested to 100,000 cycles
- **Overall Lengths:** 70mm to 100mm (please select from the options below)
- **Finishes:** Nickel Plated or Polished Brass (please select from the options below)
- **Keys Supplied:** 3 keys

Key Features

- **Drill & Pick Resistant:** Fitted with hardened anti-drill pins and 6 tumblers for enhanced protection against common attack methods.
- **High Security Rating:** Achieves Key Security grade 6 with over 100,000 possible key combinations.
- **Durable Construction:** Tested to 100,000 cycles for long-lasting, reliable operation.
- **Excellent Corrosion Resistance:** Certified to BS EN 1670 Grade 3, making it suitable for challenging environments.
- **Versatile Options:** Available in a wide range of sizes, offsets, and finishes to perfectly match your door hardware. Please choose your specifications below.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27065	£16.00	£19.20	**A Side:** 35mm **B Side:** 35mm **Barcode:** 5055120782911 **Body Length:** 70mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 35/35 **Cylinder Size With Cam:** 30/10/30 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 70mm **Manufacturer Reference:** 2QCY0015 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27066	£16.00	£19.20	**A Side:** 35mm **B Side:** 35mm **Barcode:** 2QCY0016C **Body Length:** 70mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 35/35 **Cylinder Size With Cam:** 30/10/30 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 70mm **Manufacturer Reference:** 2QCY0016 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27067	£16.00	£19.20	**A Side:** 35mm **B Side:** 45mm **Barcode:** 2QCY0019C **Body Length:** 80mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 35/45 **Cylinder Size With Cam:** 30/10/40 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 80mm **Manufacturer Reference:** 2QCY0019 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27068	£16.00	£19.20	**A Side:** 35mm **B Side:** 45mm **Barcode:** 2QCY0020C **Body Length:** 80mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 35/45 **Cylinder Size With Cam:** 30/10/40 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 80mm **Manufacturer Reference:** 2QCY0020 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27069	£16.00	£19.20	**A Side:** 35mm **B Side:** 55mm **Barcode:** 5055120782959 **Body Length:** 90mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 35/55 **Cylinder Size With Cam:** 30/10/50 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 90mm **Manufacturer Reference:** 2QCY0023 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27070	£16.00	£19.20	**A Side:** 35mm **B Side:** 55mm **Barcode:** 5055120782966 **Body Length:** 90mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 35/55 **Cylinder Size With Cam:** 30/10/50 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 90mm **Manufacturer Reference:** 2QCY0024 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27071	£16.00	£19.20	**A Side:** 40mm **B Side:** 40mm **Barcode:** 2QCY0027C **Body Length:** 80mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 40/40 **Cylinder Size With Cam:** 35/10/35 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 80mm **Manufacturer Reference:** 2QCY0027 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27072	£16.00	£19.20	**A Side:** 40mm **B Side:** 40mm **Barcode:** 5055120782980 **Body Length:** 80mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 40/40 **Cylinder Size With Cam:** 35/10/35 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 80mm **Manufacturer Reference:** 2QCY0028 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27073	£16.00	£19.20	**A Side:** 40mm **B Side:** 45mm **Barcode:** 5055120782997 **Body Length:** 85mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 40/45 **Cylinder Size With Cam:** 35/10/40 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 85mm **Manufacturer Reference:** 2QCY0029 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27074	£16.00	£19.20	**A Side:** 40mm **B Side:** 45mm **Barcode:** 2QCY0030C **Body Length:** 85mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 40/45 **Cylinder Size With Cam:** 35/10/40 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 85mm **Manufacturer Reference:** 2QCY0030 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27075	£16.00	£19.20	**A Side:** 40mm **B Side:** 50mm **Barcode:** 2QCY0031C **Body Length:** 90mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 40/50 **Cylinder Size With Cam:** 35/10/45 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 90mm **Manufacturer Reference:** 2QCY0031 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27076	£16.00	£19.20	**A Side:** 40mm **B Side:** 50mm **Barcode:** 5055120783024 **Body Length:** 90mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 40/50 **Cylinder Size With Cam:** 35/10/45 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 90mm **Manufacturer Reference:** 2QCY0032 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27077	£16.00	£19.20	**A Side:** 40mm **B Side:** 55mm **Barcode:** 5055120783031 **Body Length:** 95mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 40/55 **Cylinder Size With Cam:** 35/10/50 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 95mm **Manufacturer Reference:** 2QCY0033 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27078	£16.00	£19.20	**A Side:** 40mm **B Side:** 55mm **Barcode:** 5055120783048 **Body Length:** 95mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 40/55 **Cylinder Size With Cam:** 35/10/50 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 95mm **Manufacturer Reference:** 2QCY0034 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27079	£16.00	£19.20	**A Side:** 40mm **B Side:** 60mm **Barcode:** 5055120783055 **Body Length:** 100mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 40/60 **Cylinder Size With Cam:** 35/10/55 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 10cm **Manufacturer Reference:** 2QCY0035 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27081	£16.00	£19.20	**A Side:** 45mm **B Side:** 45mm **Barcode:** 2QCY0037C **Body Length:** 90mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 45/45 **Cylinder Size With Cam:** 40/10/40 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 90mm **Manufacturer Reference:** 2QCY0037 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27082	£16.00	£19.20	**A Side:** 45mm **B Side:** 45mm **Barcode:** 2QCY0038C **Body Length:** 90mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 45/45 **Cylinder Size With Cam:** 40/10/40 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 90mm **Manufacturer Reference:** 2QCY0038 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27083	£16.00	£19.20	**A Side:** 45mm **B Side:** 50mm **Barcode:** 5055120783093 **Body Length:** 95mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 45/50 **Cylinder Size With Cam:** 40/10/45 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 95mm **Manufacturer Reference:** 2QCY0039 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27084	£16.00	£19.20	**A Side:** 45mm **B Side:** 50mm **Barcode:** 2QCY0040C **Body Length:** 95mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 45/50 **Cylinder Size With Cam:** 40/10/45 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 95mm **Manufacturer Reference:** 2QCY0040 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27085	£16.00	£19.20	**A Side:** 45mm **B Side:** 55mm **Barcode:** 2QCY0041C **Body Length:** 100mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 45/55 **Cylinder Size With Cam:** 40/10/50 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 10cm **Manufacturer Reference:** 2QCY0041 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27086	£16.00	£19.20	**A Side:** 45mm **B Side:** 55mm **Barcode:** 5055120783123 **Body Length:** 100mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 45/55 **Cylinder Size With Cam:** 40/10/50 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 10cm **Manufacturer Reference:** 2QCY0042 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27087	£16.00	£19.20	**A Side:** 50mm **B Side:** 50mm **Barcode:** 2QCY0045C **Body Length:** 100mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 50/50 **Cylinder Size With Cam:** 45/10/45 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Nickel Plated **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 10cm **Manufacturer Reference:** 2QCY0045 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L27088	£16.00	£19.20	**A Side:** 50mm **B Side:** 50mm **Barcode:** 5055120783147 **Body Length:** 100mm **Brand:** Greenteq **Cylinder Kitemark:** No **Cylinder Profile:** Euro **Cylinder Size Overall:** 50/50 **Cylinder Size With Cam:** 45/10/45 **Cylinder System:** Greenteq Gamma **Cylinder Type:** Double Euro **Finish:** Polished Brass **Fire Tested:** Grade 0 **Keyed:** Keyed To Differ **Keys Supplied:** 3 **Length:** 10cm **Manufacturer Reference:** 2QCY0046 **Mechanism:** 6 Pin **Pack Quantity:** 1 **Packaging:** Boxed **Secured By Design:** No **Snap Resistant:** No **Sold Secure:** No **Standards:** BS EN 1303:2005 **Weight:** 330g

Brand Profile

Greenteq

greenteQ (often written **Greenteq**) is the **in-house window and door hardware brand of VBH**, created to give fabricators, installers and repair/maintenance teams a dependable “one brand” option across the everyday components that make doors and windows function properly. VBH launched greenteQ as its own hardware brand in **2009**, and it’s been expanding the range ever since.

greenteQ sits squarely in the trade world: products for **uPVC/PVCu, aluminium, timber/wood and composite** windows and doors, covering both new manufacture and remedial work. The catalogue spans **locking systems**, **multipoint locks**, **handles/furniture**, **hinges**, and a long list of ancillaries designed to be installer-friendly and consistent to spec.

A big part of the brand identity is that it’s VBH-backed: greenteQ customers are explicitly described as benefiting from **VBH’s international product know-how**, and VBH GB notes the UK has its own greenteQ design focus to meet market-specific requirements (like **suited furniture** expectations).

On the “security hardware” end, greenteQ also sells cylinders and higher-security components you’ll see in the door trade - e.g. the **Orion** euro cylinder is marketed as **TS007 3-Star (Kitemark) approved** in VBH communications and stockist listings.