L&F 2630 Locking Mini `T` Handle

Nut Fix · Lowe & Fletcher · 1 variant

PRICING


From £57.00 ex VAT

£68.40 inc VAT

1 variant available
VAT 20.00%

Product Imagery





Specification Summary

Brand	Lowe & Fletcher
Product type	Nut Fix

Product Description

The Lowe & Fletcher 2630 Locking Mini 'T' Handle is a highly versatile, water-resistant camlock designed for a wide range of applications, including cupboards, cabinets, access panels, and enclosures. Featuring an IP65 ingress protection rating, this robust lock is well-suited for both indoor and outdoor environments where moisture and dust resistance are essential.

Constructed with a high-quality chrome-plated finish, this compact lock features a mini 'T' handle that offers an ergonomic grip for easy manual operation. The camlock is operated by turning the handle, which can be locked or unlocked using the key. It is designed for secure nut fixing and operates with a 180° anti-clockwise movement.

Supplied complete with a brass fixing nut and two keys, the L&F 2630 provides a reliable, weather-resistant security solution for domestic, commercial, and industrial enclosures.

Technical Specifications

- **Brand:** Lowe & Fletcher
- **Manufacturer Reference:** 2603 03 2
- **Body Length:** 20mm
- **Body Height:** 19mm
- **Body Width:** 16mm
- **Cam Length:** 51mm
- **Handle Projection:** 22mm
- **Head Height:** 40mm
- **Head Depth:** 20mm
- **Head Shape:** Round
- **Finish:** Chrome Plated
- **IP Rating:** IP65
- **Fixing Type:** Nut Fix
- **Movement:** 180° Anti-Clockwise
- **Key Differs:** 100
- **Keys Supplied:** 2

Key Features

- **IP65 Weather Resistance:** Rated IP65 to protect against water and dust ingress, making it ideal for outdoor or damp environments.
- **Ergonomic Mini 'T' Handle:** Compact handle design provides a comfortable grip for easy manual operation.
- **Versatile Applications:** Suitable for securing cupboards, cabinets, lockers, access panels, and industrial enclosures.
- **Complete Kit:** Supplied with a durable brass fixing nut and two keys for immediate installation and use.
- **Durable Finish:** Bright chrome-plated finish offers excellent corrosion resistance and a clean, professional look.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L9508	£57.00	£68.40	**Barcode:** 5055120605173 **Body Height:** 19mm **Body Length:** 20mm **Body Width:** 16mm **Brand:** Lowe & Fletcher **Cam Height:** 51mm **Differs:** 100 **Finish:** Chrome Plated **Fixing:** Nut **Handle Projection:** 22mm **Head Shape:** Round **IP Rating:** IP65 **Keying - KA:** Special Order **Keying - MK:** Special Order **Keys Supplied:** 2 **Manufacturer Reference:** 2603 03 2 **Movement:** 180° Anti Clockwise **Packaging:** Bagged **Weight:** 90g

Brand Profile

Lowe & Fletcher



Lowe & Fletcher is a long-established British manufacturer of **locking systems for industry**, best known for high-volume, application-specific locks like **camlocks, quarter-turns, compression locks, and electronic/keypad solutions** used on things like **enclosures, cabinets, lockers, post/parcel units, and industrial equipment**. They're a **sixth-generation, family-owned** business with roots going back to **1889**, when **John Lowe and Thomas Fletcher** founded a lockmaking firm in **Willenhall** in the Black Country—one of the historic heartlands of UK lockmaking.

Today, Lowe & Fletcher forms part of the **Lowe & Fletcher Group**, which describes two main divisions: **Locking Systems** (industrial/OEM locks) and **Fire Safety** (smoke and fire containment systems).

Operationally, their Locking Systems division includes UK operations based around the West Midlands (e.g., **Wednesbury, WS10 7DE**) and they state they have multiple operational sites across Europe and the US to serve local and specialist markets.

On the product side, their camlock range alone spans **mini camlocks, standard camlocks, slamlocks, and IP-rated water-resistant variants** (with application-driven options like tool/coin operation and different cam geometries).