LCN LTD 1260 Series Door Closer

Overhead · LCN · 1 variant

PRICING

From £556.05 ex VAT

£667.26 inc VAT

1 variant available
VAT 20.00%

Product Imagery



Specification Summary

Brand	LCN
Product type	Overhead

Product Description

The LCN LTD 1260 Series (1261P) Door Closer is a high-quality, reliable overhead door closer designed for light-to-medium traffic commercial applications. Featuring a non-handed design and universal mounting capabilities, this closer is highly versatile and easy to install on either left or right-swinging doors.

Engineered with safety in mind, the 1261P is suitable for use on internal and external fire and smoke barrier doors. It has been rigorously tested to BS EN 1154 and BS EN 1634 standards, carrying a CE mark. It is rated for up to 120 minutes (FD120) on timber doors and up to 60 minutes (FD60) on steel doors.

This door closer is adjustable across strength sizes 1 to 5, allowing you to tailor the closing force to your specific door requirements. It also features an adjustable hydraulic backcheck to cushion the door's opening swing and prevent damage to adjacent walls. With an operating temperature range of -15°C to 40°C, it delivers consistent performance in varying environments.

Technical Specifications

- **Brand:** LCN
- **Model:** 1261P (1260 Series)
- **Finish:** Powder-coated silver

- **Strength Size:** Adjustable 1 to 5
- **Backcheck:** Yes (adjustable hydraulic)
- **Handing:** Non-handed
- **Standards:** BS EN 1154, BS EN 1634
- **Fire Tested:** FD120 timber (2 hours), FD60 steel (1 hour)
- **Maximum Door Width:** 1372mm (internal), 1067mm (external)
- **Operating Temperature:** -15°C to 40°C
- **Weight:** 4.94kg

Key Features

- **Universal Mounting:** Suitable for multiple mounting positions on both left and right-handed doors.
- **Fire Rated:** Certified for use on timber fire doors (up to 2 hours) and steel fire doors (up to 1 hour).
- **Adjustable Closing Power:** Easily adjustable between strength sizes 1 to 5 to suit different door weights and sizes.
- **Hydraulic Backcheck:** Cushions the opening swing of the door to prevent damage to the door, frame, and walls.
- **All-Weather Performance:** Operates reliably in temperatures ranging from -15°C to 40°C.
- **Durable Finish:** Finished in a high-quality powder-coated silver for a clean, professional look.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L30063	£556.05	£667.26	**Backcheck:** Yes **Barcode:** 43156123339 **Brand:** LCN **Finish:** Silver **Fire Tested:** 2 Hours Timber **Handed:** Non Handed **Manufacturer Reference:** 1261P.US28 **Max Door Width:** 1372mm **Operating Temperature:** -15°C to 40°C **Pack Quantity:** 1 **Packaging:** Boxed **Standards:** BS EN 1154, BS EN 1634 **Strength Size:** 1 To 5 **Weight:** 4.94Kg

Brand Profile

LCN

No brand description provided.