LINCE Nautic Brass Body Corrosion Resistant Long Shackle Padlock

Long Shackle · Lince · 3 variants

PRICING


From £24.11 ex VAT

£28.93 inc VAT

3 variants available
VAT 20.00%
Range: £24.11 - £34.44 ex VAT

Product Imagery





Specification Summary

Brand	Lince
Product type	Long Shackle

Product Description

The LINCE Nautic Brass Body Corrosion Resistant Long Shackle Padlock is designed to offer exceptional weather protection in harsh outdoor and marine environments. Featuring a solid brass body with a highly weather-resistant coating, this padlock has been salt spray tested for an impressive 3000 hours to ensure outstanding durability against rust and corrosion. It is equipped with a stainless steel double-locking shackle and corrosion-resistant internal components, providing reliable long-term security.

This padlock is available in multiple sizes to suit your security requirements, with body widths ranging from 30mm to 45mm, shackle diameters of 5mm to 7mm, and vertical clearances from 30mm to 43mm. Please choose your preferred dimensions and manufacturer reference from the options below.

Technical Specifications

- **Standards:** BS EN 12320:2001, CE Marked (Security Grade 2)
- **Body Material:** Solid brass with highly weather-resistant coating
- **Shackle Material:** Stainless steel
- **Shackle Type:** Long shackle
- **Locking Mechanism:** Double locking
- **Keying:** Keyed to differ
- **Keys Supplied:** 2 keys
- **Body Width:** 30mm, 35mm, or 45mm (please choose from the options below)
- **Body Height:** 32mm or 36mm (please choose from the options below)
- **Body Depth:** 13mm or 17mm (please choose from the options below)
- **Shackle Diameter:** 5mm or 7mm (please choose from the options below)
- **Vertical Clearance:** 30mm, 31mm, or 43mm (please choose from the options below)
- **Weight:** 162g, 191g, or 340g (please choose from the options below)
- **Manufacturer Reference:** 551-30, 551-35, or 551-45 (please choose from the options below)

Key Features

- **Extreme Weather Resistance:** Salt spray tested for up to 3000 hours, making it ideal for marine, coastal, and demanding outdoor applications.
- **Durable Construction:** Solid brass body and stainless steel internal components resist rust and wear.
- **Double Locking Shackle:** Stainless steel long shackle locks on both sides for enhanced physical security.
- **Certified Security:** Meets BS EN 12320 standards and is CE marked to security grade 2.
- **Ready to Use:** Supplied complete with 2 keys as standard.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L29412	£24.11	£28.93	**Barcode:** 5056240103563 **Body Depth:** 13mm **Body Height:** 32mm **Body Width:** 30mm **Brand:** Lince **Keyed:** Keyed To Differ **Keys Supplied:** 2 **Manufacturer Reference:** 551-30 **Material:** Brass **Notes:** CE Grade 2 **Pack Quantity:** 1 **Shackle Diameter:** 5mm **Shackle Finish:** Stainless Steel **Standards:** BS EN 12320:2001, CE Marked **Vertical Clearance:** 30mm **Weather Resistant:** Yes **Weight:** 162g
	L29413	£33.66	£40.39	**Barcode:** 5056240103570 **Body Depth:** 17mm **Body Height:** 36mm **Body Width:** 35mm **Brand:** Lince **Keyed:** Keyed To Differ **Keys Supplied:** 2 **Manufacturer Reference:** 551-35 **Material:** Brass **Notes:** CE Grade 2 **Pack Quantity:** 1 **Shackle Diameter:** 7mm **Shackle Finish:** Stainless Steel **Standards:** BS EN 12320:2001, CE Marked **Vertical Clearance:** 31mm **Weather Resistant:** Yes **Weight:** 191g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L29414	£34.44	£41.33	**Barcode:** 5056240103587 **Body Depth:** 17mm **Body Height:** 36mm **Body Width:** 45mm **Brand:** Lince **Keyed:** Keyed To Differ **Keys Supplied:** 2 **Manufacturer Reference:** 551-45 **Material:** Brass **Notes:** CE Grade 2 **Pack Quantity:** 1 **Shackle Diameter:** 7mm **Shackle Finish:** Stainless Steel **Standards:** BS EN 12320:2001, CE Marked **Vertical Clearance:** 43mm **Weather Resistant:** Yes **Weight:** 340g

Brand Profile

Lince

No brand description provided.