SAMUEL HEATH Powermatic R100 Concealed Door Closer

Concealed · Samuel Heath · 3 variants


PRICING


From £454.95 ex VAT

£545.94 inc VAT

3 variants available
VAT 20.00%
Range: £454.95 - £477.69 ex VAT

Product Imagery











Specification Summary

Brand	Samuel Heath
Product type	Concealed

Product Description

The Samuel Heath Powermatic R100 is one of the world’s most advanced controlled, concealed door closers. Designed to be jamb-mounted, this high-performance unit is completely invisible when the door is closed, making it the perfect choice for projects where clean aesthetics and architectural integrity are paramount.

This reliable door closer is highly versatile, making it ideal for both fire and non-fire door applications across social housing, hotels, educational facilities, and healthcare environments. It is suitable for both latched and unlatched installations, offering exceptional control and smooth operation.

The Powermatic R100 is available in a choice of high-quality finishes, including Polished Brass, Chrome Plated, and Satin Chrome, to complement your existing door hardware. Each finish option features a unique barcode, manufacturer reference, and standard certification profile. Please select your preferred finish, barcode, manufacturer reference, and standards from the options below.

Technical Specifications

- **Brand:** Samuel Heath
- **Door Weight Capacity:** Up to 80kg
- **Maximum Door Width:** 950mm (BS EN 1154 size 3 test door 60kg)
- **Operating Temperature:** -15°C to 40°C
- **Product Weight:** 1.8kg
- **Fire Protection:** Certifire CF370 Certificate
- **Finishes:** Polished Brass, Chrome Plated, or Satin Chrome (please choose from the options below)
- **Barcodes:** Multiple options available (please choose from the options below)
- **Manufacturer References:** POWERMATIC BRASS R100, POWERMATIC CP R100, or POWERMATIC SCP R100 (please choose from the options below)
- **Standards:** BS EN 1154:1997, BS EN 1154, BS EN 1634-1, BS EN 1634, CE Marked, Certifire, BS EN 476 (please choose from the options below)

Key Features

- **Concealed Design:** Jamb-mounted and completely invisible when the door is closed, preserving clean door aesthetics.
- **Twin Power Mechanism:** Features a unique twin-power mechanism for reliable and controlled closing.
- **Adjustable Action:** Fully adjustable closing speed and power latching action to suit your installation requirements.
- **Versatile Application:** Ideal for both latched and unlatched installations on fire and non-fire doors in social housing, hotels, education, and healthcare.
- **10-Year Guarantee:** Backed by a 10-year manufacturer's guarantee for long-term peace of mind.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L24942	£454.95	£545.94	**Barcode:** 5055120764559 **Brand:** Samuel Heath **Document Fire Protection:** Certifire CF370 Certificate **Finish:** Polished Brass **Guarantee:** 10 Year **Manufacturer Reference:** POWERMATIC BRASS R100 **Operating Temperature:** -15°C to 40°C **Standards:** BS EN 1154:1997, BS EN 1154, BS EN 1634-1, CE Marked, Certifire, BS EN 476 **Weight:** 1.8Kg
	L24943	£477.69	£573.23	**Barcode:** 5055120764566 **Brand:** Samuel Heath **Document Fire Protection:** Certifire CF370 Certificate **Finish:** Chrome Plated **Guarantee:** 10 Year **Manufacturer Reference:** POWERMATIC CP R100 **Operating Temperature:** -15°C to 40°C **Standards:** BS EN 1154:1997, BS EN 1154, BS EN 1634-1, CE Marked, Certifire, BS EN 476 **Weight:** 1.8Kg
	L24944	£477.69	£573.23	**Barcode:** 5055120764573 **Brand:** Samuel Heath **Document Fire Protection:** Certifire CF370 Certificate **Finish:** Satin Chrome **Guarantee:** 10 Year **Manufacturer Reference:** POWERMATIC SCP R100 **Operating Temperature:** -15°C to 40°C **Standards:** BS EN 1154:1997, BS EN 1154, BS EN 1634-1, BS EN 1634, CE Marked, Certifire, BS EN 476 **Weight:** 1.8Kg

Brand Profile

Samuel Heath

No brand description provided.