TRILOGY ALARM LOCK DL2700WP Battery Operated Digital Lock

Alarm Lock · Alarm Lock · 2 variants

PRICING

From £442.44 ex VAT


£530.93 inc VAT

2 variants available
VAT 20.00%
Range: £442.44 - £469.34 ex VAT


Product Imagery











Specification Summary

Brand	Alarm Lock
Product type	Alarm Lock

Product Description

The Trilogy Alarm Lock DL2700WP is a high-performance, weather-resistant, battery-operated digital cylindrical lock designed for robust access control. Perfect for both indoor and outdoor applications, this standalone electronic lock features a water-sealed design (IP55 rated on the front) and operates reliably in extreme temperatures ranging from -35°C to 66°C.

Engineered with a rugged clutch mechanism and a vandal-proof all-metal keypad, the DL2700WP ensures dependable security and durability. It supports multi-level user codes, including 1 master, 10 managers, 90 users, and 3 service codes, which can be programmed directly via the 12-button keypad. The lock offers versatile operation, including a convenient passage mode, 2-wire remote override, and mechanical key override with two keys supplied. On the inside, it features a lever handle for free exit, while the outside lever is activated by entering a code or using the key.

This model is non-handed and fully reversible, making installation straightforward. It is available in multiple configurations to suit different door thicknesses, manufacturer references, and barcodes. Please choose your preferred options from the selection below to find the perfect fit for your installation.

Technical Specifications

- **Brand:** Alarm Lock
- **Mechanism:** Electronic Digital
- **Backset:** 70mm
- **Required Case Depth:** 85mm
- **Door Thickness:** 42mm to 47mm or 54mm to 57mm (please choose from the options below)
- **Finish:** Satin Chrome
- **IP Rating:** IP55 (Front Only)
- **Operating Temperature:** -35°C to 66°C
- **Power Supply:** 5 x AA batteries (providing up to 120,000 operations)
- **Low Battery Warning:** Yes
- **Key Override:** Yes (supplied with 2 keys)
- **Handing:** Reversible (non-handed)
- **Code Length:** 3 to 6 digits
- **User Capacity:** 90 user codes (plus master, manager, and service codes)
- **Time Delay:** 5 to 20 seconds
- **Manufacturer Reference:** DL2700WP-26D or DL2700WP-26D/W54 (please choose from the options below)
- **Barcode:** 785026022266 or 785026069933 (please choose from the options below)
- **Guarantee:** 2 Year

Key Features

- **Weather-Resistant Design:** Water-sealed front housing with an IP55 rating, suitable for outdoor use in extreme temperatures.
- **Vandal-Proof Keypad:** Rugged all-metal 12-button keypad with a dependable clutch mechanism to reduce wear and tear.
- **Flexible Access Control:** Supports multi-level user codes, including individual, group, or total user lockout.
- **Easy Passage Mode:** Quick passage mode activation by a manager or master code for unrestricted access when needed.
- **Dual Override Capability:** Features both a mechanical key override and a 2-wire remote override for ultimate flexibility.
- **Simple Installation:** Non-handed, fully reversible design that fits standard door preparations.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19700	£442.44	£530.93	**Audit Trail:** No **Backset:** 70mm **Barcode:** 785026022266 **Battery:** 5 x AA **Battery Life:** 120,000 Operations **Brand:** Alarm Lock **Buttons:** 12 **Case Depth Required:** 85mm **Code Length:** 3 To 6 Digits **Door Thickness:** 42mm to 47mm **Finish:** Satin Chrome **Guarantee:** 2 Year **Handed:** Reversible **IP Rating:** IP55 (Front Only) **Key Override:** Yes **Keys Supplied:** 2 **Latch:** 70mm Standard **Low Battery Warning:** Yes **Manufacturer Reference:** DL2700WP-26D **Mechanism:** Electronic Digital **Notes:** User Codes - 90 **Operating Temperature:** -35°C to 66°C **Operation Inside:** Lever Handle Free Exit **Operation Outside:** Lever Handle On Entry Of Code Or By Key **Pack Quantity:** 1 **Packaging:** Boxed **Passage Set:** Yes **Time Delay:** 5 - 20 Seconds **Weather Resistant:** Yes **Weight:** 3.991Kg **Width:** 85mm

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L37175	£469.34	£563.21	**Audit Trail:** No **Backset:** 70mm **Barcode:** 785026069933 **Battery:** 5 x AA **Battery Life:** 120,000 Operations **Brand:** Alarm Lock **Buttons:** 12 **Case Depth Required:** 85mm **Code Length:** 3 To 6 Digits **Door Thickness:** 54mm to 57mm **Finish:** Satin Chrome **Guarantee:** 2 Year **Handed:** Reversible **IP Rating:** IP55 (Front Only) **Key Override:** Yes **Keys Supplied:** 2 **Latch:** 70mm Standard **Low Battery Warning:** Yes **Manufacturer Reference:** DL2700WP-26D/W54 **Mechanism:** Electronic Digital **Notes:** User Codes - 90 **Operating Temperature:** -35°C to 66°C **Operation Inside:** Lever Handle Free Exit **Operation Outside:** Lever Handle On Entry Of Code Or By Key **Pack Quantity:** 1 **Passage Set:** Yes **Time Delay:** 5 - 20 Seconds **Weather Resistant:** Yes **Weight:** 3.991Kg **Width:** 85mm

Brand Profile

Alarm Lock



Alarm Lock is a professional access-control lock brand best known for its **Trilogy®** line of **keyless electronic door locks** and related **access/egress** hardware for commercial buildings. It's positioned squarely at the "security pro" end of the market: rugged, serviceable, and built for real sites like **education, healthcare, retail, mixed-use and commercial facilities** where you need controlled access without turning every door into a wiring project.

The brand sits under **Alarm Lock Systems**, which is a **division of NAPCO Security Technologies**. In other words: Alarm Lock is one of NAPCO's established security product families alongside other access and alarm lines.

They also lean into a trade-channel model: Alarm Lock products are marketed as being **built for security professionals** and **distributed through independent security/lock distributors**, rather than being a mass retail "grab one off the shelf next to the scented candles" brand.