

ABUS 37 Series Granit `Plus` Mechanism Solid Steel Rekeyable Closed Shackle Padlock

High Security Padlocks · Abus · 3 variants

PRICING

From £182.72 ex VAT

£219.26 inc VAT

3 variants available

VAT 20.00%

Range: £182.72 - £242.72 ex VAT

Product Imagery



Specification Summary

Brand	Abus
Product type	High Security Padlocks

Product Description

The ABUS 37 Series Granit 'Plus' Solid Steel Closed Shackle Padlock is engineered to meet the highest security standards, offering maximum protection against physical attacks and manipulation. Built with a through-hardened steel alloy body and shackle, this heavy-duty padlock features an integrated closed shackle guard to defend against cutting, sawing, and pulling tools. It is equipped with the highly secure ABUS Plus disc cylinder, providing up to 250,000 key differs and outstanding resistance to drilling, pulling, and picking.

Designed for long-lasting outdoor use, this rekeyable padlock is treated with a cataphoretic coating and rust-free components, providing up to 40 years of corrosion protection. The shackle is fully removable, and the lock is supplied complete with two keys and a key code card.

This padlock is available in multiple sizes, shackle diameters, and keying options (including Keyed Alike and Keyed To Differ). Please select your preferred body width, shackle size, and keying configuration from the options below.

Technical Specifications

- **Brand:** ABUS
- **Cylinder System:** ABUS Plus disc cylinder
- **Body Width:** 65mm or 79mm (please choose from the options below)
- **Body Height:** 85mm or 94mm (please choose from the options below)
- **Body Depth:** 35mm or 39mm (please choose from the options below)
- **Shackle Diameter:** 11mm or 14mm (please choose from the options below)
- **Horizontal Clearance:** 18mm or 22mm (please choose from the options below)
- **Vertical Clearance:** 16mm or 22mm (please choose from the options below)
- **Shackle Finish:** Hardened Steel
- **Keying:** Keyed Alike or Keyed To Differ (please choose from the options below)
- **Security Standard:** CEN Grade 4 or CEN Grade 5 (depending on model selected)
- **Mechanism:** Rekeyable
- **Weight:** 695g to 1.109Kg (please choose from the options below)

Key Features

- **Maximum Security Cylinder:** ABUS Plus disc cylinder resists drill, pull, and manipulation attacks
- **Robust Construction:** Through-hardened steel alloy body and shackle for extreme attack resistance
- **Closed Shackle Design:** Integrated shackle guard protects against cutting and sawing tools
- **Corrosion Resistant:** Cathodic coating and rust-free components provide up to 40 years of corrosion protection
- **Rekeyable Mechanism:** Allows the lock to be rekeyed to match existing keys
- **Removable Shackle:** Fully removable shackle for convenient locking and high security
- **Key Control:** Supplied with 2 keys and a key code card for secure duplication

Variant Specifications And Pricing




Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19047	£182.72	£219.26	<p>Barcode: 4003318083341</p> <p>Body Depth: 35mm</p> <p>Body Height: 85mm</p> <p>Body Width: 65mm</p> <p>Boxed Quantity: 3</p> <p>Brand: Abus</p> <p>Cylinder System: Abus Granit Plus</p> <p>Differs: 250,000</p> <p>Horizontal Clearance: 18mm</p> <p>Key Series: 5078</p> <p>Keyed: Keyed To Differ</p> <p>Manufacturer Reference: 37RK/60 - rekeyable version</p> <p>Mechanism: Rekeyable</p> <p>Pack Quantity: 1</p> <p>Packaging: Boxed</p> <p>Shackle Diameter: 11mm</p> <p>Shackle Finish: Hardened Steel</p> <p>Silca Card Code: 1519/3168</p> <p>Vertical Clearance: 16mm</p> <p>Weight: 695g</p>
	L19050	£228.45	£274.14	<p>Barcode: 4003318431210</p> <p>Body Depth: 39mm</p> <p>Body Height: 94mm</p> <p>Body Width: 79mm</p> <p>Boxed Quantity: 1</p> <p>Brand: Abus</p> <p>Cylinder System: Abus Granit Plus</p> <p>Differs: 250,000</p> <p>Horizontal Clearance: 22mm</p> <p>Key Series: 5078</p> <p>Keyed: Keyed To Differ</p> <p>Manufacturer Reference: 37RK/80 C</p> <p>Mechanism: Rekeyable</p> <p>Pack Quantity: 1</p> <p>Packaging: Visi</p> <p>Shackle Diameter: 14mm</p> <p>Shackle Finish: Hardened Steel</p> <p>Silca Card Code: 1519/3168</p> <p>Standards: CEN Grade 5</p> <p>Vertical Clearance: 22mm</p> <p>Weight: 1.109Kg</p>

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19055	£242.72	£291.26	<p> Barcode: 5055120708737 Body Depth: 39mm Body Height: 94mm Body Width: 79mm Boxed Quantity: 1 Brand: Abus Differs: 250,000 Horizontal Clearance: 22mm Key Series: 5078 Keyed: Keyed Alike Manufacturer Reference: 37RK/80 KA 4365623 Mechanism: Rekeyable Notes: Keyed Alike - "4365623" Pack Quantity: 1 Packaging: Boxed Shackle Diameter: 14mm Shackle Finish: Hardened Steel Silca Card Code: 1519/3168 Vertical Clearance: 22mm Weight: 1.08Kg </p>

Brand Profile

Abus



Security Tech Germany

ABUS (short for **August Bremicker Söhne**) is a **German, family-owned security company** best known for making locks and “preventative” security products—the stuff designed to stop problems *before* they happen. The company was founded in **1924**, when August Bremicker and his sons started making padlocks in a cellar forge in **Volmarstein** (North Rhine-Westphalia). One of the earliest products was a padlock they called “**Iron Rock**,” and the business expanded from there into a broad security portfolio.

Today, ABUS’s headquarters are in **Wetter (Ruhr), Germany**, and the company manufactures across multiple German and international sites (with major German production called out in places like **Rehe**).

ABUS operates as a group with well-known consumer lines spanning **padlocks and door/window security, alarm systems and video surveillance**, and also **bike security**—notably **bike locks** and **bike helmets** (a big reason you’ll see the brand everywhere from hardware stores to cycling shops).

Brand-wise, ABUS leans hard into the “German engineering, don’t mess about” identity: practical, durability-obsessed, and aimed at homes, businesses, and people trying to stop their stuff being yeeted into the void by opportunistic goblins.