

ADAMS RITE 7113 Series Mortice Release Timber

Timber · Adams Rite · 4 variants

PRICING

From £493.86 ex VAT

£592.63 inc VAT

4 variants available

VAT 20.00%

Range: £493.86 - £496.04 ex VAT

Product Imagery



Specification Summary

Brand Adams Rite

Product type Timber

Product Description

The Adams Rite 7113 Series Mortice Release is an un-monitored electric strike designed specifically for remote access control on timber doors. Featuring a narrow faceplate, it is ideal for installation on 44mm thick timber door frames and is compatible with Adams Rite 4700 series (or similar) deadlatches.

With a robust holding force of 907kg (2000lbs), this medium-duty release offers high-security performance. It is non-handed, allowing for easy installation on both left and right-handed doors.

This electric strike is available in several configurations to suit your specific security and power requirements. Please choose from the options below to select your required input voltage (12V AC, 12V DC, or 24V DC) and operation type (Fail Locked or Fail Unlocked). Depending on your selection, current consumption ranges from 0.19A to 1.48A, and weights range from 550g to 560g.

Technical Specifications

- **Brand:** Adams Rite
- **Fitting:** Mortice
- **Faceplate Dimensions:** 202mm (H) x 31mm (W)
- **Body Dimensions:** 85mm (H) x 25mm (D)
- **Jaw Dimensions:** 35mm (H) x 15mm (W) x 12mm (D)
- **Holding Force:** 907kg (2000lbs)
- **Finish:** Stainless Steel
- **Adjustable Jaw:** No
- **Weather Resistant:** No
- **Input Voltage:** 12V AC, 12V DC, or 24V DC (please choose from the options below)
- **Operation:** Fail Locked or Fail Unlocked (please choose from the options below)
- **Current Consumption:** 0.19A, 0.332A, or 1.48A (depending on selection)
- **Weight:** 550g - 560g (depending on selection)
- **Manufacturer Reference:** 7113-310-652, 7113-315-652, 7113-340-652, or 7113-515-652 (please choose from the options below)
- **Guarantee:** 3 Year

Key Features

- **Timber Door Compatibility:** Features a narrow, long faceplate specifically designed to suit 44mm thick timber door frames.
- **High Security:** Offers a strong holding force of 907kg (2000lbs) for reliable access control.
- **Versatile Operation:** Non-handed design allows for installation on both left and right-handed doors.
- **Deadlatch Integration:** Ideal for remote use access control of doors equipped with Adams Rite 4700 series or similar deadlatches.
- **Continuously Rated:** 12V DC and 24V DC options are continuously rated.
- **Manufacturer Guarantee:** Backed by a 3-year manufacturer guarantee.

Variant Specifications And Pricing


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L5140	£496.04	£595.25	<p> Adjustable Jaw: No Barcode: 5055120600598 Body Depth: 25mm Body Height: 85mm Brand: Adams Rite Current Consumption: 1.48A Faceplate Height: 202mm Faceplate Width: 31mm Finish: Stainless Steel Fitting: Mortice Guarantee: 3 Year Holding Force: 907Kg / 2000Lbs Input Voltage: 12V AC Jaw Depth: 12mm Jaw Height: 35mm Jaw Width: 15mm Manufacturer Reference: 7113-340-652 Notes: To Suit Timber Door Operation: Fail Locked Pack Quantity: 1 Packaging: Boxed Weather Resistant: No Weight: 550g </p>




Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L5141	£493.86	£592.63	<p>Adjustable Jaw: No Barcode: 7113-310-652 Body Depth: 25mm Body Height: 85mm Brand: Adams Rite Current Consumption: 0.332A Faceplate Height: 202mm Faceplate Width: 31mm Finish: Stainless Steel Fitting: Mortice Guarantee: 3 Year Holding Force: 907Kg / 2000Lbs Input Voltage: 12V DC Jaw Depth: 12mm Jaw Height: 35mm Jaw Width: 15mm Manufacturer Reference: 7113-310-652 Notes: To Suit Timber Door Operation: Fail Locked Pack Quantity: 1 Packaging: Boxed Weather Resistant: No Weight: 550g</p>
	L5143	£493.86	£592.63	<p>Adjustable Jaw: No Barcode: 7113-315-652 Body Depth: 25mm Body Height: 85mm Brand: Adams Rite Current Consumption: 0.332A Faceplate Height: 202mm Faceplate Width: 31mm Finish: Stainless Steel Fitting: Mortice Guarantee: 3 Year Holding Force: 907Kg / 2000Lbs Input Voltage: 12V DC Jaw Depth: 12mm Jaw Height: 35mm Jaw Width: 15mm Manufacturer Reference: 7113-315-652 Notes: To Suit Timber Door Operation: Fail Unlocked Pack Quantity: 1 Packaging: Boxed Weather Resistant: No Weight: 560g</p>

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L5146	£493.89	£592.67	<p> Adjustable Jaw: No Barcode: 5055120600536 Body Depth: 25mm Body Height: 85mm Brand: Adams Rite Current Consumption: 0.19A Faceplate Height: 202mm Faceplate Width: 31mm Finish: Stainless Steel Fitting: Mortice Guarantee: 3 Year Holding Force: 907Kg / 2000Lbs Input Voltage: 24V DC Jaw Depth: 12mm Jaw Height: 35mm Jaw Width: 15mm Manufacturer Reference: 7113-515-652 Notes: To Suit Timber Door Operation: Fail Unlocked Pack Quantity: 1 Packaging: Boxed Weather Resistant: No Weight: 550g </p>

Brand Profile

Adams Rite



Adams Rite is a long-running American door-hardware brand best known as “*the Aluminum Hardware Authority*”—a specialist in locking and access hardware for **narrow-stile aluminum doors** (think storefronts, commercial entrances, glass-and-aluminum door systems).

The company’s core range covers **deadlocks and deadlatches, electric strikes, exit devices/panic hardware, trim**, and related cylinders/accessories—basically the mechanical and electromechanical guts that let commercial aluminum doors stay secure while still being code-compliant and usable.

Adams Rite is part of ASSA ABLOY, following ASSA ABLOY’s acquisition (announced and completed in **2006**). In ASSA ABLOY’s portfolio, Adams Rite is positioned as a strong, complementary brand in aluminum door applications.