

ASEC R12 Rim Release

Rim · Asec · 3 variants

PRICING

From £70.62 ex VAT


£84.74 inc VAT

3 variants available

VAT 20.00%

Range: £70.62 - £87.60 ex VAT

Product Imagery



Specification Summary

| | |
|-------|------|
| Brand | Asec |
|-------|------|

| | |
|--------------|-----|
| Product type | Rim |
|--------------|-----|

Product Description

The Asec R12 Rim Release is a surface-mounted electric strike designed to replace the standard keeper on a rim nightlatch. It is ideal for retrofitting access control to existing doors or for new installations where a rim-mounted lock is preferred.

Constructed with a robust, one-piece solid rim case, this low-to-medium duty release is designed for inward-opening doors. It features an adjustable jaw to ensure precise alignment with the nightlatch bolt.

This versatile rim release is available in multiple configurations to suit your specific access control setup. You can choose between 12V AC or 12V DC input voltages, as well as Fail Locked (fail secure) or Fail Unlocked (fail safe) operations. Depending on your selection, the unit's current consumption is either 0.16A or 0.65A, with a weight of 320g or 330g. Please select your preferred voltage, operation, and manufacturer reference from the options below.

Technical Specifications


- **Brand:** Asec
- **Fitting:** Rim
- **Body Height:** 105mm
- **Body Depth:** 23mm
- **Faceplate Height:** 105mm
- **Faceplate Width:** 48mm
- **Jaw Dimensions:** 41mm (H) x 12mm (W) x 7mm (D)
- **Holding Force:** 295Kg / 650Lbs
- **Input Voltage:** 12V AC or 12V DC (please choose from the options below)
- **Operation:** Fail Locked or Fail Unlocked (please choose from the options below)
- **Current Consumption:** 0.16A or 0.65A (depending on selection)
- **Weight:** 320g or 330g (depending on selection)
- **Finish:** Grey
- **Handing:** Inward opening only
- **Guarantee:** 1 Year

Key Features

- **Direct Replacement:** Designed to fit in place of the standard keeper on a rim nightlatch.
- **Adjustable Jaw:** Allows for precise alignment with the latch bolt.
- **Solid Construction:** Features a robust, one-piece solid rim case.
- **Multiple Configurations:** Available in 12V AC or DC, and Fail Locked or Fail Unlocked operations to suit your system requirements.
- **Low to Medium Duty:** Ideal for standard access control applications.

Variant Specifications And Pricing

| Image | Part Number | Ex VAT | Inc VAT | Attributes / Specs |
|---|-------------|--------|---------|---|
|  | AS9529 | £77.87 | £93.44 | <p> Adjustable Jaw: Yes Barcode: 5055120629797 Body Depth: 23mm Body Height: 105mm Brand: Asec Current Consumption: 0.65A Faceplate Height: 105mm Faceplate Width: 48mm Finish: Grey Fitting: Rim Guarantee: 1 Year Handed: Inward Opening Holding Force: 295Kg / 650Lbs Input Voltage: 12V AC Jaw Depth: 7mm Jaw Height: 41mm Jaw Width: 12mm Manufacturer Reference: AS9529 Monitored: No Notes: Low To Medium Duty Operation: Fail Locked Pack Quantity: 1 Packaging: Boxed Weather Resistant: No Weight: 320g </p> |

| Image | Part Number | Ex VAT | Inc VAT | Attributes / Specs |
|---|-------------|--------|---------|---|
|  | AS9530 | £87.60 | £105.12 | <p> Adjustable Jaw: Yes Barcode: 5055120629780 Body Depth: 23mm Body Height: 105mm Brand: Asec Current Consumption: 0.16A Faceplate Height: 105mm Faceplate Width: 48mm Finish: Grey Fitting: Rim Guarantee: 1 Year Handed: Inward Opening Holding Force: 295Kg / 650Lbs Input Voltage: 12V DC Jaw Depth: 7mm Jaw Height: 41mm Jaw Width: 12mm Manufacturer Reference: AS9530 Monitored: No Notes: Low To Medium Duty Operation: Fail Locked Pack Quantity: 1 Packaging: Boxed Weather Resistant: No Weight: 330g </p> |

| Image | Part Number | Ex VAT | Inc VAT | Attributes / Specs |
|---|-------------|--------|---------|---|
|  | AS9531 | £70.62 | £84.74 | <p> Adjustable Jaw: Yes Barcode: 5055120629773 Body Depth: 23mm Body Height: 105mm Brand: Asec Current Consumption: 0.16A Faceplate Height: 105mm Faceplate Width: 48mm Finish: Grey Fitting: Rim Guarantee: 1 Year Handed: Inward Opening Holding Force: 295Kg / 650Lbs Input Voltage: 12V DC Jaw Depth: 7mm Jaw Height: 41mm Jaw Width: 12mm Manufacturer Reference: AS9531 Monitored: No Notes: Low To Medium Duty Operation: Fail Unlocked Pack Quantity: 1 Packaging: Boxed Weather Resistant: No Weight: 330g </p> |

Brand Profile

Asec



ASEC is a **trade-focused security hardware brand** built around the “everyday kit” locksmiths and installers reach for, with a big emphasis on **breadth, availability, and value** rather than boutique-only spec pieces. The brand was **established in 2003** and was created specifically to **support independent retailers and security professionals** with products that *“would never become available through the large multiple retailers.”*

Where ASEC gets especially interesting (and why it tends to become a “default stock brand”) is the **scale of the range**:

- ASEC positions itself as having a portfolio of **2,000+ individual products**, described as one of the **largest ranges under a single security brand name** in the industry.
- Coverage is intentionally broad across the core trade categories: **Access Control, Architectural Hardware, Key Cutting, Locking Products, UPVC, Tools & Accessories.**

ASEC is **exclusive to Aldridge Security** (whom we distribute) in the UK trade ecosystem (Aldridge explicitly calls itself the **exclusive distributor of ASEC Security Products worldwide**). That exclusivity is a big part of the brand's identity: it keeps the range aimed at the trade channel rather than getting diluted into mass retail.