

HIGH SECURITY PADLOCKS



More Choice...

With shackle diameters from 6mm to 16mm, and body sizes from 46mm to 85mm the ABS High Security Padlock range offers specifiers a plethora of choice to select the right fit solution for each application. Hardened Steel bodies and shackles give peace of mind assurance to users along with long life performance.

Range Features

- **Hardened Steel padlock bodies**
- **Boron Steel hardened shackles**
- **Open and Closed shackle variants**
- **Fully enclosed high security hasps**
- **Extensive range of shackle diameters and lengths**
- **Fully serviceable padlocks**


Contents

ABS High Security Padlocks	3
Padlock 8, Retained Shackle	4
Padlock 10, Retained Shackle	5
Padlock 10, Removable Shackle	6
Padlock 13, Retained Shackle	7
Padlock 13, Removable Shackle	8
Padlock 16, Removable Shackle	9
High Security Hasps	10
Padlock Shackle Protectors	11
ABS Euro Profile Padlocks	12
Euro Padlock 46, Retained Shackle	13
Euro Padlock 61, Retained Shackle	14
Euro Padlock 61, Closed Shackle	15
ABS High Security Cylinders	16

High Security Padlocks

The range of ABS® high security padlocks are suitable for commercial, industrial and residential applications.

Can be supplied individually keyed, keyed alike or as part of a master key system.



8
mm
DIAMETER
SHACKLE



22MM
STANDARD SHACKLE



50MM
MEDIUM SHACKLE



102MM
LONG SHACKLE

Features


- Rotate key 55° - 65° to unlock
- Hardened Steel shell with Black Electrophoretic coating
- Hardened Boron Alloy Steel shackle
- Key retained when open
- Stainless Steel cylinder shutter
- Drainage holes to prevent freezing
- Pick, Drill and Bump resistant
- Reversible Nickel Silver key with comfort grip Nylon key head
- Coloured key dots for user/location identification

Shackle Options

- Standard, Medium and Long Shackle Options

Keying Options

- Key to differ, Key Alike, Master Keyed





32MM
STANDARD SHACKLE



60MM
MEDIUM SHACKLE



102MM
LONG SHACKLE

Features


- Rotate key 55° - 65° to unlock
- Hardened Steel shell with Black Electrophoretic coating
- Hardened Boron Alloy Steel shackle
- Key retained when open
- Stainless Steel cylinder shutter
- Drainage holes to prevent freezing
- Pick, Drill and Bump resistant
- Reversible Nickel Silver key with comfort grip Nylon key head
- Coloured key dots for user/location identification

Shackle Options

- Standard, Medium and Long Shackle Options

Keying Options

- Key to differ, Key Alike, Master Keyed



Optional security upgrade

Shackle protector can be bolted onto an open shackle padlock 10 to convert it to a closed shackle padlock 10.





32MM
STANDARD SHACKLE



60MM
MEDIUM SHACKLE



102MM
LONG SHACKLE

Features


- Rotate key 55° - 65° to unlock
- Hardened Steel shell with Black Electrophoretic coating
- Hardened Boron Alloy Steel shackle
- Key removable when open
- Stainless Steel cylinder shutter
- Drainage holes to prevent freezing
- Pick, Drill and Bump resistant
- Reversible Nickel Silver key with comfort grip Nylon key head
- Coloured key dots for user/location identification

Shackle Options

- Standard, Medium and Long Shackle Options

Keying Options

- Key to differ, Key Alike, Master Keyed



Optional security upgrade

Shackle protector can be bolted onto an open shackle padlock 10 to convert it to a closed shackle padlock 10.





37MM
STANDARD SHACKLE



58MM
MEDIUM SHACKLE



102MM
LONG SHACKLE

Features


- Rotate key 55° - 65° to unlock
- Hardened Steel shell with Black Electrophoretic coating
- Hardened Boron Alloy Steel shackle
- Key retained when open
- Stainless Steel cylinder shutter
- Drainage holes to prevent freezing
- Pick, Drill and Bump resistant
- Reversible Nickel Silver key with comfort grip Nylon key head
- Coloured key dots for user/location identification

Shackle Options

- Standard, Medium and Long Shackle Options

Keying Options

- Key to differ, Key Alike, Master Keyed



Optional security upgrade

Shackle protector can be bolted onto an open shackle padlock 13 to convert it to a closed shackle padlock 13.





37MM
STANDARD SHACKLE



58MM
MEDIUM SHACKLE



102MM
LONG SHACKLE

Features


- Rotate key 55° - 65° to unlock
- Hardened Steel shell with Black Electrophoretic coating
- Hardened Boron Alloy Steel shackle
- Key removable when open
- Stainless Steel cylinder shutter
- Drainage holes to prevent freezing
- Pick, Drill and Bump resistant
- Reversible Nickel Silver key with comfort grip Nylon key head
- Coloured key dots for user/location identification

Shackle Options

- Standard, Medium and Long Shackle Options

Keying Options

- Key to differ, Key Alike, Master Keyed



Optional security upgrade

Shackle protector can be bolted onto an open shackle padlock 13 to convert it to a closed shackle padlock 13.





Features


- Rotate key 55° - 65° to unlock
- Hardened Steel shell with Black Electrophoretic coating
- Hardened Boron Alloy Steel shackle
- Key removable when open
- Stainless Steel cylinder shutter
- Drainage holes to prevent freezing
- Pick, Drill and Bump resistant
- Reversible Nickel Silver key with comfort grip Nylon key head
- Coloured key dots for user/location identification


Shackle Options

- Standard, Medium and Long Shackle Options


Keying Options

- Key to differ, Key Alike, Master Keyed






FOR ABS PADLOCK 10





FOR ABS PADLOCK 13



FOR ABS PADLOCK 16

Features

- Secure housing for high security padlocks with removable shackles
- Manufactured from high grade malleable cast steel
- Can be welded or bolted, making it suitable for Steel, Wood or Aluminium applications
- Three sizes to fit padlocks 10, 13 and 16 with removable shackles



HASP NO.	A - WIDTH (MM)	B - HEIGHT (MM)	C - THICKNESS (MM)
10	80	95	40
13	90	109	40
16	110	116	40

Shackle Protectors



Features


- Solid shackle protector for additional protection and enhanced security
- Manufactured from high grade malleable cast steel
- Available for High Security Padlocks 10 and 13
- Available for retained shackle and removable shackle padlocks



FOR USE WITH
RETAINED SHACKLE
PADLOCKS



FOR USE WITH
REMOVABLE SHACKLE
PADLOCKS



HASP NO.	A - WIDTH (MM)	B - HEIGHT (MM)	C - THICKNESS (MM)
10	80	36	40
13	90	39	40

Euro Profile High Security Padlocks

ABS® Euro profile high security padlocks suitable for commercial, industrial and residential applications.

Available with a wide range of body and shackle sizes to suit most applications. Re-keyable and changeable euro cylinder platform offering increased flexibility.

Can be supplied individually keyed, or keyed alike or as part of a master key system together with other ABS Ultimate™ series cylinders.

Ball Locking Shackle

Double locking system

Hardened Shackle

Durable and tough
Molybdenum Alloy Steel
shackles

Euro Cylinder Locking

Can be supplied with high
security ABS cylinder or
supplied without cylinder.

Hardened Body

Solid Steel body
with durable weather
resistant coating

Protective Keyway Cover

Protects against environmental
contamination





28MM
STANDARD SHACKLE



50MM
MEDIUM SHACKLE



76MM
LONG SHACKLE

Features


- Rotate key 55° - 65° to unlock
- Re-keyable and changeable cylinder (Option for ABS Ultimate or ABS Design Cylinder)
- Hardened Steel shell with Black coating
- Hardened Molybdenum Alloy Steel shackle
- Key retained when open
- Stainless Steel cylinder shutter
- Pick, Drill and Bump resistant when used with ABS Ultimate or ABS Design Cylinder
- Can be supplied with or without a cylinder

Shackle Options

- Standard, Medium and Long Shackle Options

Keying Options

- Key to differ, Key Alike, Master Keyed



ABS Cylinder/Key Options

Can be supplied with ABS high security patented cylinder and keys (see page 16). Uses half cylinder with multi-position cam.





Features


- Rotate key 55° - 65° to unlock
- Re-keyable and changeable cylinder (Option for ABS Ultimate or ABS Design Cylinder)
- Hardened Steel shell with Black coating
- Hardened Molybdenum Alloy Steel shackle
- Key retained when open
- Stainless Steel cylinder shutter
- Pick, Drill and Bump resistant when used with ABS Ultimate or ABS Design Cylinder
- Can be supplied with or without a cylinder

Shackle Options

- Standard, Medium and Long Shackle Options

Keying Options

- Key to differ, Key Alike, Master Keyed



ABS Cylinder/Key Options

Can be supplied with ABS high security patented cylinder and keys (see page 16). Uses half cylinder with multi-position cam.






Features

- Rotate key 55° - 65° to unlock
- Re-keyable and changeable cylinder (Option for ABS Ultimate or ABS Design Cylinder)
- Hardened Steel shell with Black coating
- Hardened Molybdenum Alloy Steel shackle
- Key retained when open
- Stainless Steel cylinder shutter
- Pick, Drill and Bump resistant when used with ABS Ultimate or ABS Design Cylinder
- Can be supplied with or without a cylinder

Keying Options

- Key to differ, Key Alike, Master Keyed



ABS Cylinder/Key Options

Can be supplied with ABS high security patented cylinder and keys (see page 16). Uses half cylinder with multi-position cam.



High Security Padlock Cylinders

ABS DESIGN



ABS Design Cylinder Features

- High specification cylinder offering resistance to drilling, picking, bumping, twisting, chisel and screw attacks to deter forced entry
- Complies with the requirements of BS EN1303:2015, PAS24:2016 & BS3621:2017
- Master Locksmith Association general vulnerability assessment approved
- Active bump pin technology
- High security pin tumbler system
- Coloured key dots for door /user identification

ABS ULTIMATE



ABS Ultimate Cylinder Features

- High specification cylinder offering resistance to drilling, picking, bumping, twisting, chisel and screw attacks to deter forced entry
- Complies with the requirements of BS EN1303:2015, PAS24:2016 & BS3621:2017
- Master Locksmith Association general vulnerability assessment approved
- Active bump pin technology
- High security telescopic pin tumbler system
- 5 key colour options to choose from for door /user identification

ABS High Security Padlock Stockist: