

# CAVEO TS007 3\* Double Euro Dimple Cylinder

Double Euro · CAVEO · 34 variants



PRICING

**From £34.99 ex VAT**

£41.99 inc VAT

34 variants available  
VAT 20.00%

**Product Imagery**



**Specification Summary**

Brand CAVEO

Product type Double Euro

Keyway Caveo

TAGS

Is Cylinder

## Product Description

The CAVEO TS007 3\* Double Euro Dimple Cylinder offers ultimate security and style for your external doors. Featuring a unique dual finish with a nickel-plated body and a polished brass plug, this cylinder seamlessly complements both brass and chrome/nickel door hardware, making it a highly versatile and cost-effective choice.

Engineered to withstand the most determined attack methods, this cylinder is BSI Kitemarked to TS007 3-star standards, Sold Secure Diamond certified, and Secured by Design approved. It features a sacrificial breakaway cut on the external side; in the event of a snapping attack, the cylinder snaps at this line, locking the cam in place to protect your home while still allowing operation from the inside.

Equipped with a high-security 11-pin reversible mechanism, the cylinder is highly resistant to bumping, picking, drilling, and snapping. It is supplied with three dimple keys, optional black key identification inserts, a fixing bolt, and a registration card. Upon registration, the cylinder is backed by a £2,000 break-in guarantee.

This cylinder is available in a wide range of overall lengths and offset sizes. Please choose your required A Side (breakaway external side) and B Side dimensions from the options below.

## Technical Specifications

- **Brand:** CAVEO
- **Cylinder Profile:** Euro
- **Cylinder Type:** Double Euro
- **Security Rating:** TS007 3 Star, Sold Secure Diamond, Secured by Design
- **Standards:** BS EN 1303:2015, TS 007-1:2014 + A2:2018, PAS24:2018
- **Fire Rating:** Fire door rated to 30 minutes (Grade B)
- **Mechanism:** 11-pin reversible dimple mechanism
- **Finish:** NP/PB Dual Finish (Nickel Plated body with Polished Brass plug)
- **Keys Supplied:** 3 keys (with optional black identification inserts)
- **A Side (Breakaway):** 30mm to 75mm (choose from options below)
- **B Side:** 30mm to 65mm (choose from options below)
- **Overall Length:** 60mm to 120mm (choose from options below)

## Key Features

- **3-Star Security:** BSI Kitemarked TS007 3\* and Sold Secure Diamond certified for maximum protection against forced entry.
- **Anti-Snap Technology:** Features a sacrificial breakaway cut on the external side to defend against lock snapping attacks.
- **Dual Finish Design:** Stylish nickel-plated body with a polished brass plug, suitable for both brass and chrome/nickel door furniture.
- **High Attack Resistance:** Specially designed to resist lock bumping, picking, drilling, and snapping.
- **£2,000 Break-In Guarantee:** Backed by a manufacturer's £2,000 break-in guarantee upon registration.
- **Reversible Dimple Keys:** Supplied with 3 high-security dimple keys featuring optional black colour-coded inserts for easy identification.
- **Flexible Sizing:** Available in a wide variety of symmetric and asymmetric sizes to suit different door thicknesses.

## Variant Specifications And Pricing


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50002	£34.99	£41.99	<p> <b>A Side:</b> 30mm Breakaway  <b>B Side:</b> 30mm  <b>Barcode:</b> 5056240123943  <b>Body Length:</b> 60mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 30/30  <b>Cylinder Size With Cam:</b> 25/10/25  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 60mm  <b>Manufacturer Reference:</b> CV50002  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 234g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50003	£34.99	£41.99	<p> <b>A Side:</b> 30mm Breakaway  <b>B Side:</b> 35mm  <b>Barcode:</b> 5056240123950  <b>Body Length:</b> 65mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 30/35  <b>Cylinder Size With Cam:</b> 25/10/30  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 65mm  <b>Manufacturer Reference:</b> CV50003  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 247g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50004	£34.99	£41.99	<p> <b>A Side:</b> 35mm Breakaway  <b>B Side:</b> 35mm  <b>Barcode:</b> 5056240123967  <b>Body Length:</b> 70mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 35/35  <b>Cylinder Size With Cam:</b> 30/10/30  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 70mm  <b>Manufacturer Reference:</b> CV50004  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 260g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50005	£34.99	£41.99	<p> <b>A Side:</b> 30mm Breakaway  <b>B Side:</b> 40mm  <b>Barcode:</b> 5056240123974  <b>Body Length:</b> 70mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 30/40  <b>Cylinder Size With Cam:</b> 25/10/35  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 70mm  <b>Manufacturer Reference:</b> CV50005  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 260g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50006	£34.99	£41.99	<p> <b>A Side:</b> 35mm Breakaway  <b>B Side:</b> 40mm  <b>Barcode:</b> 5056240123981  <b>Body Length:</b> 75mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 35/40  <b>Cylinder Size With Cam:</b> 30/10/35  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 75mm  <b>Manufacturer Reference:</b> CV50006  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 273g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50007	£34.99	£41.99	<p> <b>A Side:</b> 40mm Breakaway  <b>B Side:</b> 40mm  <b>Barcode:</b> 5056240123998  <b>Body Length:</b> 80mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 40/40  <b>Cylinder Size With Cam:</b> 35/10/35  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 80mm  <b>Manufacturer Reference:</b> CV50007  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 286g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50008	£34.99	£41.99	<p> <b>A Side:</b> 30mm Breakaway  <b>B Side:</b> 45mm  <b>Barcode:</b> 5056240124001  <b>Body Length:</b> 75mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 30/45  <b>Cylinder Size With Cam:</b> 25/10/40  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 75mm  <b>Manufacturer Reference:</b> CV50008  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 273g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50009	£34.99	£41.99	<p> <b>A Side:</b> 40mm Breakaway  <b>B Side:</b> 45mm  <b>Barcode:</b> 5056240124018  <b>Body Length:</b> 85mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 40/45  <b>Cylinder Size With Cam:</b> 35/10/40  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 85mm  <b>Manufacturer Reference:</b> CV50009  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 299g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50010	£34.99	£41.99	<p> <b>A Side:</b> 35mm Breakaway  <b>B Side:</b> 50mm  <b>Barcode:</b> 5056240124025  <b>Body Length:</b> 85mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 35/50  <b>Cylinder Size With Cam:</b> 30/10/45  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 85mm  <b>Manufacturer Reference:</b> CV50010  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 299g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50011	£34.99	£41.99	<p> <b>A Side:</b> 45mm Breakaway  <b>B Side:</b> 45mm  <b>Barcode:</b> 5056240124032  <b>Body Length:</b> 90mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 45/45  <b>Cylinder Size With Cam:</b> 40/10/40  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 90mm  <b>Manufacturer Reference:</b> CV50011  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 313g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50012	£34.99	£41.99	<p> <b>A Side:</b> 40mm Breakaway  <b>B Side:</b> 50mm  <b>Barcode:</b> 5056240124049  <b>Body Length:</b> 90mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 40/50  <b>Cylinder Size With Cam:</b> 35/10/45  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 90mm  <b>Manufacturer Reference:</b> CV50012  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 313g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50013	£34.99	£41.99	<p> <b>A Side:</b> 35mm Breakaway  <b>B Side:</b> 55mm  <b>Barcode:</b> 5056240124056  <b>Body Length:</b> 90mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 35/55  <b>Cylinder Size With Cam:</b> 30/10/50  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 90mm  <b>Manufacturer Reference:</b> CV50013  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 313g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50014	£34.99	£41.99	<p> <b>A Side:</b> 40mm Breakaway  <b>B Side:</b> 55mm  <b>Barcode:</b> 5056240124063  <b>Body Length:</b> 95mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 40/55  <b>Cylinder Size With Cam:</b> 35/10/50  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 95mm  <b>Manufacturer Reference:</b> CV50014  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 326g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50015	£34.99	£41.99	<p> <b>A Side:</b> 45mm Breakaway  <b>B Side:</b> 50mm  <b>Barcode:</b> 5056240124070  <b>Body Length:</b> 95mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 45/50  <b>Cylinder Size With Cam:</b> 40/10/45  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 95mm  <b>Manufacturer Reference:</b> CV50015  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 326g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50016	£34.99	£41.99	<p> <b>A Side:</b> 40mm Breakaway  <b>B Side:</b> 60mm  <b>Barcode:</b> 5056240124087  <b>Body Length:</b> 100mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 40/60  <b>Cylinder Size With Cam:</b> 35/10/55  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 10cm  <b>Manufacturer Reference:</b> CV50016  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 339g         </p>

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50017	£34.99	£41.99	<p> <b>A Side:</b> 35mm Breakaway  <b>B Side:</b> 45mm  <b>Barcode:</b> 5056240124094  <b>Body Length:</b> 80mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 35/45  <b>Cylinder Size With Cam:</b> 30/10/40  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 80mm  <b>Manufacturer Reference:</b> CV50017  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 286g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50018	£34.99	£41.99	<p> <b>A Side:</b> 50mm Breakaway  <b>B Side:</b> 50mm  <b>Barcode:</b> 5056240124100  <b>Body Length:</b> 100mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 50/50  <b>Cylinder Size With Cam:</b> 45/10/45  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 10cm  <b>Manufacturer Reference:</b> CV50018  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 339g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50019	£34.99	£41.99	<p> <b>A Side:</b> 45mm Breakaway  <b>B Side:</b> 55mm  <b>Barcode:</b> 5056240124117  <b>Body Length:</b> 100mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 45/55  <b>Cylinder Size With Cam:</b> 40/10/50  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 10cm  <b>Manufacturer Reference:</b> CV50019  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 339g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50020	£34.99	£41.99	<p> <b>A Side:</b> 45mm Breakaway  <b>B Side:</b> 60mm  <b>Barcode:</b> 5056240124124  <b>Body Length:</b> 105mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 45/60  <b>Cylinder Size With Cam:</b> 40/10/55  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 10.5cm  <b>Manufacturer Reference:</b> CV50020  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 352g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50021	£34.99	£41.99	<p> <b>A Side:</b> 45mm Breakaway  <b>B Side:</b> 65mm  <b>Barcode:</b> 5056240124131  <b>Body Length:</b> 110mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 45/65  <b>Cylinder Size With Cam:</b> 40/10/60  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 11cm  <b>Manufacturer Reference:</b> CV50021  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 365g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50022	£34.99	£41.99	<p> <b>A Side:</b> 75mm Breakaway  <b>B Side:</b> 45mm  <b>Barcode:</b> 5056240124148  <b>Body Length:</b> 120mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 75/45  <b>Cylinder Size With Cam:</b> 70/10/40  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 12cm  <b>Manufacturer Reference:</b> CV50022  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 391g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50323	£34.99	£41.99	<p> <b>A Side:</b> 40mm Breakaway  <b>B Side:</b> 30mm  <b>Barcode:</b> 5056240128061  <b>Body Length:</b> 70mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 40/30  <b>Cylinder Size With Cam:</b> 35/10/25  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 70mm  <b>Manufacturer Reference:</b> CV50323  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 245g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50324	£34.99	£41.99	<p> <b>A Side:</b> 45mm Breakaway  <b>B Side:</b> 35mm  <b>Barcode:</b> 5056240128078  <b>Body Length:</b> 80mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 45/35  <b>Cylinder Size With Cam:</b> 40/10/30  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 80mm  <b>Manufacturer Reference:</b> CV50324  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 245g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50325	£34.99	£41.99	<p> <b>A Side:</b> 45mm Breakaway  <b>B Side:</b> 40mm  <b>Barcode:</b> 5056240128085  <b>Body Length:</b> 85mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 45/40  <b>Cylinder Size With Cam:</b> 40/10/35  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 85mm  <b>Manufacturer Reference:</b> CV50325  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 245g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50326	£34.99	£41.99	<p> <b>A Side:</b> 50mm Breakaway  <b>B Side:</b> 35mm  <b>Barcode:</b> 5056240128092  <b>Body Length:</b> 85mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 50/35  <b>Cylinder Size With Cam:</b> 45/10/30  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 85mm  <b>Manufacturer Reference:</b> CV50326  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 258g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50327	£34.99	£41.99	<p> <b>A Side:</b> 50mm Breakaway  <b>B Side:</b> 40mm  <b>Barcode:</b> 5056240128108  <b>Body Length:</b> 90mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 50/40  <b>Cylinder Size With Cam:</b> 45/10/35  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 90mm  <b>Manufacturer Reference:</b> CV50327  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 271g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50328	£34.99	£41.99	<p> <b>A Side:</b> 50mm Breakaway  <b>B Side:</b> 45mm  <b>Barcode:</b> 5056240128115  <b>Body Length:</b> 95mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 50/45  <b>Cylinder Size With Cam:</b> 45/10/40  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 95mm  <b>Manufacturer Reference:</b> CV50328  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 258g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50329	£34.99	£41.99	<p> <b>A Side:</b> 55mm Breakaway  <b>B Side:</b> 40mm  <b>Barcode:</b> 5056240128122  <b>Body Length:</b> 95mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 55/40  <b>Cylinder Size With Cam:</b> 50/10/35  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 95mm  <b>Manufacturer Reference:</b> CV50329  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 284g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50330	£34.99	£41.99	<p> <b>A Side:</b> 55mm Breakaway  <b>B Side:</b> 45mm  <b>Barcode:</b> 5056240128139  <b>Body Length:</b> 100mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 55/45  <b>Cylinder Size With Cam:</b> 50/10/40  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 10cm  <b>Manufacturer Reference:</b> CV50330  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 284g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50331	£34.99	£41.99	<p> <b>A Side:</b> 55mm Breakaway  <b>B Side:</b> 55mm  <b>Barcode:</b> 5056240128146  <b>Body Length:</b> 110mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 55/55  <b>Cylinder Size With Cam:</b> 50/10/50  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 11cm  <b>Manufacturer Reference:</b> CV50331  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 297g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50332	£34.99	£41.99	<p> <b>A Side:</b> 60mm Breakaway  <b>B Side:</b> 40mm  <b>Barcode:</b> 5056240128153  <b>Body Length:</b> 100mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 60/40  <b>Cylinder Size With Cam:</b> 55/10/35  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 10cm  <b>Manufacturer Reference:</b> CV50332  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 297g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50338	£34.99	£41.99	<p> <b>A Side:</b> 40mm Breakaway  <b>B Side:</b> 35mm  <b>Barcode:</b> 5056240130217  <b>Body Length:</b> 75mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 40/35  <b>Cylinder Size With Cam:</b> 35/10/30  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 75mm  <b>Manufacturer Reference:</b> CV50338  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 546g         </p>



Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50339	£34.99	£41.99	<p> <b>A Side:</b> 55mm Breakaway  <b>B Side:</b> 35mm  <b>Barcode:</b> 5056240130231  <b>Body Length:</b> 90mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 55/35  <b>Cylinder Size With Cam:</b> 50/10/30  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 90mm  <b>Manufacturer Reference:</b> CV50339  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 628g         </p>

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	CV50351	£34.99	£41.99	<p> <b>A Side:</b> 60mm Breakaway  <b>B Side:</b> 45mm  <b>Barcode:</b> 5056240136141  <b>Body Length:</b> 105mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> CAVEO  <b>Cylinder Kitemark:</b> Yes 3*  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 60/45  <b>Cylinder Size With Cam:</b> 55/10/40  <b>Cylinder System:</b> CAVEO  <b>Cylinder Type:</b> Double Euro  <b>Finish:</b> NP/PB Dual Finish  <b>Fire Tested:</b> Grade B  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 10.5cm  <b>Manufacturer Reference:</b> CV50351  <b>Mechanism:</b> 11 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> Yes  <b>Snap Resistant:</b> Yes  <b>Sold Secure:</b> Yes  <b>Standards:</b> BS EN 1303:2015, TS 007-1:2014 + A2:2018 - 3 Star, Secured by Design, Sold Secure (Diamond)  <b>Weight:</b> 352g         </p>

## Brand Profile

CAVEO



**CAVEO** is a high-security **cylinder** brand focused on modern attack resistance in the UK door market, sold as the **CAVEO Secure** range of **euro cylinders** (including thumbturn and keyed-alike options) plus **rim cylinders**. It's positioned as a "upgrade cylinder" choice for uPVC/composite/aluminium doors where snapping, bumping, drilling and picking are the everyday threat model.

At the core of the range is a **dimple-key mechanism** with **verification on two independent levels** and a **reversible keyway** (key goes in either way). The brand also pushes a **uniquely shaped keyway** and **anti-bump + anti-drill pins** as part of its anti-attack design story.

CAVEO is marketed around hitting the top UK "trust badges" for cylinders. Trade listings and CAVEO/stockist pages commonly state certification/accreditation including:

- **BSI Kitemarked TS007 3-Star**
- **Sold Secure Diamond**
- **Secured by Design (Police Preferred Specification)**
- **BS EN 1303:2015** cylinder certification

A distinctive part of CAVEO's positioning is its **£2,000 break-in guarantee**: if a burglary occurs within **5 years** and entry was achieved by **snapping the CAVEO cylinder**, they state they'll pay £2,000 on proven claims.

Distribution-wise, CAVEO is strongly associated with the UK trade channel via **Aldridge Security** (you'll see it presented through Aldridge/Aldridge Access as a stocked brand), and it's also been promoted through Secured by Design comms in that context.