

# CISA C2000 Oval Half Cylinder

Half Oval · Cisa · 1 variant

PRICING

**From £44.57 ex VAT**

£53.48 inc VAT

1 variant available  
VAT 20.00%

## Product Imagery



## Specification Summary

|              |           |
|--------------|-----------|
| Brand        | Cisa      |
| Product type | Half Oval |

## Product Description

The CISA C2000 Oval Half Cylinder is a reliable, standard-security locking cylinder designed for residential and commercial applications where key access is only required from one side of the door. Ideal for secondary access points, garages, and cupboards, this cylinder offers dependable performance and robust construction.

Manufactured by CISA, a leading name in locking security, the C2000 features a 5-pin mechanism and is equipped with a hardened steel pin to provide effective drill resistance. It is tested to BS EN 1303:2005 standards and is fire-rated to Grade A, making it suitable for use on fire doors.

This half oval cylinder is supplied in a polished brass finish, with an overall length of 43mm (33/10 split). It comes complete with three keys and a cylinder retaining screw for straightforward installation.


## Technical Specifications

- **Brand:** CISA
- **Cylinder Profile:** Oval
- **Cylinder Type:** Half Cylinder (Single)
- **Overall Length:** 43mm
- **Size to Centre of Cam:** 33mm (33/10 split)
- **Finish:** Polished Brass
- **Mechanism:** 5-pin
- **Standards:** BS EN 1303:2005
- **Fire Tested:** Grade A
- **Keys Supplied:** 3

## Key Features

- **Drill Resistant:** Hardened steel pin provides protection against drilling.
- **High Security Differs:** Offers up to 30,000 key differs.
- **Complete Kit:** Supplied with three keys and a cylinder retaining screw.
- **Fire Rated:** Grade A fire tested, making it suitable for fire doors.
- **Reliable Mechanism:** Durable 5-pin system ensures smooth, dependable operation.

## Variant Specifications And Pricing

| Image                                                                             | Part Number | Ex VAT | Inc VAT | Attributes / Specs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------|-------------|--------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | L2109       | £44.57 | £53.48  | <p> <b>A Side:</b> 33mm<br/> <b>Barcode:</b> 8015345159056<br/> <b>Body Length:</b> 43mm<br/> <b>Brand:</b> Cisa<br/> <b>Cylinder Kitemark:</b> No<br/> <b>Cylinder Profile:</b> Oval<br/> <b>Cylinder Size Overall:</b> 43mm<br/> <b>Cylinder Size With Cam:</b> 33/10<br/> <b>Cylinder System:</b> Cisa C2000<br/> <b>Cylinder Type:</b> Half Oval<br/> <b>Finish:</b> Polished Brass<br/> <b>Fire Tested:</b> Grade A<br/> <b>Height:</b> 31mm<br/> <b>Keyed:</b> Keyed To Differ<br/> <b>Keying - KA:</b> In-House<br/> <b>Keys Supplied:</b> 3<br/> <b>Length:</b> 43mm<br/> <b>Manufacturer Reference:</b> 09026 02 66<br/> <b>Mechanism:</b> 5 Pin<br/> <b>Pack Quantity:</b> 1<br/> <b>Packaging:</b> Boxed<br/> <b>Secured By Design:</b> No<br/> <b>Size To Centre Of Cam:</b> 33mm<br/> <b>Snap Resistant:</b> No<br/> <b>Sold Secure:</b> No<br/> <b>Standards:</b> BS EN 1303:2005<br/> <b>Weight:</b> 190g<br/> <b>Width:</b> 17mm         </p> |

## Brand Profile

Cisa



**CISA** (Costruzioni Italiane Serrature e Affini) is an iconic **Italian lock and access-control brand**, founded in **1926** by **Luigi Bucci**. It built its reputation early by **patenting the first electrically controlled lock** the same year it was founded—basically kicking the door open (politely, with a latch) on modern electromechanical access control.

Today CISA positions itself as “**CISA Italy**,” with **design and engineering made in Italy**, and a product ecosystem that spans both **mechanical and electronic security** for **residential, public, and commercial buildings**.

**Ownership / group:** CISA is a **strategic brand of Allegion** and has been part of the Allegion group **since 2013** (around the time Allegion became a standalone listed company).

### What they're known for (in the real world, on real doors):

- **Mechanical locks and cylinders**, including solutions for master keying systems (CISA talks a lot about cylinders/keys and master-key systems production).
- **Electric / electromechanical locks** (heritage category for them), including locks designed to pair with **panic hardware** or remote electric opening in access-control setups.
- **Exit / panic devices** (their ranges are explicitly positioned around installability and reliability, and they're tracking new EU regulatory changes in their comms).