

# EVVA A5 HZ Euro Half Cylinder With Adjustable Cam KD

Half Euro - Evva - 14 variants

PRICING

**From £30.30 ex VAT**




£36.36 inc VAT

14 variants available

VAT 20.00%

Range: £30.30 - £66.75 ex VAT

**Product Imagery**



**Specification Summary**

Brand Evva

Product type Half Euro

**TAGS**

Is Cylinder

**Product Description**

The EVVA A5 HZ Keyed to Differ (KD) Euro Half Cylinder is a robust 5-pin locking solution designed for reliable security in a standard euro profile. This single cylinder features an adjustable multi-position cam and comes complete with a connecting screw, making it ideal for garages, key cabinets, and other single-sided locking applications.

This cylinder is available in a wide range of sizes, with overall lengths from 36mm to 76mm (sizes to the centre of the cam from 27mm to 67mm). It is also offered in two durable finishes: Nickel Plated and Polished Brass. Please select your required size and finish from the options below.

Supplied with 3 keys as standard, this cylinder features the unrestricted 'A' section key profile (with 'F' section available to special order). It has also been tested to provide 30-minute fire resistance up to 821°C. For specialist requirements, a variety of optional features - such as cog wheel cams, sea water protection, and bump resistance - can be supplied to order. Please contact us for more details.

## Technical Specifications

- **Cylinder Type:** Half Euro (Single Cylinder)
- **Locking System:** EVVA A5 (5-pin mechanism)
- **Keying:** Keyed to Differ (KD)
- **Overall Length:** 36mm to 76mm (Please select from the options below)
- **Size to Centre of Cam:** 27mm to 67mm (Please select from the options below)
- **Finish:** Nickel Plated or Polished Brass (Please select from the options below)
- **Key Profile:** 'A' section ('F' section to special order)
- **Fire Resistance:** 30 minutes to 821°C (Grade 0 fire tested)
- **Keys Supplied:** 3 keys as standard

## Key Features

- **Adjustable Cam:** Supplied with an adjustable multi-position cam for versatile installation.
- **Robust 5-Pin Security:** Basic yet highly reliable locking mechanism from a trusted manufacturer.
- **Complete Package:** Supplied complete with a connecting screw and 3 keys.
- **Fire Tested:** Offers proven 30-minute fire resistance up to 821°C.
- **Customisable Options:** Compatible with a range of special features (such as cog wheel cams, sea water protection, and bump resistance) available to special order.

## Variant Specifications And Pricing


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6131	£30.30	£36.36	<p> <b>A Side:</b> 27mm  <b>Barcode:</b> 5055120632414  <b>Body Length:</b> 36mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 36mm  <b>Cylinder Size With Cam:</b> 27/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Nickel Plated  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 36mm  <b>Manufacturer Reference:</b> A5 HZ/27  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 27mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 164g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6132	£30.30	£36.36	<p> <b>A Side:</b> 27mm  <b>Barcode:</b> 5055120632391  <b>Body Length:</b> 36mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 36mm  <b>Cylinder Size With Cam:</b> 27/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 36mm  <b>Manufacturer Reference:</b> A5 HZ/27  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 27mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 164g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6133	£30.30	£36.36	<p> <b>A Side:</b> 32mm  <b>Barcode:</b> 5055120632384  <b>Body Length:</b> 41mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 41mm  <b>Cylinder Size With Cam:</b> 32/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Nickel Plated  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 41mm  <b>Manufacturer Reference:</b> A5 HZ/32  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 32mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 179g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6134	£30.30	£36.36	<p> <b>A Side:</b> 32mm  <b>Barcode:</b> 5055120632360  <b>Body Length:</b> 41mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 41mm  <b>Cylinder Size With Cam:</b> 32/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 41mm  <b>Manufacturer Reference:</b> A5 HZ/32  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 32mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 179g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6135	£30.30	£36.36	<p> <b>A Side:</b> 37mm  <b>Barcode:</b> 5055120632322  <b>Body Length:</b> 46mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 46mm  <b>Cylinder Size With Cam:</b> 37/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Nickel Plated  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 46mm  <b>Manufacturer Reference:</b> A5 HZ/37  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 37mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 194g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6136	£30.30	£36.36	<p> <b>A Side:</b> 37mm  <b>Barcode:</b> 5055120632292  <b>Body Length:</b> 46mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 46mm  <b>Cylinder Size With Cam:</b> 37/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 46mm  <b>Manufacturer Reference:</b> A5 HZ/37  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 37mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 194g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6137	£45.83	£55.00	<p> <b>A Side:</b> 42mm  <b>Barcode:</b> 5055120632261  <b>Body Length:</b> 51mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 51mm  <b>Cylinder Size With Cam:</b> 42/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Nickel Plated  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 51mm  <b>Manufacturer Reference:</b> A5 HZ/42  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 42mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 208g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6138	£45.83	£55.00	<p> <b>A Side:</b> 42mm  <b>Barcode:</b> 5055120632230  <b>Body Length:</b> 51mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 51mm  <b>Cylinder Size With Cam:</b> 42/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 51mm  <b>Manufacturer Reference:</b> A5 HZ/42  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 42mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 208g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6139	£49.95	£59.94	<p> <b>A Side:</b> 47mm  <b>Barcode:</b> 5055120632216  <b>Body Length:</b> 56mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 56mm  <b>Cylinder Size With Cam:</b> 47/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Nickel Plated  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 56mm  <b>Manufacturer Reference:</b> A5 HZ/47  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 47mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 223g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6140	£49.95	£59.94	<p> <b>A Side:</b> 47mm  <b>Barcode:</b> 5055120632193  <b>Body Length:</b> 56mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 56mm  <b>Cylinder Size With Cam:</b> 47/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 56mm  <b>Manufacturer Reference:</b> A5 HZ/47  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 47mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 223g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6141	£54.15	£64.98	<p> <b>A Side:</b> 52mm  <b>Barcode:</b> 5055120632179  <b>Body Length:</b> 61mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 61mm  <b>Cylinder Size With Cam:</b> 52/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Nickel Plated  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 61mm  <b>Manufacturer Reference:</b> A5 HZ/52  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 52mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 238g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6142	£54.15	£64.98	<p> <b>A Side:</b> 52mm  <b>Barcode:</b> 5055120632155  <b>Body Length:</b> 61mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 61mm  <b>Cylinder Size With Cam:</b> 52/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 61mm  <b>Manufacturer Reference:</b> A5 HZ/52  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 52mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 238g         </p>



Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6143	£66.75	£80.10	<p> <b>A Side:</b> 67mm  <b>Barcode:</b> 5055120632131  <b>Body Length:</b> 76mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 76mm  <b>Cylinder Size With Cam:</b> 67/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Nickel Plated  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 76mm  <b>Manufacturer Reference:</b> A5 HZ/67  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 67mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 282g         </p>

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L6144	£66.75	£80.10	<p> <b>A Side:</b> 67mm  <b>Barcode:</b> 5055120632100  <b>Body Length:</b> 76mm  <b>Brand:</b> Evva  <b>Cylinder Kitemark:</b> No  <b>Cylinder Profile:</b> Euro  <b>Cylinder Size Overall:</b> 76mm  <b>Cylinder Size With Cam:</b> 67/9  <b>Cylinder System:</b> Evva A5  <b>Cylinder Type:</b> Half Euro  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> Grade 0  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> Stocked &amp; In-House  <b>Keying - MK:</b> In-House  <b>Keys Supplied:</b> 3  <b>Length:</b> 76mm  <b>Manufacturer Reference:</b> A5 HZ/67  <b>Mechanism:</b> 5 Pin  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Secured By Design:</b> No  <b>Size To Centre Of Cam:</b> 67mm  <b>Snap Resistant:</b> No  <b>Sold Secure:</b> No  <b>Weight:</b> 282g         </p>

## Brand Profile

Evva



**EVVA** is an Austrian, **family-owned** security manufacturer based in **Vienna**, specialising in high-end **mechanical and electronic locking systems** for everything from homes to large, complex master-keyed organisations. The company was **founded in Vienna in 1919**, and it still runs **research, development, and production** from its Vienna headquarters, exporting globally.

In the trade/spec world, EVVA's reputation is built on **serious key control** and **master key system engineering**—locks designed not just to resist attack, but to keep access hierarchies manageable at scale (offices, hospitals, residential complexes, universities, etc.).

A couple of EVVA's standout mechanical platforms get referenced constantly:

- **ICS (Inner Code System)** – a reversible key system aimed at **highly complex master key structures**, with EVVA citing long patent protection (into the 2030s, depending on jurisdiction).
- **MCS (Magnetic Code System)** – EVVA positions this as a top-tier system for sophisticated master keying, with a strong anti-copying story (including resistance to modern replication methods).

They also explicitly brand themselves around innovation: EVVA talks about holding **200+ patents** and frames its history as “start-up energy since 1919” (which is an absolutely deranged sentence for a century-old lock company, but I respect the audacity).