

FIRESTOP Applic 38dB Automatic Drop Down Seal Face Fixed

Intumescent Strips & Seals · Firestop · 5 variants

PRICING


From £0.00 ex VAT

£0.00 inc VAT

5 variants available
VAT 20.00%

Range: £0.00 - £25.40 ex VAT

Product Imagery



Specification Summary

Brand	Firestop
Product type	Intumescent Strips & Seals

Product Description

The FIRESTOP Applic 38dB Automatic Drop Down Seal is a high-performance, face-fixed draught and acoustic seal designed to create an effective barrier against sound, light, smoke, fire, and insects. It features an automatic mechanism that drops the seal only when the door is closed, preventing floor drag and ensuring smooth door operation.

This surface-mounted seal is suitable for hinged timber, metal, and UPVC doors, and can be easily fitted to either the inside or outside of the door leaf. It is supplied complete with fixing screws for a quick and straightforward installation.

These seals are available in a range of lengths from 63cm to 1.03m, and each can be cut down by up to 125mm to achieve a precise fit. Please select your required length, weight (ranging from 360g to 450g), barcode, and corresponding manufacturer reference (FS788 to FS792) from the options below.

Technical Specifications

- **Finish:** Satin Anodised Aluminium
- **Height:** 49mm
- **Depth:** 13mm
- **Maximum Drop:** 15mm
- **Lengths Available:** 63cm, 73cm, 83cm, 93cm, and 1.03m (please choose from the options below)
- **Acoustic Rating:** Up to 38dB Rw (tested in accordance with DIN EN ISO 10140-2)
- **Fire Tested:** Yes, to BS EN 1634-1
- **Smoke Tested:** Yes, to BS EN 1634-3: 2004
- **Suitable Door Types:** Hinged timber, metal, and UPVC doors
- **Weights:** 360g to 450g (please choose from the options below)
- **Manufacturer References:** FS788 to FS792 (please choose from the options below)

Key Features

- **Automatic Activation:** Seal drops down only when the door is closed to prevent floor wear and dragging
- **Face-Fixed Design:** Surface-mounted for quick and easy installation on either the inside or outside of the door
- **Trimable:** Can be cut down in length by up to 125mm for a custom fit
- **Multi-Barrier Protection:** Forms an effective barrier against noise, draughts, light, fire, smoke, and insects
- **Complete Kit:** Supplied with fixing screws for immediate installation

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L34566	£23.98	£28.78	Barcode: 5056240141268 Boxed Quantity: 20 Brand: Firestop Depth: 13mm Finish: Satin Anodised Aluminium Fire Tested: Yes Height: 49mm Length: 73cm Manufacturer Reference: FS789 Notes: Maximum Drop - 15mm Pack Quantity: 1 Standards: BS EN 1634-1, BS EN 1634-3 Weight: 380g
	L34567	£24.47	£29.36	Barcode: 5056240141275 Boxed Quantity: 20 Brand: Firestop Depth: 13mm Finish: Satin Anodised Aluminium Fire Tested: Yes Height: 49mm Length: 83cm Manufacturer Reference: FS790 Notes: Maximum Drop - 15mm Pack Quantity: 1 Standards: BS EN 1634-1, BS EN 1634-3 Weight: 400g
	L34568	£24.95	£29.94	Barcode: 5056240141282 Boxed Quantity: 20 Brand: Firestop Depth: 13mm Finish: Satin Anodised Aluminium Fire Tested: Yes Height: 49mm Length: 93cm Manufacturer Reference: FS791 Notes: Maximum Drop - 15mm Pack Quantity: 1 Standards: BS EN 1634-1, BS EN 1634-3 Weight: 420g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L34569	£25.40	£30.48	Barcode: 5056240141299 Boxed Quantity: 20 Brand: Firestop Depth: 13mm Finish: Satin Anodised Aluminium Fire Tested: Yes Height: 49mm Length: 1.03m Manufacturer Reference: FS792 Notes: Maximum Drop - 15mm Pack Quantity: 1 Standards: BS EN 1634-1, BS EN 1634-3 Weight: 450g
	L37653	£0.00	£0.00	Barcode: 5056240163994 Boxed Quantity: 20 Brand: Firestop Depth: 13mm Finish: Satin Anodised Aluminium Fire Tested: Yes Height: 49mm Length: 63cm Manufacturer Reference: FS788 Notes: Maximum Drop - 15mm Pack Quantity: 1 Packaging: Bagged Standards: BS EN 1634-1, BS EN 1634-3 Weight: 360g

Brand Profile

Firestop



Firestop is a UK manufacturer specialising in **passive fire protection** products for doors and hardware, best known for **intumescent seals** and **intumescent “hardware protection” kits** that help fire doors keep their integrity when exposed to heat and smoke. They position the brand around “protecting life and property,” with **25+ years** of experience supplying the UK and overseas markets.

What Firestop actually makes (the stuff you’ll see in the trade channel):

- **Intumescent fire & smoke seals** (the strips that expand in a fire to close the gap between door and frame).
- **Intumescent ironmongery protection:** sheets/pads/liners used behind or around items like **hinges, locks, latches and closers** to maintain the fire-rating of the door set.
- **Fire-rated ironmongery** items such as **intumescent letter plates** and **door viewers**, designed so adding openings to a fire door doesn’t ruin the door’s performance.
- Often also stocked as **drop-down door seals** and related door-bottom sealing hardware for fire/smoke control and acoustic performance.

A detail they stress is **traceability**: Firestop highlights a **traceable production code / certification** approach so installers/specifiers can link products back to compliance evidence and batch provenance.