

FIRESTOP Self-Adhesive Universal Intumescent Dinlock Kit

Intumescent Strips & Seals · Firestop · 1 variant



PRICING

From £20.03 ex VAT

£24.04 inc VAT

1 variant available
VAT 20.00%

Product Imagery



Specification Summary

| | |
|--------------|----------------------------|
| Brand | Firestop |
| Product type | Intumescent Strips & Seals |

Product Description

The FIRESTOP Self-Adhesive Universal Intumescent Dinlock Kit is designed to protect door ironmongery and prevent the spread of fire, making it an essential addition when fireproofing commercial or residential properties. Manufactured in the UK from high-performance, 1mm thick flexible intumescent sheet, this kit expands to many times its original volume when exposed to heat. This rapid expansion seals the gaps around the lock, creating an effective barrier against fire and smoke to preserve the integrity of the door.

This universal kit features pre-scored fold lines, allowing for a quick and easy full wraparound installation that accommodates both square and radius forends. It comes complete with self-adhesive backing for a secure fit, and is supplied with both strike plate and forend protection. Extensively tested, the kit is fire rated to BS EN 1634-1 and BS 476: Part 22, making it suitable for both 30-minute and 60-minute fire door applications.


Technical Specifications

- **Brand:** Firestop
- **Manufacturer Reference:** FS467/1
- **Thickness:** 1mm
- **Width:** 85mm
- **Weight:** 95g
- **Fire Tested:** 30 to 60 minutes (1/2 to 1 hour)
- **Standards:** BS EN 476 Part 22:1987, BS EN 1634-1, BS EN 1634
- **Pack Quantity:** 1

Key Features

- **Universal Design:** Scored fold lines allow for easy wraparound, making it suitable for both square and radius forends.
- **Self-Adhesive Backing:** High-performance, flexible 1mm sheet with self-adhesive backing for quick and secure installation.
- **Superior Fire Protection:** Expands to many times its original volume when heated, sealing gaps around the lock to prevent the spread of fire.
- **Comprehensive Kit:** Supplied with strike plate and forend protection for complete coverage.
- **UK Manufactured:** High-quality construction designed to meet rigorous British and European fire safety standards.

Variant Specifications And Pricing

| Image | Part Number | Ex VAT | Inc VAT | Attributes / Specs |
|---|-------------|--------|---------|---|
|  | L31227 | £20.03 | £24.04 | <p>Barcode: 5056240117102</p> <p>Brand: Firestop</p> <p>Depth: 1mm</p> <p>Fire Tested: 1/2 - 1 hour to BS476</p> <p>Manufacturer Reference: FS467/1</p> <p>Pack Quantity: 1</p> <p>Standards: BS EN 476 Part 22:1987, BS EN 1634-1, BS EN 1634</p> <p>Weight: 95g</p> <p>Width: 85mm</p> |

Brand Profile

Firestop



Firestop is a UK manufacturer specialising in **passive fire protection** products for doors and hardware, best known for **intumescent seals** and **intumescent “hardware protection” kits** that help fire doors keep their integrity when exposed to heat and smoke. They position the brand around “protecting life and property,” with **25+ years** of experience supplying the UK and overseas markets.

What Firestop actually makes (the stuff you’ll see in the trade channel):

- **Intumescent fire & smoke seals** (the strips that expand in a fire to close the gap between door and frame).
- **Intumescent ironmongery protection:** sheets/pads/liners used behind or around items like **hinges, locks, latches and closers** to maintain the fire-rating of the door set.
- **Fire-rated ironmongery** items such as **intumescent letter plates** and **door viewers**, designed so adding openings to a fire door doesn’t ruin the door’s performance.
- Often also stocked as **drop-down door seals** and related door-bottom sealing hardware for fire/smoke control and acoustic performance.

A detail they stress is **traceability:** Firestop highlights a **traceable production code / certification** approach so installers/specifiers can link products back to compliance evidence and batch provenance.