

GATEMASTER Superlock Quick Exit Push Pad Digital Access

Gatemaster · Gatemaster · 4 variants






PRICING

From £338.73 ex VAT

£406.48 inc VAT

4 variants available
VAT 20.00%

Product Imagery



Specification Summary

Brand	Gatemaster
Product type	Gatemaster

Product Description

The Gatemaster Superlock Quick Exit Push Pad Digital Access lock is a slim, secure, and highly convenient solution designed specifically for metal gates. It features a mechanical digital keypad on the outside for secure coded entry, paired with a quick-exit push pad on the inside for rapid, hassle-free egress.

Engineered for the elements, this marine-grade lock is exceptionally weather-resistant and has been salt spray tested for 1,000 hours to ensure long-lasting performance. Its slim 70mm wide case allows it to fit seamlessly onto a variety of gate profiles without compromising on strength. The adjustable latchbolt springs 22mm into the gate post, providing robust security.

This lock is available in multiple configurations to suit your specific gate setup. It comes in options for gate frame thicknesses of either 10mm to 30mm or 40mm to 60mm, and is available in both left-handed and right-handed versions. Please select your required gate thickness and handing from the options below to ensure the perfect fit.

Technical Specifications

- **Brand:** Gatemaster
- **Mechanism:** Mechanical Digital
- **Outside Operation:** Thumbturn on entry of code
- **Inside Operation:** Quick-exit push pad
- **Gate Frame (Door) Thickness:** 10mm to 30mm or 40mm to 60mm (please select below)
- **Handing:** Left Hand or Right Hand (please select below)
- **Bolt Throw:** 22mm (adjustable)
- **Number of Buttons:** 14
- **Code Length:** 3 to 5 digits (over 500 combinations)
- **Case Width:** 70mm
- **Case Depth:** 30mm
- **Screw Centres:** 140mm
- **Weight:** 2.2kg
- **Finish:** Black
- **Guarantee:** 1 Year

Key Features

- **Dual-Sided Functionality:** Secure digital keypad entry on the outside with a rapid-exit green push pad on the inside.
- **Weather Resistant:** Marine-grade construction, salt spray tested for 1,000 hours to withstand harsh outdoor environments.
- **Robust Security:** Features an adjustable latchbolt with a 22mm throw that springs securely into the gate post.
- **Slim Profile:** The compact 70mm wide case fits a wide variety of gate styles and box sections.
- **Complete Kit:** Supplied with a bolt guide plate and gate post strike plate for straightforward installation.
- **Flexible Options:** Available in left or right-handed configurations and to suit different gate frame thicknesses.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L30569	£338.73	£406.48	Barcode: 5056240111780 Bolt Throw: 22mm Brand: Gatemaster Buttons: 14 Code Length: 3 To 5 Digits Combination: 500+ Depth: 30mm Door Thickness: 10mm to 30mm Finish: Black Guarantee: 1 Year Handed: Left Hand Manufacturer Reference: BQDG1030L Mechanism: Mechanical Digital Notes: Digital Access & Push Pad Operation Inside: Push Pad Operation Outside: Thumbturn On Entry Of Code Screw Centres: 140mm Weight: 2.2Kg Width: 70mm
	L30570	£338.73	£406.48	Barcode: 5056240111797 Bolt Throw: 22mm Brand: Gatemaster Buttons: 14 Code Length: 3 To 5 Digits Combination: 500+ Depth: 30mm Door Thickness: 10mm to 30mm Finish: Black Guarantee: 1 Year Handed: Right Hand Keys Supplied: 0 Manufacturer Reference: BQDG1030R Mechanism: Mechanical Digital Notes: Digital Access & Push Pad Operation Inside: Push Pad Operation Outside: Thumbturn On Entry Of Code Screw Centres: 140mm Weight: 2.2Kg Width: 70mm

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L30571	£338.73	£406.48	Barcode: 5056240111803 Bolt Throw: 22mm Brand: Gatemaster Buttons: 14 Code Length: 3 To 5 Digits Combination: 500+ Depth: 30mm Door Thickness: 40mm to 60mm Finish: Black Guarantee: 1 Year Handed: Left Hand Manufacturer Reference: BQDG4060L Mechanism: Mechanical Digital Notes: Digital Access & Push Pad Operation Inside: Push Pad Operation Outside: Thumbturn On Entry Of Code Screw Centres: 140mm Weight: 2.2Kg Width: 70mm
	L30572	£338.73	£406.48	Barcode: 5060910280164 Bolt Throw: 22mm Brand: Gatemaster Buttons: 14 Code Length: 3 To 5 Digits Combination: 500+ Depth: 30mm Door Thickness: 40mm to 60mm Finish: Black Guarantee: 1 Year Handed: Right Hand Manufacturer Reference: BQDG4060R Mechanism: Mechanical Digital Notes: Digital Access & Push Pad Operation Inside: Push Pad Operation Outside: Thumbturn On Entry Of Code Screw Centres: 140mm Weight: 2.2Kg Width: 70mm

Brand Profile

Gatemaster



Gatemaster is a UK manufacturer specialising in **gate locks and gate hardware** for **metal and wooden gates**, with a reputation built on one simple promise: **make it strong, make it weatherproof, and make it easy to fit** (because installers have better things to do than spend their afternoon arguing with a latch).

The company's story starts in **1995**, when founder **Simon** began making locks under the name **Signet Locks**, initially producing from his **garage in South London** before growing into a proper workshop and eventually scaling into a dedicated manufacturing operation. As the business expanded, the **manufacturing side became Gatemaster**, while **Signet** continued as the UK trading name in the same ecosystem.

Gatemaster's best-known product family is the **Superlock** series—bolt-on gate locks offered in variants like **key + handle**, **mechanical keypad (code) access**, and even **panic-exit** options—designed for heavy outdoor use and installer-friendly fitting. The company leans hard into “bolt-on simplicity”: many of their locks are marketed as installable by drilling a small number of holes and fastening the unit to the gate frame.

Operationally, Gatemaster is based in **Bognor Regis, West Sussex** (with warehousing/distribution also referenced there), and the UK company record for **GATEMASTER LTD** lists its registered office at **Unit 5 Dickinson Place, Durban Road Industrial Estate, Bognor Regis, PO22 9QU**.