

LOCINOX Panther Hydraulic Gate Closer

Gate Closer · Locinox · 1 variant


PRICING

From £379.48 ex VAT

£455.38 inc VAT

1 variant available
VAT 20.00%

Product Imagery



Specification Summary

Brand	Locinox
Product type	Gate Closer

Product Description

The Locinox Panther is a compact, versatile, and easy-to-install hydraulic gate closer designed specifically for wall and post mounting. Installed above the gate or between two pillars, it is suitable for gates weighing up to 150kg and up to 1500mm in width.

Featuring a patented hydraulic damping system, the Panther ensures a consistent closing speed that remains unaffected by temperature changes, operating reliably from -30°C up to 70°C. It guarantees a reliable closing force over the full 120° opening angle, regardless of weather conditions. The scratch-resistant, anodised aluminium housing provides exceptional corrosion resistance, ensuring a long service life.

With fully adjustable closing speed and final snap (latching action), you can easily customise the gate's closing behaviour to suit your requirements. The integrated pre-tension allows for an extremely smooth and straightforward installation. Additionally, the closer is non-handed, making it suitable for both left and right-turning gates.

The closer is supplied complete with Locinox's patented Quick-Fix fixings and wall anchors for a secure and robust installation.

Technical Specifications

- **Brand:** Locinox
- **Finish:** Black
- **Maximum Gate Weight:** 150kg
- **Maximum Gate Width:** 1500mm
- **Maximum Opening Angle:** 120°
- **Operating Temperature Range:** -30°C to 70°C
- **Handing:** Non-handed (suitable for left and right-turning gates)
- **Weight:** 5.06kg
- **Guarantee:** 3 Years

Key Features

- **All-Round Mounting:** Designed specifically for wall and post situations, installed above the gate or between two pillars.
- **Consistent Performance:** Active thermal system ensures closing speed is unaffected by temperature fluctuations.
- **Adjustable Control:** Easily adjustable closing speed and final snap (latching action) for precise control.
- **Durable Construction:** Scratch-resistant and corrosion-free anodised aluminium housing for a long life cycle.
- **Smooth Installation:** Features integrated pre-tension and includes patented Quick-Fix fixings and wall anchors.
- **Full Closing Force:** Guaranteed closing force over the entire 120° opening angle.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L34589	£379.48	£455.38	Barcode: 5414768067499 Brand: Locinox Finish: Black Guarantee: 3 Year Handed: Non Handed Manufacturer Reference: 604011 Max Door Weight: 150Kg Max Door Width: 1500mm Opening Angle Max: 120° Operating Temperature: -30°C to 70°C Pack Quantity: 1 Weather Resistant: Yes Weight: 5.06Kg

Brand Profile

Locinox



Locinox is a Belgium-based specialist manufacturer of **gate and fence hardware**, best known in the trade for installer-friendly, high-durability components like **gate locks, hinges, gate closers, latches**, and **electro-mechanical access control** parts designed specifically for outdoor, weather-exposed gates. Their whole pitch is “make the gate hardware the least annoying part of the job,” with products engineered for fast fitting, consistent adjustment, and long service life.

The company is headquartered in **Waregem, Belgium**, and traces its origins to **1988** (often described as “over 30 years” in gate tech). Locinox supplies into **70+ countries**, positioning itself as a trendsetter in the fencing/gate world rather than a generic ironmongery line.