

LOCINOX Valentino 40/40 Battery Operated Electronic Digital Gate Lock Surface Mounted

Locinox · Locinox · 1 variant




PRICING

From £473.33 ex VAT

£568.00 inc VAT

1 variant available
VAT 20.00%

Product Imagery



Specification Summary

Brand	Locinox
Product type	Locinox

Product Description

The Locinox Valentino is a premium, battery-powered electronic digital gate lock designed for surface mounting on square section gates from 40mm to 60mm. Combining robust security with modern convenience, it features weather-protected, illuminated code panels on both sides, allowing for seamless access control without the need for complex wiring or external power.

This energy-efficient lock operates on six included AA lithium-metal batteries, delivering up to 100,000 open/close cycles. It supports up to 100 user codes, with the flexibility to set different entrance and exit codes or permanently open codes. Built to withstand harsh outdoor environments, the Valentino features a strong, vandal-proof aluminium housing and an ISO 9227 KTL / E-coated lock box that has been tested to endure 1,000 hours of salt spray. It also includes a key override for manual unlocking and programming, a low battery warning light, and an adjustable roller bolt to ensure smooth and reliable closing.


Technical Specifications

- **Brand:** Locinox
- **Manufacturer Reference:** 0606307
- **Mechanism:** Electronic Digital
- **Code Length:** 4 to 8 digits
- **User Codes:** Up to 100
- **Power Source:** 6 x AA Lithium-Metal batteries (included)
- **Battery Life:** Up to 100,000 operations
- **Gate Profile Compatibility:** Suits 40mm to 60mm square sections
- **Handing:** Reversible
- **Key Override:** Yes (supplied with 2 keys)
- **Dimensions:** 213mm (H) x 96mm (W) x 120mm (D)
- **Body Depth:** 31mm
- **Bolt Diameter:** 18mm
- **Screw Centres:** 140mm
- **Finish:** Black
- **Guarantee:** 2 Years

Key Features

- **Dual-Sided Access:** Weather-protected, illuminated electronic code panels on both entry and exit sides.
- **Flexible Access Control:** Supports up to 100 user codes, with the option for different entry and exit codes.
- **Weather Resistant:** IP56 rated with an ISO 9227 KTL / E-coated lock box tested to withstand 1,000 hours of salt spray.
- **Vandal-Proof Design:** Extremely robust aluminium housing designed to resist tampering and forced entry.
- **Easy Installation:** Surface-mounted, wireless solution requiring no external wiring or power connection.
- **Adjustable Roller Bolt:** Features an adjustable roller bolt to guarantee smooth and perfect latching.
- **Low Battery Indicator:** Integrated warning light alerts you when battery replacement is required.
- **Key Override & Programming:** Key-operated functionality for manual unlocking and programming.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L33171	£473.33	£568.00	<p>Barcode: 5414768114322</p> <p>Battery: 6 x AA Lithium-Metal (Included)</p> <p>Battery Life: Up to 100,000 Operations</p> <p>Body Depth: 31mm</p> <p>Bolt Diameter: 18mm</p> <p>Brand: Locinox</p> <p>Buttons: 12</p> <p>Code Length: 4 To 8 Digits</p> <p>Codes: 100</p> <p>Depth: 120mm</p> <p>Finish: Black</p> <p>Guarantee: 2 Year</p> <p>Handed: Reversible</p> <p>Height: 213mm</p> <p>Key Override: Yes</p> <p>Keys Supplied: 2</p> <p>Manufacturer Reference: 0606307</p> <p>Mechanism: Electronic Digital</p> <p>Notes: To suit 40mm to 60mm square section</p> <p>Operation Inside: Lever On Entry of Code Or By Key</p> <p>Operation Outside: Lever On Entry of Code Or By Key</p> <p>Pack Quantity: 1</p> <p>Packaging: Boxed</p> <p>Programming: Via Keypad</p> <p>Screw Centres: 140mm</p> <p>Weather Resistant: Yes</p> <p>Weight: 2.5Kg</p> <p>Width: 96mm</p>

Brand Profile

Locinox



Locinox is a Belgium-based specialist manufacturer of **gate and fence hardware**, best known in the trade for installer-friendly, high-durability components like **gate locks, hinges, gate closers, latches**, and **electro-mechanical access control** parts designed specifically for outdoor, weather-exposed gates. Their whole pitch is “make the gate hardware the least annoying part of the job,” with products engineered for fast fitting, consistent adjustment, and long service life.

The company is headquartered in **Waregem, Belgium**, and traces its origins to **1988** (often described as “over 30 years” in gate tech). Locinox supplies into **70+ countries**, positioning itself as a trendsetter in the fencing/gate world rather than a generic ironmongery line.