

SQUIRE Stronghold Marine Closed Shackle Padlock Body Only To Take KIK-SS Insert

Body Only · Squire · 1 variant

PRICING

From £134.87 ex VAT

£161.84 inc VAT

1 variant available
VAT 20.00%

Product Imagery



Specification Summary

Brand	Squire
Product type	Body Only

Product Description

The SQUIRE Stronghold Marine Closed Shackle Padlock Body Only is a high-security locking solution engineered specifically for integration with Evva KIK-SS cylinders. Designed with a solid hardened steel body and a marine-grade stainless steel closed shackle, this padlock offers exceptional resistance against both physical attack and harsh environmental conditions.

This 'body only' configuration is purpose-designed for quick, secure, and drill-free installation of the Evva KIK-SS cylinder. This allows you to change or upgrade the locking mechanism cost-effectively without needing to replace the entire padlock body. It is an ideal choice for master key systems and marine or coastal applications where corrosion resistance is paramount. The padlock features a highly durable, corrosion-resistant electrophoretic finish and achieves a CEN Grade 3 security rating when fitted with the appropriate cylinder.

Technical Specifications


- **Brand:** Squire
- **Manufacturer Reference:** ALD/SS50C/MARINE/BO
- **Barcode:** 5012245037456

- **Body Width:** 50mm
- **Shackle Type:** Closed shackle
- **Cylinder Compatibility:** Evva KIK-SS (insert not included)
- **Security Rating:** CEN Grade 3
- **Weather Resistant:** Yes
- **Weight:** 594g
- **Pack Quantity:** 1

Key Features

- **CEN Grade 3 Approved:** High-security rating when paired with the appropriate cylinder.
- **Marine-Grade Shackle:** Stainless steel closed shackle offers superior resistance to cutting and corrosion.
- **Electrophoretic Finish:** Highly durable, weather-resistant coating designed to withstand harsh outdoor environments.
- **Drill-Free Installation:** Purpose-designed for easy, secure fitment of Evva KIK-SS cylinders with no drilling required.
- **Cost-Effective Maintenance:** Allows the locking mechanism to be changed without replacing the entire padlock body.
- **Master Key Compatible:** Ideal for integration into a master key system.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L30335	£134.87	£161.84	<p>Barcode: 5012245037456</p> <p>Body Width: 50mm</p> <p>Brand: Squire</p> <p>Manufacturer Reference: ALD/SS50C/MARINE/BO</p> <p>Notes: Security Rating CEN 3</p> <p>Pack Quantity: 1</p> <p>Standards: CEN Grade 3</p> <p>Suits Product: Evva KIK-SS</p> <p>Weather Resistant: Yes</p> <p>Weight: 594g</p>

Brand Profile

Squire



Squire (formally **Henry Squire & Sons Ltd**) is one of the UK’s oldest lockmakers — a heritage brand best known for **serious padlocks and chain security**, especially in the motorcycle, commercial, and site-security world. Squire’s own history traces the business back to **1780**, when **William Squire** began making locks in **Willenhall** (the Black Country’s lockmaking capital). They even supplied locks to the **British Army during the Napoleonic Wars**, which is a wildly specific flex that basically translates to: “we’ve been thinking about forced entry since muskets were a performance upgrade.”

Operationally, the trading entity behind the brand is **Henry Squire & Sons Limited**.

What Squire is known for

Squire’s modern identity is anchored in **high-security padlocks** and matching **hardened chains / accessories**, with the flagship line being **Stronghold®**. Their own “About” page calls out products like the **Stronghold SS100cs** as an ultra-high-security production padlock (Squire describe it as the world’s strongest production padlock — not subtle, but neither is a 1kg lump of hardened steel).

A good example of how the brand positions itself in real-world standards:

- The **Squire SS65CS Stronghold** is independently listed by **Sold Secure** with **CEN Grade 6** and a **Powered Cycle Gold** rating, alongside features like hardened components and weather resistance.