

TRIMEC ES110 Series Mortice Release - Timber

Aluminium · Trimec · 3 variants

PRICING

From **£308.84 ex VAT**

£370.61 inc VAT

3 variants available

VAT 20.00%

Range: £308.84 - £428.72 ex VAT

Product Imagery



Specification Summary

Brand	Trimec
Product type	Aluminium

Product Description

The Trimec ES110 Series Mortice Release is a cost-effective, robust electric strike designed for timber door frames. Featuring a solid one-piece cast aluminium body and a stainless steel striker, it offers a high level of security and reliability. With a deeper-than-normal strike-keeper area, the ES110 is designed to work with an extensive range of locks, making it suitable for various access control installations.

This versatile electric strike is site-reversible, allowing you to easily switch between fail-safe and fail-secure modes during installation. It is IP56 weather-resistant as standard, making it ideal for both internal and external doors, including high-traffic or exposed areas.

This product is available in multiple configurations. Please choose your preferred faceplate height (ranging from short 123mm/124mm to long 201mm), faceplate width (32mm or 36mm), input voltage (12/24V DC or 24V DC), manufacturer reference (110111-160M, 110112-140M, or TS113B), and weight (220g or 390g) from the options below.

Technical Specifications

- **Body Height:** 70mm

- **Jaw Dimensions:** 38mm (H) x 17mm (W) x 15mm (D)
- **Holding Force:** 680kg (1500lbs)
- **IP Rating:** IP56
- **Operating Temperature:** -20°C to 60°C
- **Handing:** Reversible
- **Standards:** CE Marked
- **Guarantee:** Tricare 5-Year Warranty

Key Features

- Solid one-piece cast aluminium body with a stainless steel striker for extra strength and durability
- Deeper strike-keeper area compatible with a wide range of locks
- Fail-safe / fail-secure mode is easily changeable on-site
- IP56 weather-resistant rating makes it suitable for external and exposed environments
- Supplied with an installation template for straightforward fitting
- Suitable for an 18mm latch with a 3mm door gap

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
No image	L17992	£428.72	£514.46	Adjustable Jaw: No Body Height: 70mm Faceplate Height: Short 124mm or Long Plate 201mm Faceplate Width: Short Plate 32mm / Long Plate 36mm Finish: Stainless Steel Guarantee: Tricare 5 Year Warranty Handed: Reversible Input Voltage: 12/24V DC IP Rating: IP56 Jaw Depth: 15mm Jaw Height: 38mm Jaw Width: 17mm Manufacturer Reference: 110111-160M Monitored: No Pack Quantity: 1 Packaging: Boxed Standards: CE Marked Weather Resistant: Yes Weight: 220g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L5044	£428.70	£514.44	Adjustable Jaw: No Barcode: 5055120620619 Body Depth: 30mm Body Height: 70mm Brand: Trimec Continuously Rated: Yes Current Consumption: 0.25A @ 12V DC / 0.187A @ 24V DC Faceplate Height: Short 123mm or Long Plate 201mm Faceplate Width: Short Plate 32mm / Long Plate 36mm Finish: Stainless Steel Fitting: Mortice Guarantee: Tricare 5 Year Warranty Handed: Reversible Holding Force: 680Kg / 1500Lbs Input Voltage: 12/24V DC IP Rating: IP56 Jaw Depth: 15mm Jaw Height: 38mm Jaw Width: 17mm Manufacturer Reference: 110112-140M Mechanical Life: 1,000,000 Operations Monitored: No Notes: Supplied With Long And Short Faceplate Operating Temperature: -20°C to 60°C Operation: Fail Locked / Fail Unlocked - Site Reversible Pack Quantity: 1 Packaging: Boxed Standards: CE Marked Weather Resistant: Yes Weight: 390g

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
No image	L8348	£308.84	£370.61	Adjustable Jaw: No Body Height: 70mm Faceplate Height: 201mm Faceplate Width: 36mm Finish: Stainless Steel Guarantee: Tricare 5 Year Warranty Handed: Reversible Input Voltage: 24V DC IP Rating: IP56 Jaw Depth: 15mm Jaw Height: 38mm Jaw Width: 17mm Manufacturer Reference: TS113B Monitored: No Pack Quantity: 1 Packaging: Boxed Standards: CE Marked Weather Resistant: Yes Weight: 390g

Brand Profile

Trimec

No brand description provided.