

# UNION J2100S StrongBOLT BS 5 Lever Deadlock

5 Lever BS04 · Union · 8 variants

## PRICING

**From £27.99 ex VAT**






£33.59 inc VAT

8 variants available

VAT 20.00%

Range: £27.99 - £65.75 ex VAT

Product Imagery



Specification Summary

|              |              |
|--------------|--------------|
| Brand        | Union        |
| Product type | 5 Lever BS04 |

Product Description

The UNION J2100S StrongBOLT BS 5 Lever Deadlock is a high-security mortice deadlock designed to secure timber doors up to 54mm thick. Fully compliant with British Standard BS3621 and approved by Secured by Design, this lock meets the stringent security requirements typically demanded by home insurance providers.

Engineered for straightforward installation, the lock features a square outer faceplate and a radius inner forend, allowing it to easily retro-fit into many existing UK mortice lock cutouts. Security is at the forefront of its design, boasting a 20mm chamfered deadbolt that resists side-load force, alongside robust anti-pick, anti-saw, and anti-drill protection.

This versatile deadlock is available in a selection of configurations. Please choose from the options below to select your preferred backset (45mm or 57mm, corresponding to 64mm or 75mm case depths), finish (Polished Lacquered Brass or Satin Chrome), and packaging type (Boxed or Visi-packed).

## Technical Specifications

- **Mechanism:** 5 Lever BS
- **Standards:** BS3621, BS EN 12209:2003, BS EN 1634-1, CE Marked, Certifire approved
- **Secured by Design:** Yes
- **Case Depth:** 64mm or 75mm (please choose from the options below)
- **Backset:** 45mm or 57mm (please choose from the options below)
- **Bolt Throw:** 20mm chamfered deadbolt
- **Forend Length:** 134mm
- **Forend Width:** 26mm
- **Keys Supplied:** 2
- **Fire Tested:** 1-hour timber doors
- **Handing:** Reversible (suitable for left or right hinged doors)
- **Guarantee:** 10-year manufacturer's guarantee

## Key Features

- **Insurance Approved:** Complies with BS3621 to meet standard home insurance requirements
- **Enhanced Attack Resistance:** Features anti-pick, anti-saw, and anti-drill protection to resist forced entry
- **Chamfered Deadbolt:** 20mm bolt throw with a chamfered design to withstand side-load pressure and drilling attacks
- **Easy Retro-fitting:** Radius inner forend and square faceplate allow for quick installation into standard UK mortices
- **Multiple Options Available:** Choose from Polished Lacquered Brass or Satin Chrome finishes, and Boxed or Visi packaging below to suit your project

## Variant Specifications And Pricing

| Image                                                                             | Part Number | Ex VAT | Inc VAT | Attributes / Specs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------|-------------|--------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | L16615      | £27.99 | £33.59  | <p><b>Backset:</b> 45mm</p> <p><b>Barcode:</b> 5011802129139</p> <p><b>Bolt Throw:</b> 20mm</p> <p><b>Brand:</b> Union</p> <p><b>Case Depth:</b> 64mm</p> <p><b>Case Finish:</b> Red</p> <p><b>Case Height:</b> 89mm</p> <p><b>Cylinder System:</b> Union StrongBOLT 5 Lever</p> <p><b>Differs:</b> 1,000</p> <p><b>Finish:</b> Polished Lacquered Brass</p> <p><b>Fire Tested:</b> 1 Hour Timber</p> <p><b>Forend Finish:</b> Polished Lacquered Brass</p> <p><b>Forend Length:</b> 134mm</p> <p><b>Forend Width:</b> 26mm</p> <p><b>Guarantee:</b> 10 Year</p> <p><b>Handed:</b> Reversible</p> <p><b>Key Cutting:</b> In-House</p> <p><b>Keyed:</b> Keyed To Differ</p> <p><b>Keying - KA:</b> In-House</p> <p><b>Keys Supplied:</b> 2</p> <p><b>Manufacturer Reference:</b> J2100S</p> <p><b>Mechanism:</b> 5 Lever BS</p> <p><b>Pack Quantity:</b> 1</p> <p><b>Packaging:</b> Boxed</p> <p><b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire</p> <p><b>Weight:</b> 720g</p> |

| Image                                                                             | Part Number | Ex VAT | Inc VAT | Attributes / Specs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------|-------------|--------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | L16616      | £27.99 | £33.59  | <p><b>Backset:</b> 57mm</p> <p><b>Barcode:</b> 5011802129153</p> <p><b>Bolt Throw:</b> 20mm</p> <p><b>Brand:</b> Union</p> <p><b>Case Depth:</b> 75mm</p> <p><b>Case Finish:</b> Red</p> <p><b>Case Height:</b> 89mm</p> <p><b>Cylinder System:</b> Union StrongBOLT 5 Lever</p> <p><b>Differs:</b> 1,000</p> <p><b>Finish:</b> Polished Lacquered Brass</p> <p><b>Fire Tested:</b> 1 Hour Timber</p> <p><b>Forend Finish:</b> Polished Lacquered Brass</p> <p><b>Forend Length:</b> 134mm</p> <p><b>Forend Width:</b> 26mm</p> <p><b>Guarantee:</b> 10 Year</p> <p><b>Handed:</b> Reversible</p> <p><b>Key Cutting:</b> In-House</p> <p><b>Keyed:</b> Keyed To Differ</p> <p><b>Keying - KA:</b> In-House</p> <p><b>Keys Supplied:</b> 2</p> <p><b>Manufacturer Reference:</b> J2100S</p> <p><b>Mechanism:</b> 5 Lever BS</p> <p><b>Pack Quantity:</b> 1</p> <p><b>Packaging:</b> Boxed</p> <p><b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire</p> <p><b>Weight:</b> 780g</p> |

| Image                                                                             | Part Number | Ex VAT | Inc VAT | Attributes / Specs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------|-------------|--------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | L16617      | £27.99 | £33.59  | <b>Backset:</b> 45mm<br><b>Barcode:</b> 5011802129122<br><b>Bolt Throw:</b> 20mm<br><b>Brand:</b> Union<br><b>Case Depth:</b> 64mm<br><b>Case Finish:</b> Red<br><b>Case Height:</b> 89mm<br><b>Cylinder System:</b> Union StrongBOLT 5<br>Lever<br><b>Differs:</b> 1,000<br><b>Finish:</b> Satin Chrome<br><b>Fire Tested:</b> 1 Hour Timber<br><b>Forend Finish:</b> Satin Chrome<br><b>Forend Length:</b> 134mm<br><b>Forend Width:</b> 26mm<br><b>Guarantee:</b> 10 Year<br><b>Handed:</b> Reversible<br><b>Key Cutting:</b> In-House<br><b>Keyed:</b> Keyed To Differ<br><b>Keying - KA:</b> In-House<br><b>Keys Supplied:</b> 2<br><b>Manufacturer Reference:</b> J2100S<br><b>Mechanism:</b> 5 Lever BS<br><b>Pack Quantity:</b> 1<br><b>Packaging:</b> Boxed<br><b>Standards:</b> BS EN 12209:2003,<br>Secured by Design, BS EN 1634-1, BS<br>EN 1634, CE Marked, Certifire<br><b>Weight:</b> 720g |

| Image                                                                             | Part Number | Ex VAT | Inc VAT | Attributes / Specs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------|-------------|--------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | L16618      | £27.99 | £33.59  | <b>Backset:</b> 57mm<br><b>Barcode:</b> 5011802129146<br><b>Bolt Throw:</b> 20mm<br><b>Brand:</b> Union<br><b>Case Depth:</b> 75mm<br><b>Case Finish:</b> Red<br><b>Case Height:</b> 89mm<br><b>Cylinder System:</b> Union StrongBOLT 5<br>Lever<br><b>Differs:</b> 1,000<br><b>Finish:</b> Satin Chrome<br><b>Fire Tested:</b> 1 Hour Timber<br><b>Forend Finish:</b> Satin Chrome<br><b>Forend Length:</b> 134mm<br><b>Forend Width:</b> 26mm<br><b>Guarantee:</b> 10 Year<br><b>Handed:</b> Reversible<br><b>Key Cutting:</b> In-House<br><b>Keyed:</b> Keyed To Differ<br><b>Keying - KA:</b> In-House<br><b>Keys Supplied:</b> 2<br><b>Manufacturer Reference:</b> J2100S<br><b>Mechanism:</b> 5 Lever BS<br><b>Pack Quantity:</b> 1<br><b>Packaging:</b> Boxed<br><b>Standards:</b> BS EN 12209:2003,<br>Secured by Design, BS EN 1634-1, BS<br>EN 1634, CE Marked, Certifire<br><b>Weight:</b> 780g |

| Image                                                                             | Part Number | Ex VAT | Inc VAT | Attributes / Specs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------|-------------|--------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | L18737      | £65.75 | £78.90  | <b>Backset:</b> 45mm<br><b>Barcode:</b> 5011802165403<br><b>Bolt Throw:</b> 20mm<br><b>Brand:</b> Union<br><b>Case Depth:</b> 64mm<br><b>Case Finish:</b> Red<br><b>Case Height:</b> 89mm<br><b>Cylinder System:</b> Union StrongBOLT 5<br>Lever<br><b>Differs:</b> 1,000<br><b>Finish:</b> Polished Lacquered Brass<br><b>Fire Tested:</b> 1 Hour Timber<br><b>Forend Finish:</b> Polished Lacquered Brass<br><b>Forend Length:</b> 134mm<br><b>Forend Width:</b> 26mm<br><b>Guarantee:</b> 10 Year<br><b>Handed:</b> Reversible<br><b>Key Cutting:</b> In-House<br><b>Keyed:</b> Keyed To Differ<br><b>Keying - KA:</b> In-House<br><b>Keys Supplied:</b> 2<br><b>Manufacturer Reference:</b> Y2100S PL<br>63MM<br><b>Mechanism:</b> 5 Lever BS<br><b>Pack Quantity:</b> 1<br><b>Packaging:</b> Visi<br><b>Standards:</b> BS EN 12209:2003,<br>Secured by Design, BS EN 1634-1, BS<br>EN 1634, CE Marked, Certifire<br><b>Weight:</b> 730g |

| Image                                                                             | Part Number | Ex VAT | Inc VAT | Attributes / Specs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------|-------------|--------|---------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | L18738      | £65.75 | £78.90  | <b>Backset:</b> 45mm<br><b>Barcode:</b> 5011802165427<br><b>Bolt Throw:</b> 20mm<br><b>Brand:</b> Union<br><b>Case Depth:</b> 64mm<br><b>Case Finish:</b> Red<br><b>Case Height:</b> 89mm<br><b>Cylinder System:</b> Union StrongBOLT 5<br>Lever<br><b>Differs:</b> 1,000<br><b>Finish:</b> Satin Chrome<br><b>Fire Tested:</b> 1 Hour Timber<br><b>Forend Finish:</b> Satin Chrome<br><b>Forend Length:</b> 134mm<br><b>Forend Width:</b> 26mm<br><b>Guarantee:</b> 10 Year<br><b>Handed:</b> Reversible<br><b>Key Cutting:</b> In-House<br><b>Keyed:</b> Keyed To Differ<br><b>Keying - KA:</b> In-House<br><b>Keys Supplied:</b> 2<br><b>Manufacturer Reference:</b> Y2100S SC<br>63MM<br><b>Mechanism:</b> 5 Lever BS<br><b>Pack Quantity:</b> 1<br><b>Packaging:</b> Visi<br><b>Standards:</b> BS EN 12209:2003,<br>Secured by Design, BS EN 1634-1, BS<br>EN 1634, CE Marked, Certifire<br><b>Weight:</b> 730g |

| Image                                                                             | Part Number | Ex VAT | Inc VAT | Attributes / Specs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------------------------------------------------------------|-------------|--------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | L18739      | £65.75 | £78.90  | <p><b>Backset:</b> 57mm</p> <p><b>Barcode:</b> 5011802165410</p> <p><b>Bolt Throw:</b> 20mm</p> <p><b>Brand:</b> Union</p> <p><b>Case Depth:</b> 75mm</p> <p><b>Case Finish:</b> Red</p> <p><b>Case Height:</b> 89mm</p> <p><b>Cylinder System:</b> Union StrongBOLT 5 Lever</p> <p><b>Differs:</b> 1,000</p> <p><b>Finish:</b> Polished Lacquered Brass</p> <p><b>Fire Tested:</b> 1 Hour Timber</p> <p><b>Forend Finish:</b> Polished Lacquered Brass</p> <p><b>Forend Length:</b> 134mm</p> <p><b>Forend Width:</b> 26mm</p> <p><b>Guarantee:</b> 10 Year</p> <p><b>Handed:</b> Reversible</p> <p><b>Key Cutting:</b> In-House</p> <p><b>Keyed:</b> Keyed To Differ</p> <p><b>Keying - KA:</b> In-House</p> <p><b>Keys Supplied:</b> 2</p> <p><b>Manufacturer Reference:</b> Y2100S PL 75MM</p> <p><b>Mechanism:</b> 5 Lever BS</p> <p><b>Pack Quantity:</b> 1</p> <p><b>Packaging:</b> Visi</p> <p><b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire</p> <p><b>Weight:</b> 780g</p> |

| Image                                                                             | Part Number | Ex VAT | Inc VAT | Attributes / Specs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------------------------------------------------------------|-------------|--------|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | L18740      | £65.75 | £78.90  | <p><b>Backset:</b> 57mm</p> <p><b>Barcode:</b> 5011802165434</p> <p><b>Bolt Throw:</b> 20mm</p> <p><b>Brand:</b> Union</p> <p><b>Case Depth:</b> 75mm</p> <p><b>Case Finish:</b> Red</p> <p><b>Case Height:</b> 89mm</p> <p><b>Cylinder System:</b> Union StrongBOLT 5 Lever</p> <p><b>Differs:</b> 1,000</p> <p><b>Finish:</b> Satin Chrome</p> <p><b>Fire Tested:</b> 1 Hour Timber</p> <p><b>Forend Finish:</b> Satin Chrome</p> <p><b>Forend Length:</b> 134mm</p> <p><b>Forend Width:</b> 26mm</p> <p><b>Guarantee:</b> 10 Year</p> <p><b>Handed:</b> Reversible</p> <p><b>Key Cutting:</b> In-House</p> <p><b>Keyed:</b> Keyed To Differ</p> <p><b>Keying - KA:</b> In-House</p> <p><b>Keys Supplied:</b> 2</p> <p><b>Manufacturer Reference:</b> Y2100S SC 75MM</p> <p><b>Mechanism:</b> 5 Lever BS</p> <p><b>Pack Quantity:</b> 1</p> <p><b>Packaging:</b> Visi</p> <p><b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire</p> <p><b>Weight:</b> 780g</p> |

## Brand Profile

Union



**ASSA ABLOY**

**UNION** is one of the big heritage names in **British-designed locks and door hardware**, with roots going back to **1840** in **Willenhall** (aka the Black Country's lockmaking mothership). What started as a family business grew into a widely specified brand for everything that "goes on a door," and UNION still leans hard into that *made-for-the-trade, won't-let-you-down* identity.

Today, UNION sits inside **ASSA ABLOY Opening Solutions UK & Ireland**, and the brand acts like a hub for a wider family of door-hardware ranges. In recent years, brands like **Exidor** (panic/exit hardware), plus **Dale Hardware** and **Excel Architectural Hardware**, were brought into the broader "UNION family" after ASSA ABLOY acquisitions. It's basically the Avengers, but instead of saving the universe they just make sure fire exits actually work at 3am.

### What UNION is known for:

- A huge spread of **locks and cylinders** (mortice locks, euro cylinders, padlocks, etc.)
- The broader architectural hardware ecosystem: **door controls, exit hardware, hinges, handles, accessories**, and spec/support tooling aimed at installers and ironmongers
- A strong UK trade presence and long distributor relationships (Aldridge even called out a **60-year partnership** publicly).