

# UNION J2103 StrongBOLT 3 Lever Deadlock

3 Lever · Union · 8 variants

PRICING

**From £25.46 ex VAT**





£30.55 inc VAT

8 variants available

VAT 20.00%

Range: £25.46 - £33.78 ex VAT

## Product Imagery



## Specification Summary

Brand Union

Product type 3 Lever

## Product Description

The UNION J2103 StrongBOLT 3 Lever Deadlock is a robust, medium-security mortice deadlock designed specifically for timber doors. It is an excellent choice for internal doors, utility rooms, and fire doors, providing reliable protection and peace of mind.

Engineered to withstand attack, this deadlock is pick, saw, and force resistant. It features a chamfered deadbolt with a 14mm throw, which improves the lock's performance under side-load pressure. For a smooth and straightforward installation, it is designed with a square outer faceplate and a radius inner forend. The lock is also fully certified, carrying CE and Certifire approval, and is tested for use on 1-hour timber fire doors.

This deadlock is highly versatile and available in several configurations. You can choose between case depths of 64mm (with a 45mm backset) or 75mm (with a 57mm backset), as well as Polished Brass or Stainless Steel finishes. It is also available in either Boxed or Visi packaging. Please select your required size, finish, and packaging from the options below.

## Technical Specifications

- **Brand:** Union
- **Mechanism:** 3 Lever
- **Case Depth:** 64mm or 75mm (please choose from the options below)
- **Backset:** 45mm or 57mm (please choose from the options below)
- **Bolt Throw:** 14mm
- **Forend Dimensions:** 168mm (L) x 26mm (W)
- **Finishes:** Polished Brass or Stainless Steel (please choose from the options below)
- **Standards:** BS EN 12209:2003, BS EN 1634-1, CE Marked, Certifire, Secured by Design
- **Fire Tested:** 1 Hour Timber
- **Keying:** Keyed to differ (in-house key cutting and keying alike available)
- **Guarantee:** 10 Year Manufacturer's Guarantee

## Key Features

- **Medium Security:** Perfect for internal timber doors, utility doors, and fire doors.
- **Attack Resistant:** Designed to resist picking, sawing, and physical force.
- **Easy Fitting:** Symmetrical design with a square faceplate and radius inner forend for simple installation.
- **Chamfered Deadbolt:** 14mm bolt throw provides secure positive deadlocking and enhanced side-load resistance.
- **Flexible Configurations:** Available in a choice of sizes, finishes, and packaging options to suit your needs.

## Variant Specifications And Pricing


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19754	£31.17	£37.40	<p><b>Backset:</b> 45mm  <b>Barcode:</b> 5011802175396  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> Union  <b>Case Depth:</b> 64mm  <b>Case Height:</b> 89mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Polished Brass  <b>Forend Length:</b> 168mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Manufacturer Reference:</b> J2103S-PB-2.5  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire  <b>Weight:</b> 547g</p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19755	£31.17	£37.40	<p> <b>Backset:</b> 57mm  <b>Barcode:</b> 5011802175402  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> Union  <b>Case Depth:</b> 75mm  <b>Case Height:</b> 89mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Polished Brass  <b>Forend Length:</b> 168mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Manufacturer Reference:</b> J2103S-PB-3.0  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire  <b>Weight:</b> 597g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19756	£31.17	£37.40	<p> <b>Backset:</b> 45mm  <b>Barcode:</b> 5011802175419  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> Union  <b>Case Depth:</b> 64mm  <b>Case Height:</b> 89mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Stainless Steel  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Stainless Steel  <b>Forend Length:</b> 168mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Manufacturer Reference:</b> J2103S-SS-2.5  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire  <b>Weight:</b> 547g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19757	£31.16	£37.39	<p> <b>Backset:</b> 57mm  <b>Barcode:</b> 5011802175426  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> Union  <b>Case Depth:</b> 75mm  <b>Case Height:</b> 89mm  <b>Cylinder System:</b> Union StrongBOLT 3            Lever  <b>Finish:</b> Stainless Steel  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Stainless Steel  <b>Forend Length:</b> 168mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Manufacturer Reference:</b> J2103S-SS-3.0  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire  <b>Weight:</b> 597g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19762	£33.78	£40.54	<p> <b>Backset:</b> 45mm  <b>Barcode:</b> 5011802175433  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 5  <b>Brand:</b> Union  <b>Case Depth:</b> 64mm  <b>Case Height:</b> 89mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Polished Brass  <b>Forend Length:</b> 168mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Manufacturer Reference:</b> Y2103S-PB-2.5  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Visi  <b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire  <b>Weight:</b> 547g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19763	£25.46	£30.55	<p> <b>Backset:</b> 57mm  <b>Barcode:</b> 5011802175440  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 5  <b>Brand:</b> Union  <b>Case Depth:</b> 75mm  <b>Case Height:</b> 89mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Polished Brass  <b>Forend Length:</b> 168mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Manufacturer Reference:</b> Y2103S-PB-3.0  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Visi  <b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire  <b>Weight:</b> 597g         </p>



Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19764	£33.77	£40.52	<p> <b>Backset:</b> 45mm  <b>Barcode:</b> 5011802175457  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 5  <b>Brand:</b> Union  <b>Case Depth:</b> 64mm  <b>Case Height:</b> 89mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Stainless Steel  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Stainless Steel  <b>Forend Length:</b> 168mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Manufacturer Reference:</b> Y2103S-SS-2.5  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Visi  <b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire  <b>Weight:</b> 547g         </p>

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19765	£33.77	£40.52	<p> <b>Backset:</b> 57mm  <b>Barcode:</b> 5011802175464  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 5  <b>Brand:</b> Union  <b>Case Depth:</b> 75mm  <b>Case Height:</b> 89mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Stainless Steel  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Stainless Steel  <b>Forend Length:</b> 168mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Key Cutting:</b> In-House  <b>Keyed:</b> Keyed To Differ  <b>Keying - KA:</b> In-House  <b>Manufacturer Reference:</b> Y2103S-SS-3.0  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Visi  <b>Standards:</b> BS EN 12209:2003, Secured by Design, BS EN 1634-1, BS EN 1634, CE Marked, Certifire  <b>Weight:</b> 597g         </p>

## Brand Profile

Union



**ASSA ABLOY**

**UNION** is one of the big heritage names in **British-designed locks and door hardware**, with roots going back to **1840** in **Willenhall** (aka the Black Country's lockmaking mothership). What started as a family business grew into a widely specified brand for everything that "goes on a door," and UNION still leans hard into that *made-for-the-trade, won't-let-you-down* identity.

Today, UNION sits inside **ASSA ABLOY Opening Solutions UK & Ireland**, and the brand acts like a hub for a wider family of door-hardware ranges. In recent years, brands like **Exidor** (panic/exit hardware), plus **Dale Hardware** and **Excel Architectural Hardware**, were brought into the broader "UNION family" after ASSA ABLOY acquisitions. It's basically the Avengers, but instead of saving the universe they just make sure fire exits actually work at 3am.

### What UNION is known for:

- A huge spread of **locks and cylinders** (mortice locks, euro cylinders, padlocks, etc.)
- The broader architectural hardware ecosystem: **door controls, exit hardware, hinges, handles, accessories**, and spec/support tooling aimed at installers and ironmongers
- A strong UK trade presence and long distributor relationships (Aldridge even called out a **60-year partnership** publicly).