

# UNION J2203 StrongBOLT 3 Lever Sashlock

3 Lever · Union · 8 variants

PRICING

**From £40.22 ex VAT**




£48.26 inc VAT

8 variants available

VAT 20.00%

Range: £40.22 - £42.93 ex VAT

## Product Imagery



## Specification Summary

Brand Union

Product type 3 Lever

## Product Description

The UNION J2203 StrongBOLT™ 3 Lever Sashlock is a highly reliable mortice lock designed for timber doors requiring standard security. Combining a deadbolt operated by key and a latchbolt operated by lever handles, it is an ideal choice for internal doors. It features a unique chamfered deadbolt design that provides smooth operation while offering enhanced resistance to physical attack.

This lock incorporates UNION's innovative SwitchLatch™ technology, allowing the radius latch to be easily reversed on-site without the need for tools. To ensure a quick and professional installation, it is supplied with a square faceplate, a radius inner forend, and a plastic splinter guard. It also features an anti-rattle adjustable strike plate, allowing for precise fine-tuning during installation.

This versatile sashlock is available in a choice of Polished Brass or Stainless Steel finishes, with either a 45mm or 57mm backset (corresponding to 64mm or 75mm case depths). It is also offered in Boxed or Visi (visual retail) packaging. Please select your preferred options from the choices below.

## Technical Specifications

- **Mechanism:** 3 Lever
- **Backset:** 45mm or 57mm (please choose from the options below)
- **Case Depth:** 64mm or 75mm (please choose from the options below)
- **Centres:** 57mm
- **Bolt Throw:** 14mm
- **Forend Dimensions:** 162mm (L) x 26mm (W)
- **Finishes:** Polished Brass or Stainless Steel (please choose from the options below)
- **Keys Supplied:** 2 keys (Keyed to Differ)
- **Standards & Certifications:** BS EN 12209:2003, BS EN 1634-1, CE Marked, Certifire Approved
- **Fire Rating:** Tested to 1 hour on timber fire doors
- **Guarantee:** 10-year manufacturer's guarantee

## Key Features

- **SwitchLatch™ Technology:** Tool-free, quick, and easy reversible radius latch for simple handing adjustments on-site.
- **Chamfered Bolt Design:** Offers smooth operation and increased resistance to force, sawing, and picking.
- **Adjustable Strike:** Anti-rattle strike plate allows for precise alignment and fine-tuning during installation.
- **Easy Fitting:** Supplied with a plastic splinter guard and features a square faceplate with a radius inner forend for a professional finish.
- **Fire Door Approved:** Certified for use on 60-minute timber fire doors.
- **Multiple Options:** Available in various finishes, backsets, and packaging types to suit your project requirements.

## Variant Specifications And Pricing


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19750	£40.28	£48.34	<p> <b>Backset:</b> 45mm  <b>Barcode:</b> 5011802175310  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> Union  <b>Case Depth:</b> 64mm  <b>Case Height:</b> 109.6mm  <b>Centres:</b> 57mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Polished Brass  <b>Forend Length:</b> 162mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Keyed:</b> Keyed To Differ  <b>Keys Supplied:</b> 2  <b>Manufacturer Reference:</b> J2203S-PB-2.5  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Standards:</b> BS EN 12209:2003, BS EN 1634-1, CE Marked, Certifire  <b>Weight:</b> 657g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19751	£40.28	£48.34	<p> <b>Backset:</b> 57mm  <b>Barcode:</b> 5011802175327  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> Union  <b>Case Depth:</b> 75mm  <b>Case Height:</b> 109.6mm  <b>Centres:</b> 57mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Polished Brass  <b>Forend Length:</b> 162mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Keyed:</b> Keyed To Differ  <b>Keys Supplied:</b> 2  <b>Manufacturer Reference:</b> J2203S-PB-3.0  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Standards:</b> BS EN 12209:2003, BS EN 1634-1, CE Marked, Certifire  <b>Weight:</b> 747g         </p>

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19752	£40.28	£48.34	<p> <b>Backset:</b> 45mm  <b>Barcode:</b> 5011802175334  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> Union  <b>Case Depth:</b> 64mm  <b>Case Height:</b> 109.6mm  <b>Centres:</b> 57mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Stainless Steel  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Stainless Steel  <b>Forend Length:</b> 162mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Keyed:</b> Keyed To Differ  <b>Keys Supplied:</b> 2  <b>Manufacturer Reference:</b> J2203S-SS-2.5  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Standards:</b> BS EN 12209:2003, BS EN 1634-1, CE Marked, Certifire  <b>Weight:</b> 657g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19753	£40.22	£48.26	<p> <b>Backset:</b> 57mm  <b>Barcode:</b> 5011802175341  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 10  <b>Brand:</b> Union  <b>Case Depth:</b> 75mm  <b>Case Height:</b> 109.6mm  <b>Centres:</b> 57mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Stainless Steel  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Stainless Steel  <b>Forend Length:</b> 162mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Keyed:</b> Keyed To Differ  <b>Keys Supplied:</b> 2  <b>Manufacturer Reference:</b> J2203S-SS-3.0  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Boxed  <b>Standards:</b> BS EN 12209:2003, BS EN 1634-1, CE Marked, Certifire  <b>Weight:</b> 747g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19758	£42.87	£51.44	<p> <b>Backset:</b> 45mm  <b>Barcode:</b> 5011802175358  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 5  <b>Brand:</b> Union  <b>Case Depth:</b> 64mm  <b>Case Height:</b> 109.6mm  <b>Centres:</b> 57mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Polished Brass  <b>Forend Length:</b> 162mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Keyed:</b> Keyed To Differ  <b>Keys Supplied:</b> 2  <b>Manufacturer Reference:</b> Y2203S-PB-2.5  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Visi  <b>Standards:</b> BS EN 12209:2003, BS EN 1634-1, CE Marked, Certifire  <b>Weight:</b> 657g         </p>


Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19759	£42.87	£51.44	<p> <b>Backset:</b> 57mm  <b>Barcode:</b> 5011802175365  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 5  <b>Brand:</b> Union  <b>Case Depth:</b> 75mm  <b>Case Height:</b> 109.6mm  <b>Centres:</b> 57mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Polished Brass  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Polished Brass  <b>Forend Length:</b> 162mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Keyed:</b> Keyed To Differ  <b>Keys Supplied:</b> 2  <b>Manufacturer Reference:</b> Y2203S-PB-3.0  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Visi  <b>Standards:</b> BS EN 12209:2003, BS EN 1634-1, CE Marked, Certifire  <b>Weight:</b> 747g         </p>



Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19760	£42.93	£51.52	<p> <b>Backset:</b> 45mm  <b>Barcode:</b> 5011802175372  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 5  <b>Brand:</b> Union  <b>Case Depth:</b> 64mm  <b>Case Height:</b> 109.6mm  <b>Centres:</b> 57mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Stainless Steel  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Stainless Steel  <b>Forend Length:</b> 162mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Keyed:</b> Keyed To Differ  <b>Keys Supplied:</b> 2  <b>Manufacturer Reference:</b> Y2203S-SS-2.5  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Visi  <b>Standards:</b> BS EN 12209:2003, BS EN 1634-1, CE Marked, Certifire  <b>Weight:</b> 657g         </p>

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L19761	£42.93	£51.52	<p> <b>Backset:</b> 57mm  <b>Barcode:</b> 5011802175389  <b>Bolt Throw:</b> 14mm  <b>Boxed Quantity:</b> 5  <b>Brand:</b> Union  <b>Case Depth:</b> 75mm  <b>Case Height:</b> 109.6mm  <b>Centres:</b> 57mm  <b>Cylinder System:</b> Union StrongBOLT 3 Lever  <b>Finish:</b> Stainless Steel  <b>Fire Tested:</b> 1 Hour Timber  <b>Forend Finish:</b> Stainless Steel  <b>Forend Length:</b> 162mm  <b>Forend Width:</b> 26mm  <b>Guarantee:</b> 10 Year  <b>Handed:</b> Reversible  <b>Keyed:</b> Keyed To Differ  <b>Keys Supplied:</b> 2  <b>Manufacturer Reference:</b> Y2203S-SS-3.0  <b>Mechanism:</b> 3 Lever  <b>Pack Quantity:</b> 1  <b>Packaging:</b> Visi  <b>Standards:</b> BS EN 12209:2003, BS EN 1634-1, CE Marked, Certifire  <b>Weight:</b> 747g         </p>

## Brand Profile

Union



ASSA ABLOY

**UNION** is one of the big heritage names in **British-designed locks and door hardware**, with roots going back to **1840** in **Willenhall** (aka the Black Country's lockmaking mothership). What started as a family business grew into a widely specified brand for everything that "goes on a door," and UNION still leans hard into that *made-for-the-trade, won't-let-you-down* identity.

Today, UNION sits inside **ASSA ABLOY Opening Solutions UK & Ireland**, and the brand acts like a hub for a wider family of door-hardware ranges. In recent years, brands like **Exidor** (panic/exit hardware), plus **Dale Hardware** and **Excel Architectural Hardware**, were brought into the broader "UNION family" after ASSA ABLOY acquisitions. It's basically the Avengers, but instead of saving the universe they just make sure fire exits actually work at 3am.

### What UNION is known for:

- A huge spread of **locks and cylinders** (mortice locks, euro cylinders, padlocks, etc.)
- The broader architectural hardware ecosystem: **door controls, exit hardware, hinges, handles, accessories**, and spec/support tooling aimed at installers and ironmongers
- A strong UK trade presence and long distributor relationships (Aldridge even called out a **60-year partnership** publicly).