

UNION Latch Fire Door Kit

Door Pack · Union · 1 variant

PRICING

From **£137.89 ex VAT**

£165.47 inc VAT

1 variant available
VAT 20.00%

Product Imagery



Specification Summary

Brand	Union
Product type	Door Pack

Product Description

The UNION Latch Fire Door Kit (J-FDK-LATCH) is a comprehensive, all-in-one hardware solution designed to simplify the installation and compliance of timber fire doors. Ideal for non-locking internal doors - such as sub-offices, inner lobbies, and storage rooms - this convenient pack contains all the necessary high-quality components, fixings, and instructions in a single box, saving you both time and money.

Each kit features premium, fully tested hardware, including a CE3F size 3 door closer, Grade 13 ball bearing hinges, and a HD72 latch case with a matching 1000 Series RTD lever handle pair. To ensure maximum safety and compliance, the pack is supplied with dedicated intumescent kits that expand under heat to protect door fittings and prevent the spread of fire. Fully Certifire approved and CE marked, this kit provides complete peace of mind for FD30 and FD60 timber fire doors.

Kit Contains:

- 3 x C433 Grade 13 ball bearing hinges (with screws)
- 3 x Intumescent kits for hinges
- 1 x CE3F size 3 door closer
- 2 x 'Fire Door Keep Shut' signs

- 1 x HD72 latch lock
- 1 x HD72 intumescent kit
- 1 x 1000 Series RTD lever handle pair

Technical Specifications

- **Brand:** UNION
- **Manufacturer Reference:** J-FDK-LATCH
- **Part Number:** L30315
- **Fire Rating:** Tested for 30-minute (FD30) and 60-minute (FD60) timber fire doors (1/2 to 1 hour)
- **Standards:** CE Marked, Certifire approved, EN 1154, EN 12209, EN 1935
- **Closer Strength Size:** Size 3
- **Suitable For:** Timber fire doors
- **Weight:** 4.3kg

Key Features

- **All-in-One Convenience:** Contains all necessary fire-rated hardware, fixings, and instructions in a single box to save time and installation costs.
- **Ideal for Non-Locking Doors:** Perfect for internal office doors, lobbies, and storage rooms where locking is not required.
- **Intumescent Protection:** Included intumescent kits expand when heated, protecting the door fittings and helping to prevent the spread of fire.
- **High-Quality Components:** Supplied with premium UNION hardware, including a CE3F closer, Grade 13 ball bearing hinges, and a 1000 Series RTD lever handle pair.
- **Fully Certified:** CE marked and Certifire approved for reliable, compliant fire door security.

Variant Specifications And Pricing

Image	Part Number	Ex VAT	Inc VAT	Attributes / Specs
	L30315	£137.89	£165.47	Barcode: 5011802319851 Brand: Union Fire Tested: 1/2 - 1 hour Manufacturer Reference: J-FDK-LATCH Standards: CE Marked, Certifire Strength Size: 3 Suits Product: Timber Fire Doors Weight: 4.3Kg

Brand Profile

Union



ASSA ABLOY

UNION is one of the big heritage names in **British-designed locks and door hardware**, with roots going back to **1840** in **Willenhall** (aka the Black Country's lockmaking mothership). What started as a family business grew into a widely specified brand for everything that "goes on a door," and UNION still leans hard into that *made-for-the-trade, won't-let-you-down* identity.

Today, UNION sits inside **ASSA ABLOY Opening Solutions UK & Ireland**, and the brand acts like a hub for a wider family of door-hardware ranges. In recent years, brands like **Exidor** (panic/exit hardware), plus **Dale Hardware** and **Excel Architectural Hardware**, were brought into the broader "UNION family" after ASSA ABLOY acquisitions. It's basically the Avengers, but instead of saving the universe they just make sure fire exits actually work at 3am.

What UNION is known for:

- A huge spread of **locks and cylinders** (mortice locks, euro cylinders, padlocks, etc.)
- The broader architectural hardware ecosystem: **door controls, exit hardware, hinges, handles, accessories**, and spec/support tooling aimed at installers and ironmongers
- A strong UK trade presence and long distributor relationships (Aldridge even called out a **60-year partnership** publicly).