

# WINKHAUS AV2 Intumescent Lock Kit

Intumescent Strips & Seals · Winkhaus · 1 variant


PRICING

From £57.83 ex VAT

£69.40 inc VAT

1 variant available  
VAT 20.00%

Product Imagery



Specification Summary

|              |                            |
|--------------|----------------------------|
| Brand        | Winkhaus                   |
| Product type | Intumescent Strips & Seals |

Product Description

The Winkhaus AV2 Intumescent Lock Kit is a high-performance fire safety solution designed specifically for use with Winkhaus AV2 and AV3 multipoint door locks. This kit contains pre-cut, self-adhesive intumescent strips that fit precisely around the lock's key components, including the gearbox, hook cases, centre strike, and box keeps.

By expanding under intense heat, these intumescent strips seal gaps around the door hardware, preventing the spread of fire and smoke. The kit has been tested to provide up to 60 minutes (1 hour) of fire door protection, making it an essential addition for maintaining the fire integrity of timber and composite fire doors.

With its self-adhesive backing, the kit is incredibly easy to install and comes ready to use. It offers a reliable, low-profile (1mm depth) solution to ensure your fire door installations meet safety standards without interfering with the smooth operation of your Winkhaus multipoint lock.

Technical Specifications

- **Brand:** Winkhaus
- **Manufacturer Reference:** V5021/F/10/SA
- **Part Number:** L27658
- **Barcode:** 5055120788326

- **Compatibility:** Winkhaus AV2 and AV3 multipoint locks
- **Fire Rating:** 1 Hour (60 minutes)
- **Thickness:** 1mm
- **Pack Quantity:** 1 kit
- **Weight:** 300g

## Key Features

- **Tailored Fit:** Pre-cut strips designed specifically to fit around the gearbox, hook cases, centre strike, and box keeps of Winkhaus AV2 and AV3 locks.
- **60-Minute Fire Protection:** Tested to provide up to 1 hour of fire resistance, helping to prevent the spread of fire and smoke.
- **Self-Adhesive Backing:** Quick and easy to apply with a strong self-adhesive backing, requiring no additional glues.
- **Low Profile:** At just 1mm thick, the strips fit discreetly without affecting the lock's operation or door alignment.
- **Ready to Use:** Supplied as a complete, ready-to-install kit for immediate application.

Variant Specifications And Pricing

| Image                                                                             | Part Number | Ex VAT | Inc VAT | Attributes / Specs                                                                                                                                                                                              |
|-----------------------------------------------------------------------------------|-------------|--------|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | L27658      | £57.83 | £69.40  | <b>Barcode:</b> 5055120788326<br><b>Brand:</b> Winkhaus<br><b>Depth:</b> 1mm<br><b>Fire Tested:</b> 1 Hour<br><b>Manufacturer Reference:</b><br>V5021/F/10/SA<br><b>Pack Quantity:</b> 1<br><b>Weight:</b> 300g |

## Brand Profile

Winkhaus

No brand description provided.